Marine Organic Chemistry: Master Reference List

T. Fu and R. Pocklington

Atlantic Oceanographic Laboratory
Ocean Science and Surveys, Atlantic
Department of Fisheries and Oceans

Bedford Institute of Oceanography
P.O. Box 1006
Dartmouth, Nova Scotia B2Y 4A2

October 1984

Canadian Data Report of Hydrography and Ocean Sciences No. 24

85-5815/

Canadian Data Report Of Hydrography and Ocean Sciences

These reports provide a medium for the documentation and dissemination of data in a form directly useable by the scientific and engineering communities.

Generally, the reports will contain raw and/or analyzed data but will not contain interpretations of the data. Such compilations will commonly have been prepared in support of work related to the programs and interests of the Ocean Science and Surveys (OSS) sector of the Department of Fisheries and Oceans.

Data Reports are produced regionally but are numbered and indexed nationally. Requests for individual reports will be fulfilled by the issuing establishment listed on the front cover and title page. Out of stock reports will be supplied for a fee by commercial agents.

Regional and headquarters establishments of Ocean Science and Surveys ceased publication of their various report series as of December 1981. A complete listing of these publications and the last number issued under each title are published in the *Canadian Journal of Fisheries and Aquatic Sciences*, Volume 38: Index to Publications 1981. The current series began with Report Number 1 in January 1982.

Rapport statistique canadien sur l'hydrographie et les sciences océaniques

Ces rapports servent de véhicule pour la compilation et la diffusion des données sous une forme directement utilisable par les scientifiques et les techniciens.

En général, les rapports contiennent des données brutes ou analysées mais ne fournissent pas d'interprétations des données. Ces compilations sont préparées le plus souvent à l'appui de travaux reliés aux programmes et intérêts du service des Sciences et Levés océaniques (SLO) du ministère des Pêches et des Océans.

Les rapports statistiques sont produits à l'échelon régional mais sont numerotés et placés dans l'index à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page de titre. Les rapports épuisés seront fournis contre rétribution par des agents commerciaux.

Les établissements des Sciences et Leves océaniques dans les regions et à l'administration centrale ont cessé de publier leurs diverses séries de rapports depuis décembre 1981. Vous trouverez dans l'index des publications du volume 38 du *Journal canadien des sciences halieutiques et aquatiques*, la liste de ces publications ainsi que le dernier numéro paru dans chaque catégorie. La nouvelle série a commencé avec la publication du Rapport n° 1 en janvier 1982.

Canadian Data Report of

Hydrography and Ocean Sciences No. 24

October 1984

MARINE ORGANIC CHEMISTRY:

MASTER REFERENCE LIST

by

T. Fu* and R. Pocklington

Atlantic Oceanographic Laboratory
Ocean Science and Surveys, Atlantic
Department of Fisheries and Oceans

Bedford Institute of Oceanography
P.O. Box 1006
Dartmouth, Nova Scotia
B2Y 4A2

* Tianbao Fu's present address is the Third Institute of Oceanography, National Bureau of Oceanography, P.O. Box 70, Xiamen Fujian, China. From October 1980 until late 1982 he was a visiting researcher at the Bedford Institute of Oceanography.

Acknowledgements

The assistance of Sharon Hiltz and Francesca Holyoke in the preparation of this reference list is gratefully acknowledged.

©Minister of Supply and Services Canada 1984

Cat. No. Fs 97-16/24E ISSN 0711-6721

Correct citation for this publication:

Fu, T. and Pocklington, R. 1984. Marine organic chemistry: Master reference list. Can. Data Rep. Hydrogr. Ocean Sci. 24: iii + 89 p.

ABSTRACT

Fu, T. and Pocklington, R. 1984. Marine organic chemistry: Master reference list. Can. Data Rep. Hydrogr. Ocean Sci. 24: iii + 89 p.

A list of recent (post-1960) references is presented in the hope that it may be of use to marine organic chemists. This selection is not oriented toward "marine pollution" which has been amply covered by many recent compilations but stresses natural interactions between marine organisms and the environment they inhabit.

Key words: References, Marine organic chemistry, Chemical interactions, Marine organisms

RÉSUMÉ

Fu, T. and Pocklington, R. 1984. Marine organic chemistry: Master reference list. Can. Data Rep. Hydrogr. Ocean Sci. 24: iii + 89 p.

On présente ici une liste de références récentes (après - 1960) dans l'éspoir qu'elle servira les intérêts les spécialistes en chimie organique de la mer. Cette sélection, qui exclu les compilations récentes sur "la pollution marine", accentue les intéractions chimiques naturelles entre les organismes marins et leurs environnement.

Mots clefs: Références, Chimi organique de la mer, Intéractions chimiques, Organismes marins

MARINE ORGANIC CHEMISTRY: Master Reference List

Aaronson, S.,1978. Excretion of organic matter by phytoplankton in vitro. Limnology and Oceanography, 23: 838.

Abdel-Fattah, A.F., Hussein, M.M.-E. and Salem, H.M., 1973. Sargassan: A sulfated heteropolysaccharide from Sargassum linifolium. Phytochemistry, 12: 1995-1998.

Ackman, R.G., 1972. The analysis of fatty acids and related materials by gas-liquid chromatography. In: Holman, R.T. (Ed.) Progress in the chemistry of fats and other lipids. Pergamon Press, Oxford: 167-284.

Ackman, R.G. and Eaton, C.A., 1970. Investigation of the fatty-acid composition of oils and lipids from the sand launce (Ammodytes americanus) from Nova Scotia waters. Journal of the Fisheries Research Board of Canada, 28: 601-606.

Ackman, R.G., Sipos, J.C. and Tocher, C.S., 1967. Some linear, iso, anteiso and multiple branched fatty acids of marine origin: analysis on packed and open tubular gas-liquid chromatographic columns with particular reference to pristanic and phytanic acids. Journal of the Fisheries Research Board of Canada, 24: 635-650.

Ackman, R.G., Tocher, C.S. and McLachlan, J., 1968. Marine phytoplankton fatty acids. Journal of the Fisheries Research Board of Canada, 25: 1603-1620.

Afghan, B.K., Belliveau, P.E., Larose, R.H. and Ryan, J.F., 1974. An improved method for determination of trace quantities of phenols in natural waters. Analytica Chimica Acta, 71: 355-366.

Agaki, H. and Takabatake, E., 1973. Photochemical formation of methylmercuric compounds from mercuric acetate. Chemosphere, 3: 131-133.

Agatova, A.T. and Bogdanov, Y.A., 1972. Biochemical composition of suspended organic matter from the tropical Pacific. Okeanologiia, 12: 267-276.

Aitzetmuller, K., 1978. Sugar analysis by high-performance liquid chromatography using silica columns. Journal of Chromatography, 156: 354-358.

Aizenshtat, Z., 1973. Perylene and its geochemical significance. Geochimica et Cosmochimica Acta, 37: 559-567.

Aizenshtat, Z., Baedecker, M.J. and Kaplan, I.R., 1973. Distribution and diagenesis of organic compounds in JOIDES sediment from Gulf of Mexico and Western Atlantic. Geochimica et Cosmochimica Acta, 37: 1881-1898.

Akiyama, T., 1971. Microscopic determination of iron-organic aggregates in sea and lake waters. Geochemical Journal, 27: 207-212.

Al-Hasan, R.H., Coughlan, S.J., Pant, A. and Fogg, G.E., 1975. Seasonal variations in phytoplankton and glycollate concentrations in the Menai Straits, Angelsey. Marine Biological Association of the United Kingdom, Journal, 55: 557-565.

Alberts, J.J., Schindler, J.E., Miller, R.W. and Nutter, D.E. Jr., 1974. Elemental mercury evolution mediated by humic acid. Science, 184: 895-896.

Albrecht, P. and Ourisson, G., 1971. Biogene Substanzen in Sedimenten und Fossilien. Angewandte Chemie, 83: 221-260.

Allen, H.L., 1976. Dissolved organic matter in lake water: characteristics of molecular weight size fractions and ecological implications. Oikos, 27: 64-70.

Andelman, J.B., 1974. Incidence, variability and controlling factors for trace elements in natural, fresh waters. In: Singer, P.C. (Ed.), Trace Metals and Metal-Organic Interactions in Natural Waters. Ann Arbor Science, Ann Arbor, Michigan: 57-88.

Anderson, D.M. and Morel, F.M.M., 1978. Copper sensitivity of Gonyaulax tamarensis. Limnology and Oceanography, 23: 283-295.

Anderson, R., Kates, M. and Volcani, B.E., 1976. Sulfonium analogue of lecithin in diatoms. Nature, 263: 51-53.

Anderson, R., Livermore, B.P., Volcani, B.E. and Kates, M., 1975. A novel sulfonolipid in diatoms. Biochimica et Biophysica Acta, 409: 259-263.

Anderson, R.J., Wolfe, M.S. and Faulkner, D.J., 1974. Autotoxic antibiotic production by a marine Chromobacterium. Marine Biology, 27: 281-285.

Andren, A.W. and Harriss, R.C., 1975. Observations on the association between mercury and organic matter dissolved in natural waters. Geochimica et Cosmoshimica Acta, 39: 1253-1257.

Andrews, P. and Williams, P.J. LeB., 1971. Heterotrophic utilization of dissolved organic compounds in the sea. III. Measurement of oxidation rates and concentrations of glucose and amino acids in seawater. Marine Biological Association of the United Kingdom, Journal, 51: 11-125.

Antia, N.J. and Landymore, A.F., 1974. Physiological and ecological significance of the chemical instability of uric acid and related purines in sea water and marine culture medium. Journal of the Fisheries Research Board of Canada, 31: 1327-1335.

Antia, N.J., Berland, B.R., Bonin, D.J. and Maestrini, S.Y., 1975. Comparative evaluation of certain organic and inorganic sources of nitrogen for phototropic growth of marine microalgae. Marine Biological Association of the United Kingdom, Journal, 55: 519-539.

Aoshima, H., 1978. Analysis of unsaturated fatty acids and their hydroperoxy and hydroxy derivatives by high-performance liquid chromatography. Analytical Biochemistry, 87: 49-55.

Arhelger, M.E., Kinney, P.J., Linick, T.W. and Williams, P.M., 1974. The radiocarbon activity of the dissolved and particulate organic carbon in the Northeastern Pacific Ocean. AEC Progress Rep., Research on the Marine Food Chain, University of California, San Diego: 363-389.

Armstrong, F.A.J. and Boalch, G.T., 1961. The ultraviolet absorption of seawater. Marine Biological Association of the United Kingdom, Journal, 41: 591-597.

Armstrong, F.A.J. and Tibbitts, S., 1968. Photochemical combustion of organic matter in seawater, for nitrogen, phosphorous and carbon determination. Marine Biological Association of the United Kingdom, Journal, 48: 143-152.

Armstrong, F.A.J., Williams, P.M. and Strickland, J.D.H., 1966. Photo-oxidation of organic matter in seawater by ultraviolet radiation, analytical and other applications. Nature, 211: 481-483.

Armstrong, R., Goldman, C.R., Fujita, D.K., 1971. A rapid method for estimation of the carbon content of seston and periphyton. Limnology and Oceanography, 16: 137-139.

Artemyev, V.E., 1974. Comparison of the composition of carbohydrates of phytoplankton, suspended matter and bottom sediments of the ocean. Okeanologiia, 14: 1012-1016.

Artemyev, V.E., 1975. Concentration of carbohydrates and lipids in deep-sea bottom invertebrates of the South Atlantic. Okeanologiia, 15: 471-472.

Ashworth, R.B. and Cormier, M.J. 1967. Isolation 2,6-dibromophenol from the marine hemichordate Balanoglossus biminiensis. Science, 155: 1558-1559.

Aston, S.R., Chester, R., Johnson, L.R. and Padgham, R.C., 1973. Eolian dust from the lower atmosphere of the eastern Atlantic and Indian Oceans, China Sea and Sea of Japan. Marine Geology, 14: 15-28.

Atema, J. 1976. Sublethal effects of petroleum fractions on the behavior of the lobster, Homarus americanus, and the mud snail, Nassarius obsoletus. In: Wiley, M. (Editor), Estuarine Processes, 1. Uses, Stresses and Adaptation to the Estuary. Academic Press, London: 302-312.

Atema, J. and Burd, G.D., 1975. A field study of chemotactic responses of the marine mud snail, Nassarius obsoletus. Journal of Chemical Ecology, 1: 243-251.

Atema, J. and Engstrom, D.G., 1971. Sex pheromone in the lobster Homarus americanus. Nature, 232: 261-263.

Atema, J. and Gagosian, R.B., 1973. Behavioral responses of male lobsters to ecdysones. Marine Behaviour and Physiology, 2: 15-20.

Atema, J. and Stein, L.S., 1974. Effects of crude oil on the feeding behaviour of the lobster, Homarus americanus. Environmental Pollution, 6: 77-86.

Atema, J. and Stenzler, D., 1977. Alarm substance of the marine mud snail Nassarius obsoletus: biological characterization and possible evolution. Journal of Chemical Ecology, 3: 173-187.

Atema, J., Boylan, D.B., Jacobson, S. and Todd, J., 1973. The importance of chemical signals in stimulating behaviour of marine organisms: effects of altered environmental chemistry on communication. In: Glass, G. (Ed.), Bioassay Techniques in Environmental Chemistry. Ann Arbor Science, Ann Arbor, Michigan: 177-197.

Atkinson, L.P. and Richards, F.A., 1967. The occurrence and distribution of methane in the marine environment. Deep-Sea Research, 14: 673-684.

Attaway, D. and Parker, P.L., 1970. Sterols in recent marine sediments. Science, 169: 674-676.

Aubert, M., 1971. Télémediateurs chimiques et équilibre biblogique océanique. I Theorie general. Revue Internationale d'Océanographie Médicale, 21: 5-16.

Aubert, M. and Pesando, D., 1971. Télémediateurs chimiques et equilibre biologique océanique. 2. Nature chimique de l'inhibiteur de la synthése d'un antibiotique produit par une diatomée. Revue Internationale d'Océanographie Médicale, 21: 17-22.

Aubert, J., Pesando, D. and Thouvenot, H., 1968. Action antibiotique d'extraits planctoniques vis-à-vis de germes anaérobies. Revue Internationale d'Océanographie Médicale, 10: 259-266.

Aubert, J. and Gambarotta, J.P., 1972. Etude de l'action antibactérienne d'espéces phytoplanctoniques marines vis-à-vis de anaérobies. Revue Internationale d'Océanographie Médicale, 25: 39-48.

Aubert, M. and Gauthier, M.J., 1967. Origine et nature des substances antibiotiques présentes dans le milieu marin. 7e Partie: Etude systématique de l'action antibactérienne phytoplanctoniques vis-à-vis de certains germes telluriques aérobies. Revue Internationale d'Océanographie Médicale, 5: 63-71.

Aubert, M., Pesando, D. and Gauthier, M.J., 1970. Phénoménes d'antibiose d'origine phytoplanctonique en milieu marin. Substances antibactériennes produites par une Diatomée: Asterionella japonica (Cleve). Revue Internationale d'Océanographie Médicale, 18-19: 69-76.

Aubert, M., Pesando, D. and Pincemin, J.M., 1972. Télémédiateurs chimiques et équilibre biologique océanique. 4e Partie: Seuil d'activité de l'inhibiteur de la synthése d'antibiotique produit par une Diatomée. Revue Internationale d'Océanographie Médicale, 25: 17-22.

Aubert, M., Gauthier, M. and Pesando, P., 1975. Effets des pollution chimiques via a vies des télémediateur intervenant dans l'écologie microbiologique et planktonique en milieu marin. 2e partie. Revue Internationale d'Océanographie Médicale, 27-28: 69-88.

Aubert, M., Pesando, D. and Pincemin, J.M. 1970. Médiateurs chimiques et relations interespéces. Mise en évidence d'un inhibiteur de synthése métabolique d'une Diatomée produit par un Péridinien (Etude "in vitro"). Revue Internationale d'Océanographie Médicale, 17: 5-21.

Aubert, M., Gauthier, M.J., Donnier, B., Pesando, D., Pincemin, J.M. and Barelli, M., 1972. Effets des pollutions chimiques vis-à-vis de tellémédiateurs intervenant dans l'écologie microbiologique et planctonique en milieu marin. Revue Internationale d'Océanographie Médicale, 28: 129-166.

Austin, J., 1970. The sterols of marine invertebrates and plants. In: Briggs, M.H. (Ed.), Advances in Steroid Biochemistry and Pharmacology. Academic Press.

Avigan, J. and Blumer, M., 1968. On the origin of pristane in marine organisms. Journal of Lipid Research, 9: 350-352.

Ayyakkannu, K. and Chandromohan, D., 1971. Occurrence and distribution of phosphate-solubilizing bacteria and phosphatase in marine sediments at Porto Novo. Marine Biology, 11: 201-205.

Bada, J.L., 1971. Kinetics of the non-biological decomposition and racemization of amino acids in natural waters. In: Hem, J.D. (editor), Non-equilibrium Systems in Natural Water Chemistry, Advan. Chem. Ser. No. 106, American Chemical Society, Washington, D.C.: 309-331.

Bada, J.L. and Lee, C., 1977. Decomposition and alteration of organic compounds dissolved in seawater. Marine Chemistry, 5: 523-534.

Baier, R.E., 1972. Organic films on natural waters. Their retrieval, identification and modes of elimination. Journal of Geophysical Research, 77: 5062-5075.

Baker, B.L., 1974. Generation of alkane and aromatic hydrocarbons from humic materials in arctic marine sediments. In: Tissot, B. and Bienner, F. (Editors), Advances in Organic Geochemistry, 1973, International Meeting on Organic Geochemistry. Editions Technip, Pans: 137-153.

Baier, R.E., Goupil, D.W., Perlmutter, S. and King, R. 1974. Dominant chemical composition of sea surface films, natural slicks, and foams. Journal de Recherches Atmosphériques, 8: 571-600.

Baker, E.W. and Smith, G.D., 1977. Fossil porphyrins and chlorins in deep ocean sediments: In: Yen, T.F. (Ed.), Chemistry of Marine Sediments. Ann Arbor Science, Ann Arbor, Michigan: 73-99.

Balashov, A.I. Yu, Zaitsev, P., Kogan, G.M. and Mikhajlov, V.I., 1974. A study of some chemical components of sea water at the sea-air interface. Okeanologiia, 14: 817-822. (In Russian, English summary).

Banoub, M.W. and Williams, P.J. LeB., 1972. Measurements of microbial activity and organic material in the western Mediterranean Sea. Deep-Sea Research, 19: 433-443.

Banoub, M.W. and Williams, P.J. LeB., 1973. Seasonal changes in the organic forms of C, N and P in seawater at E_1 in the English Channel during 1968. Marine Biological Association of the United Kingdom, Journal, 53: 695-703.

Banse, K., 1974. On the role of bacterioplankton in the tropical ocean. Marine Biology, 24: 1-5.

Barber, R.T., 1973. Organic ligands and phytoplankton growth in nutrient-rich seawater. In: Singer, P.C. (Ed.), Trace Metals and Metal-Organic Interactions in Natural Waters. Ann Arbor Science, Ann Arbor, Michigan: 321-338.

Barber, R.T. and Ryther, J.H., 1969. Organic chelators: factors affecting primary production in the Cromwell current upwelling. Journal of Experimental Marine Biology and Ecology, 3: 191-199.

Barber, R.T. Dugdale, R.C. MacIsaac, J.J. and Smith, R.L., 1971. Variations in phytoplankton growth associated with the source and conditioning of upwelling water. Investigacion pesquera, 35: 171-193.

Barbier, M.D., Joly, D., Saliot, A. and Tourres, D., 1973. Hydrocarbons from seawater. Deep-Sea Research, 20: 305-314.

Barger, W.R. and Garrett, W.D., 1970. Surface active material in the marine atmosphere. Journal of Geophysical Research, 75:

Barger, W.R. and Garret, W.D., 1976. Surface active organic material in air over the Mediterranean and over the eastern equatorial Pacific. Journal of Geophysical Research, 81: 3151-3157.

Barger, W.R., Daniel, W.H. and Garrett, W.D., 1974. Surface chemical properties of banded sea slicks. Deep-Sea Research, 21: 83-89.

Barsdate, R.J., 1970. Transition metal binding by large molecules in high latitude waters. In: Wood, D.W. (Ed.), Symposium on Organic Matter in Natural Waters. Institure of Marine Science, University of Alaska, Occasional Publications, 1: 485-491.

Barsdate, R.J. and Matson, W.R., 1967. Trace metals in arctic and subarctic lakes with reference to the organic complexes of metals. In: Aberg, B. and Hungate, F.P. (Eds.), Radioecological Concentration Processes. Pergamon Press, London: 711-719.

Bates, T.S. and Carpenter, R., 1979. Determination of organo-sulfur compounds extracted from marine sediments. Analytical Chemistry, 51: 551-554.

Bates, T.S. and Carpenter, R., 1979. Organo-sulfur compounds in sediments of the Puget Sound basin. Geochimica et Cosmoshimica Acta, 43: 209-1221.

Batey,J.F. and Turvey, J.R., 1975. The galactan sulphate of the red alga Polysiphonia lanosa. Carbohydrate Research, 43: 133-143.

Batley, G.E. and Florence, T.M., 1976. A novel scheme for the classification of heavy metal species in natural waters. Analytical Letters, 9: 373-388.

Batley, G.E. and Gardner, D., 1978. A study of copper, lead and cadmium speciation in some estuarine and coastal marine waters. Estuarine and Coastal Marine Science, 7: 59-70.

Batoosingh, E., Riley, G. and Keshwar, B., 1969. Analysis of experimental methods for producing organic matter in sea water by bubbling. Deep-Sea Research, 16: 213-219.

Baturina, M.P. and Mishustina, I.E., 1975. Electron-microscopy study of the fraction of organic matter from seawater. Izvestiia Akademiia Nauk SSR, Seria Biologicheskaia, 2: 281-288.

Beach, D.H., Hanscomb, N.J. and Ormond, R.F.G., 1975. Spawning pheromone in crown-of-thorns starfish. Nature, 254: 135-136.

Beach, D.H., Harrington, G.W. and Holz, G.G., Jr., 1970. The polyunsaturated fatty acids of marine and freshwater cryptomonads. Journal of Protozoology, 17: 501-510.

Beck, K.C., Reuter, J.H. and Perdue, E.M., 1974. Organic and inorganic geochemistry of some coastal plain rivers of the southeastern United States. Geochimica et Cosmoshimica Acta, 38: 341-364.

Bell, W. and Mitchell, R., 1972. Chemotactic and growth responses of marine bacteria to algal extracellular products. Biological Bulletin, Marine Biology Laboratory, Woods Hole, 143: 265-277.

Bellar, T.A. and Lichtenberg, J.J., 1974. Determining volatile organics at microgram per liter levels by gas chromatography. Journal of the American Water Works Association, 66: 739-744.

Belyayeva, A.N., 1974. Composition of free lipids in bottom sediments of the tropical West Pacific Ocean and South Atlantic Ocean. Oceanology, 14: 59-64.

Benes, P., Gjessing, E.T. and Steinnes, E., 1976. Interaction between humus and trace elements in fresh waters. Water Research, 10: 711-716.

Benzhitskiy, A.G., 1974. The content, distribution and ecological significance of the thiamine and biotin in seawater. Hydrobiologica, 10: 91-96.

Berland, B.R. and Maestrini, S.Y., 1969. Study of bacteria associated with marine algae in culture. II. Action of antibiotic substances. Marine Biology, 3: 334-335.

Berland, B.R., Bonin, D.J. and Maestrini, S.Y., 1972. Are some bacteria toxic for marine algae? Marine Biology, 12: 189-193.

Berland, B.R., Bonin, D.J. and Maestrini, S.Y., 1972. Etude des relations algues - bactéries du milieu marin. Possibilité d'inhibition des algues par les bactéries. Téthys, 4: 339-348.

Berland, B.R., Bonin, D.J. and Maestrini, S.Y., 1973. Study of bacteria inhibiting marine algae: a method of screening which use gliding algae. Marine Biology, 3: 1-10.

Berland, B.R., Bonin, D.J., Cornu, A.L., Maestrini, S.Y. and Marino, J.P., 1972. The antibacterial substances of the marine alga: Stichochrysis immobilis (Chrysophyta). Journal of Phycology, 8: 383-392.

Bernhard, M. and Zattera, A., 1969. A comparison between the uptake of radioactive and stable zinc by a marine unicellular alga. In: Nelson, J.N. and Evans, D. (Eds.), Second National Symposium Radioecology, Ann Arbor Science, Ann Arbor, Michigan: 389-398.

Bezdek, H.F. and Carlucci, A.F., 1972. Surface concentrations of marine bacteria. Limnology and Oceanography, 17: 566-569.

Bhatia, S.P., 1978. Organosulfur emissions from industrial sources. In: Nriagu, J.O., Sulfur in the Environment, Wiley, New York, N.Y., 1: 51-84.

Bidleman, T.F. and Olney, C.E., 1974. Chlorinated hydrocarbons in the Sargasso Sea atmosphere and surface water, Science, 183: 516-518.

Billmire, E. and Aaronson, S., 1976. The secretion of lipids by the freshwater phytoflagellate Ochromonas danica. Limnology and Oceanography, 21: 138-140.

Bishop, J.K.B. and Edmond, J.M., 1976. A new large volume in-situ filtration system for the sampling of oceanic particulate matter. Journal of Marine Research, 34: 181-198.

Bishop, J.K.B., Edmond, J.M., Ketten, D.R., Bacon, M.P. and Silker, W.B., 1977. The chemistry, biology and vertical flux of particulate 6 z Deep-Sea Research, 24: 511-548.

Blanchard, D.C. 1973. Bubble scavenging and the water-to-air transfer of organic material in the sea. Advances in Chemistry Series, No. 145. In: Baier, R. (Ed.), Applied Chemistry at Protein Surfaces. American Chemical Society, Washington, D.C.: 360-387.

Blanchard, D.C., 1974. International Symposium on the chemistry of sea/air particulate exchange processes: summary and recommendations. Journal de Recherches Atmosphériques, 8: 509-513.

Blanchard, D.C. and Syzdek, L.D., 1974. Importance of bubble scavenging in the water to air transfer of organic material and bacteria. Journal de Recherches Atmosphériques, 8: 529-540.

Blumer, M., 1970. Dissolved organic compounds in seawater. Saturated and olefinic hydrocarbons and singly branched fatty acids. In: Wood, D.W. (Ed.), Symposium on Organic Matter in Natural Waters. Institute of Marine Science, University of Alaska, Occasional Publications, 1:

Blumer, M., 1973. The evolution of Marine Organic Chemistry. Naval Research Review, 26: 14-22.

Blumer, M., 1975. Organic compounds in Nature: Limits of our knowledge. Angewandte Chemie (International Edition English), 14: 507-514.

Blumer, M. and Cooper, W.J., 1967. Isoprenoid acids in recent sediments. Science, 158: 1463-1464.

Blumer, M. and Thomas, D.W., 1965. Phytadienes in zooplankton. Science, 147: 1148-1149.

Blumer, M. and Thomas, D.W. 1965. "Zamene", isomeric C_{19} monoolefins from marine zooplankton, fishes and mammals. Science, 148: 370-371.

Blumer, M. and Sass, J., 1972. Indigenous and petroleum-derived hydrocarbons in a polluted sediment. Marine Pollution Bulletin, 6: 92-94.

Blumer, M. and Snyder, W.D., 1965. Isoprenoid hydrocarbons in recent sediments: presence of pristane and probable absence of phytane. Science, 150: 1588.

Blumer, M. and W.W. Youngblood, 1975. Polycyclic aromatic hydrocarbons in soils and recent sediments. Science, 188: 53-55.

Blumer, M., Chase, T. and Watson, S.W., 1969. Fatty acids in the lipids of marine and terrestrial nitrifying bacteria. Journal of Bacteriology, 99: 366-370.

Blumer, M., Ehrhardt, M. and Jones, J.H., 1973. The environmental fate of stranded crude oil. Deep-Sea Research, 20: 239-259.

Blumer, M., Guillard, R.R.L. and Chase, T., 1971. Hydrocarbons of marine phytoplankton. Marine Biology, 8: 183-189.

Blumer, M., Mullin, M.M. and Guillard, R.R.L., 1970. A polyunsaturated hydrocarbon (3,6,9,12,15,18-heneicosahexaene) in the marine food web. Marine Biology, 6: 226-235.

Blumer, M., Mullin, M.M. and Thomas, D.W., 1963. Pristane in zooplankton. Science, 140: 974.

Blumer, M., Mullin, M.M. and Thomas, D.W., 1964. Pristane in the marine environment. Helgoländer Meeresuntersuchungen, 10: 187-201.

Blumer, M., Robertson, J.C., Gordon, J.E. and Sass, J., 1969. Phytol-derived C_{19} di- and triolefinic hydrocarbons in marine zooplankton and fishes. Biochemistry, 8: 4067-4074.

Blunt, J.W., Hartshorn, M.P., McLennan, T.J., Munro, M.H.G., Robinson, W.T. and Yorke, S.C., 1978. Thysiferol, a squalene-derived metabolite of Laurencia thysifera. Tetrahedron Letters, 1978: 69-72.

Boehm, E.L., Dawson, R., Liebezeit, G. and Wefer, G., 1980. Monosaccharides for particle identification in sediments. Sedimentology, 27: 167-177.

Boehm, P.D. and Quinn, J.G., 1973. Solubilisation of hydrocarbons by the dissolved organic matter in sea water. Geochimica et Cosmochimica Acta, 37: 2459-2477.

Bogdanov, Ju.A., Grigorovitsh, Ju.A. and Shaposhnikova, M.G., 1968. Estimation of protein in the aqueous particulate matter. Okeanologiya, 8: 1087-1090.

Bogdanov, Y.S., Lisitsyn, A.P. and Romankevitch, Y.A., 1971. Organic matter of suspended particles and bottom sediments of the seas of oceans. In Organic Matter of Recent and Fossil Sediments, Nauka Publishing House, Moscow.

Bohling, H., 1970. Untersuchungen uber freie geloste Aminosauren in Meerwasser. Marine Biology, 6: 213-225.

Bohling, H., 1972. Geloste Aminosauren in Oberflachenwasser der Nordsee bei Helgoland: Konzentrationsveranderungen im Sommer 1970. Marine Biology, 16: 281-289.

Boilly-Marer, Y., 1974. Etude expérimentale du comportement nuptial de Platynereis dumerilii (Annedlida: Polychaeta): chemoréception, emission des produits génitaux. Marine Biology, 24: 167-179.

Bolter, M. and Meyer-Reil, LA., 1974. Studies on bacteria strains from the upwelling water zone off the West African coast: taxonomy and nutrient requirements. Botanica Marina, 17: 227-248.

Boon, J.J., Deleeuw, J.W. and Schenck, P.A., 1975. Organic geochemistry of Walvis Bay diatomaceous ooze. I. Occurrence and significance of the fatty acids. Geochimica et Cosmochimica Acta, 39: 1559-1565.

Borch, R.F., 197[illegible]. Separation of long chain fatty acids as phenacyl esters by high pressure liquid chromatography. Analytical Chemistry, 47: 2437-2439.

Borders, D.B., Morton, G.O. and Wetzel, E.R., 1974. Structure of a novel bromine compound isolated from a sponge. Tetrahedron Letters, 1974: 2709-2712.

Bordovsky, O.K., 1974. Basic features of the chemical composition of organic matter in sediments of marine and ocean basins. Oceanology, 14: 448-456.

Botre, C., Memoli, A. and Alhaique, F., 1978. TCDD solubilization and photodecomposition in aqueous solutions. Environmental Science and Technology, 12: 335-336.

Bottino, N.R., 1971. The composition of marine-oil triglycerides as determined by silver ion-thin-layer chromatography. Journal of Lipid Research, 12: 24-30.

Boutry, J.L. and Barbier, M., 1974. La diatomée marine Chaetoceros simplex calcitrans Paulsen et son environnement, I. Relation avec le milieu de culture; étude de la fraction insaponifiable, des sterol et des acides gras. Marine Chemistry, 2: 217-227.

Boutry, J.L. and Jaques, G., 1970. Etude biochimique des planctons. III. Insaponifiables et sterols de plancton marine vegetal. Bulletin of the Society of Biological Chemistry, 52: 349-352.

Boutry, J.L., Bordes, M., Fevrier, A., Barbier, M. and Saliot, A., 1977. La diatomée marine Chaetoceros simplex calcitrans Paulsen et son environment. IV. Relations avec le milieu de culture: étude des hydrocarbures. Journal of Experimental Marine Biology and Ecology, 28: 41-51.

Breck, W.G., 1978. Biomonitors of aquatic pollutants in time and space. Thalassia Jugoslavica, 14: 157-170.

Breger, I.A., 1970. What you don't know can hurt you: organic colloids and natural waters. In: Wood, D.W. (Ed.), Symposium on Organic Matter in Natural Waters. Institute of marine Science, Unversity of Alaska. Occasional Publications, 1: 563-574.

Brennan, M.R. and Erickson, K.L., 1978. Polyhalogenated indoles from the marine alga Rhodophyllis membranaceae Harvey. Tetrahedron Letters, 1978: 1637-1640.

Breter, H.J., Kurelec, B., Muller, W.E.G. and Zahn, R.K., 1977. Thymine content of seawater as a measure of biosynthetic potential. Marine Biology, 40: 1-8.

Brezonik, P.L., Brauner, P.A. and Stumm, W., 1976. Trace metal analysis by anodic stripping voltammetry: effect of sorption by natural and model organic compounds. Water Research, 10: 605-612.

Brooks, J.D., Gould, K. and Smith, J.W., 1969. Isoprenoid hydrocarbons in coal and petroleum. Nature, 222: 257-259.

Brooks, J.M. and Sackett, W.M., 1973. Sources, sinks, and concentrations of light hydrocarbons in the Gulf of Mexico. Journal of Geophysical Research, 78: 5248-5258.

Brooks, P.W., Cardoso, J.N., Didyk, B., Eglinton, G., Humbertson, M.J. and Maxwell, J.R., 1977. Analysis of lipid fractions from environmental and geological sources by computerised gas chromatography/mass spectrometry. In: Campos, R. and Goni, J. (Eds.), Advances in Organic Geochemistry, 1975, International Congress on Geochemistry. ENADISMA, Madrid: 433-453.

Brown, F.S., Baedecker, M.J., Nissenbaum, A. and Kaplan, I.R., 1972. Early diagenesis in a reducing fjord, Saanich Inlet, British Columbia. III Changes in organic constituents of sediment. Geochimica et Cosmochimica Acta, 36: 1185-1203.

Brown, M., 1975. High molecular-weight materials in Baltic seawater. Marine Chemistry, 3: 253-258.

Brown, R.A., Huffmann, H.L., 1976. Hydrocarbons in open ocean waters. Science, 191: 847-849.

Brown, R.A., Elliott, J.J., Keilliher, J.M. and Searl, T.D., 1975. Sampling and analysis of nonvolatile hydrocarbons in ocean water. In: Gibb, T.R.P., Jr. (Ed.), Analytical Methods in Oceanography. Advances in Chemistry Series, Number 147. American Chemical Society, Washington, D.C.: 172-187.

Buck, J.D. and Meyers, S.P., 1966. In vitro inhibition of Rhodotorula minuta by a variant of the marine bacterium Pseudomonas piscicida. Helgolanderwissenschaftliche Meeresuntersuchungen, 13: 171-180.

Buffle, J., Greter, F.L. and Haerdi, W., 1977. Measurement of complexation properties of humic and fulvic acids in natural waters with lead and copper ion-selective electrodes. Analytical Chemistry, 49: 216-222.

Bulleid, N.C., 1978. An improved method for the extraction of ATP from marine sediment and seawater. Limnology and Oceanography, 23: 174-178.

Burkholder, P.R., 1973. The ecology of marine antibiotics and coral reefs. In: Jordan, O.A. and Endean, R. (Eds.), Biology and Geology of the Coral Reefs. Vol. 2, Biology: 1. Academic Press, New York, N.Y.: 117-182.

Burkholder, P.R., Pfister, R.M. and Leitz, F.H., 1966. Production of a pyrrole antibiotic by a marine bacterium. Applied Environmental Microbiology, 14: 649-653.

Burks, J.E., Van der Helm, D., Chang, C.Y. and Ciereszko, L., 1977. The crystal and molecular structure of briarein A, a diterpenoid from the gorgonian Briareum asbestinum. Acta Crystallographica, 33: 704-709.

Burney, C.M. and Sieburth, J. McN., 1977. Dissolved carbohydrates in seawater II. A spectrophotometric procedure for total carbohydrate analysis and polysaccaride estimation. Marine Chemistry, 5: 15-28.

Burns, N.M. and Pashley, A.E., 1974. In situ measurements of the settling velocity profile of particulate organic carbon in Lake Ontario. Journal of the Fisheries Research Board of Canada 31: 291-297.

Burreson, B.J., Moore, R.E. and Roller, P., 1975. Haloforms in the essential oil of the red alga Asparagopsis taxiformis. Tetrahedron Letters, 1975: 473-476.

Burton, J.D., 1978. Behaviour of some trace chemical constituents in estuarine waters. Pure and Applied Chemistry, 50: 385-393.

Burwood, R. and Speers, G.C., 1974. Photo-oxidation as a factor in the environmental dispersal of crude oil. Estuarine and Coastal Marine Science, 2: 117-135.

Busch, P.L. and Stumm, W., 1968. Chemical interactions in the aggregation of bacteria. Bioflocculation in waste treatment. Environmental Science and Technology, 2: 49-53.

Butler, J.N., 1975. Evaporative weathering of petroleum residues: the age of pelagic tar. Marine Chemistry, 3: 9-21.

Cahet, G., 1974. Transfert d'énergie en milieu sédimentaire cas des sulfatoreducteurs I. Les acides organiques en sédiments lagunaires et marins (Golfe du Lion). Vie et Milieu, Series B: Oceanographic, 24: 235-256.

Caperon, J., Harvey, W.A. and Steinhilper, F.A., 1976. Particulate organic carbon, nitrogen and chlorophyll as measures of phytoplankton and detritus standing crops in Kaneohe Bay, Oahu, Hawaiian Islands. Pacific Science, 30: 317-327.

Cardoso, J., Brooks, P.W., Eglinton, G., Goodfellow, R., Maxwell, J.R. and Philp, R.P., 1976. Lipids of recently deposited alga mats at Laguna Mormona, Baja California. In: Nriagu, J.O., (Ed.), Environmental Biochemistry. Ann Arbor Science, Ann Arbor, Michigan: 149-174.

Carey, J.H. and Langford, C.H., 1973. Photodecomposition of Fe(III) aminopolycarboxylates. Canadian Journal of Chemistry, 51: 3665-3670.

Carlucci, A.F. and Bowes, P.M., 1970. Production of Vitamin B_{12}, thiamine and biotin by phytoplankton. Journal of Phycology, 6: 351-357.

Carlucci, A.E., Silbernagel, S.B. and McNally, P.M., 1969. Influence of temperature and solar radiation on persistence of vitamin B_{12}, thiamine and biotin by phytoplankton. Journal of Phycology, 5: 302-305.

Carpenter, J.H., 1972. Problems in applications of analytical chemistry to oceanography. In: Meinke, W.W. and Taylor, J.K., (Eds.), Analytical Chemistry: Key to Progress on National Problems. Summer Symposium on Analytical Chemistry, 24th, National Bureau of Standards, 1971. Washington, D.C., National Bureau of Standards Special Publication, 351: 393-419.

Carter, P.W. and Mitterer, R.W., 1978. Amino acid composition of organic matter associated with carbonate and non-carbonate sediments. Geochimica et Cosmoshimica Acta, 42: 1231-1238.

Casagrande, D.J., Siefert, K., Berchinski, C. and Sutton, N., 1977. Sulfur in peat-forming systems of the Okefenokee Swamp and Florida Everglades: origins of sulfur in coal. Geochimica et Cosmoshimica Acta, 41: 161-167.

Cauwet, G., 1975. Optimisation d'une technique de dosage du carbone organique des sédiments. Chemical Geology, 16: 59-63.

Cauwet, G., 1978. Organic chemistry of sea water particulates. Concepts and developments. Oceanologica Acta, 1 (1): 99-105.

Cavari, B., 1976. ATP in Lake Kinneret: Indicator of microbial biomass or of phosphorus deficiency. Limnology and Oceanography, 21: 231-236.

Cavari, B. and Phelps, G., 1977. Sensitive ensymatic assay for glucose determination in natural waters. Applied Environmental Microbiology, 33: 1237-1243.

Chandromohan, D., Devendran, K. and Natarajan, R., 1974. Arylsulfatase activity in marine sediments. Marine Biology, 27: 89-92.

Chantraine, J., Combaut, G. and Teste, J., 1973. Phenols bromés d'une alga rouge, Halopytis incurvus: acides carboxyliques. Phytochemistry, 12: 1793-1795.

Chave, K.E., 1970. Carbonate-organic interactions in sea water. In: Hood, D.W., (Ed.), Symposium on Natural Waters. Institute of Marine Science, University of Alaska, Occasional Publications, 1: 373-397.

Chau, Y.K., Gachter, R. and Lum-Shue-Chan, K., 1974. Determination of the apparent complexing capacity of lake waters. Journal of the Fisheries Research Board of Canada, Journal, 31: 1515-1519.

Chau, Y.K. and Lum-Shue-Chan, K., 1974. Determination of labile and strongly-bound metals in lake waters. Water Research, 8: 383-388.

Chau, Y.K. and Wong, P.T.S., 1976. Complexation of metals in natural waters. In: Andrew, R.W., Hodson, P.V. and Konasewich, D.E., (Eds.), Toxicity of Metal Forms in Natural Water. Proceedings of a Workshop held in Duluth, Minn., October 1975: 187-197.

Chen, C.-T.,A., 1978. Decomposition of calcium carbonate and organic carbon in the deep ocean. Science, 201: 735-736.

Cheng, K.H., Grodzinski, B. and Colman, B., 1972, Inhibition of photosynthesis in algae by dimethyl sulfoxide. Journal of Phycology, 8: 399-400.

Chester, R., 1972. Geological, geochemical and environmental implications of the marine dust veil. In: Dyrssen, D. and Jagher, D. (Eds.), The Changing Chemistry of the Oceans, Nobel Symposium, 20.

Chester, R. and Elderfield, H., 1970. Dust over the oceans. New Scientist, 47: 432-434.

Chester, R. and Stoner, J.H., 1974. The distribution of particulate organic carbon and nitrogen in some surface waters of the World Ocean. Marine Chemistry, 2: 263-275.

Chester, R., Elderfield, H., Griffin, J.J., Johnson, L.R. and Padgham, R.C., 1972. Eolian dust along the eastern margins of the Atlantic Ocean. Marine Geology, 13: 91-105.

Choi, Chung I, 1972. Primary production and the release of dissolved organic carbon from phytoplankton in the western North Atlantic Ocean. Deep-Sea Research, 19: 731-735.

Christman, R.F., 1970. Chemical structures of color producing organic substances in water. In: Hood, D.W., (Ed.), Organic Matter in Natural Water. Institute Marine Science, University of Alaska, Occasional Publications, 1: 181-198.

Christman, R.F. and Ghassemi, M., 1966. Chemical nature of organic color in water. Journal of the American Water Works Association, 58: 723-741.

Chriswell, C.D., Kissinger, L.D. and Fritz, J.S., 1976. Chromatographic determination of phenols in water. Analytical Chemistry, 47: 1325-1329.

Ciereszko, L.S. and Youngblood, W.W., 1971. n-Hexadecyl and n-octadecyl disulfides in "sediment" derived from the Gorgonian Pseudoplexaura porosa. Geochimica et Cosmochimica Acta, 35: 851-853.

Clark, R.C., Jr. and Blumer, M., 1967. Distribution of n-paraffins in marine organisms and sediments. Limnology and Oceanography, 12: 79-88.

Clark, R.C. Jr., Blumer, M. and Raymond, S.O., 1967. A large watersampler, rupture-disc triggered, for studies of dissolved organic compounds. Deep-Sea Research, 14: 125-128.

Clark, R.C., Jr., Jackson, G.A. and North, W.J., 1972. Dissolved free animo acids in Southern California Coastal Water. Limnology and Oceanography, 17: 749-758.

Claypool, G.E. and Kaplan, I.R., 1974. The origin and distribution of methane in marine sediments. In: Kaplan, J.R. (Ed.), Natural Gases in Marine Sediments. Plenum, New York: 99-140.

Clem, R.G. and Hodgson, A.T., 1978. Ozone oxidation of organic sequestering agents in water prior to the determination of trace metals by anodic stripping voltammetry. Analytical Chemistry, 50: 102-110.

Colin, H., Guiochon, G. and Siouffi, A., 1979. Comparison of various systems for the separation of free sterols by high performance liquid chromatography. Analytical Chemistry, 51: 1661-1666.

Collins, K.J. and Williams, P.J. LeB., 1977. An automated photochemical method for the determination of dissolved organic carbon in sea and estuarine waters. Marine Chemistry, 5: 123-141.

Conover, J.T. and Sieburth, J.McN., 1964. Effects of Sargassum distribution on its epibiota and antibacterial activity. Botanica Marina, 6: 147-157.

Conover, J.T. and Sieburth, J.McN., 1966. Effects of tannins excreted from Phaeophyta on planktonic animal survival in tidepools. In: Young, E.G. and McLachean, J.L. (Eds.), Proceedings of the Fifth International Seaweed Symposium. Oxford, Toronto, Pergamon Press: 99-100.

Cook, S.B. and Cook, C.B., 1975. Directionality in the trial-following response in the pulmonate limpet Siphonoria alternata. Marine Behaviour and Physiology, 3: 147-155.

Cooper, J.C., Scholz, A.T., Horrall, R.M., Hasler, A.D. and Madison, D.M., 1976. Experimental confirmation of the olfactory hypothesis with homing, artificially imprinted coho salmon (Oncorhynchus kisutch). Journal of the Fisheries Research Board of Canada, 33: 703-710.

Cooper, J.E. and Bray, E.E., 1963. A postulated role of fatty acids in petroleum formation. Geochimica et Cosmochimica Acta, 27: 1113-1127.

Cooper, M.J. and Anders, M.W., 1974. Determination of long chain fatty acids as 2-napthacyl esters by high pressure liquid chromatography and mass spectrometry. Analytical Chemistry, 46: 1849-1852.

Cooper, W.J. and Blumer, M., 1968. Linear, iso and anteiso fatty acids in recent sediments of the North Atlantic. Deep-Sea Research, 15: 535-540.

Copin, G. and Barbier, M., 1971. Substances organiques dissoutes dans l'eau de mer: premiers resultats de leur fractionnement. Cahiers Océanographique, 22: 455-464.

Copin-Montegut, C. and Copin-Montegut, G., 1972. Chemical analyses of suspended particulate matter collected in the northeast Atlantic. Deep-Sea Research, 19: 445-452.

Copin-Montegut, C. and Copin-Montegut, G., 1972. Comparison between two processes of determination of particulate organic carbon in seawater. Marine Chemistry, 1: 151-156.

Corner, E.D.S., Harris, R.P., Kilvington, C.C. and O'Hara, S.C.M., 1976. Petroleum compounds in the marine food web: short-term experiments on the fate of naphthalene in Calanus. Marine Biological Association of the United Kingdom, Journal, 56: 121-133.

Corpe, W.A., 1974. Periphytic marine bacteria and the formation of microbial films on solid surfaces. In: Colwell, R.R. and Morita, R.Y. (Eds.), Effect of the Ocean Environment. University Park Press, Baltimore, Md.: 397-417.

Corpe, W.A. and Winters, H., 1972. Hydrolytic enzymes of some periphytic marine bacteria. Canadian Journal of Microbiology, 18: 1483-1490.

Corwin, J.F., 1970. Volatile organic materials in seawater. In: Hood, D.W. (Ed.), Symposium on Organic Matter in Natural Waters. Institute of Marine Science, University of Alaska, Occasional Papers, 1: 169-180.

Coughenower, D.D. and H.C. Curl, Jr., 1975. An automated technique for total dissolved free amino acids in seawater. Limnology and Oceanography, 20: 128-131.

Craig, H., 1971. The deep metabolism: Oxygen consumption in abyssal ocean water. Journal of Geophysical Research, 76: 5078-5086.

Craig, H., 1971. Son of abyssal carbon. Journal of Geophysical Research, 76: 5133-5139.

Craigie, J.S. and McLachlan, J., 1964. Excretion of colored ultraviolet-absorbing substances by marine algae. Canadian Journal of Botany, 42: 23-33.

Craigie, J.S., McLachlan, J., Ackman, R.G. and Tocher, C.S., 1967. Photosynthesis in algae. III. Distribution of soluble carbohydrates and dimethyl-B-Propiothetin in marine unicellular chlorophyceae and prasinophyceae. Canadian Journal of Botany, 45: 1327-1334.

Cranwell, P.A., 1975. Environmental organic chemistry of rivers and lakes, both water and sediment, In: Eglinton, G. (Ed.), Environmental Chemistry. The Chemical Society, London: 22-54.

Cranwell, P.A., 1976. Decomposition of aquatic biota and sediment formation: lipid components of two blue-green algal species and of detritus resulting from microbial attack. Freshwater Biology, 6: 481-488.

Crawford, C.C., Hobbie, J.E. and Webb, K.L., 1974. The utilization of dissolved free amino acids by estuarine microorganisms. Ecology, 55: 551-563.

Crews, P., Ng,P., Kho-Wiseman, E. and Pace, C.,1976. Halogenated monoterpene synthesis by the red alga Microcladia. Phytochemistry, 15: 1707-1710.

Crisp, D.J., 1974. Factors influencing the settlement of marine invertebrates larvae. In: Grant, P.J. and Mackie, A.M. Chemoreception in Marine Organisms, 1974. Academic Press, London: 177-266.

Crow, S.A., Ahearn, D.G. Cook W.L. and Bourquin, A.W. 1975. Densities of bacteria and fungi in coastal surface films as determined by a membrane absorption procedure. Limnology and Oceanography, 20: 644-646.

Cukor, P., Ciaccio, L.L., Lanning, E.W. and Rubino, R.L., 1972. Some chemical and physical characteristics of organic fractions in airborne particulate matter. Environmental Science and Technology, 6: 633-637.

Culberson, C.H. and Pytkowicz, R.M., 1975. Near bottom chemistry in the eastern Pacific and North-Atlantic ocean. Limnology and Oceanography, 20: 463-467.

Dalpont, C. and Newell, B., 1963. Suspended organic matter in the Tasman Sea. Australian Journal of Marine Freshwater Research, 14: 155-163.

Darnell, R.M., 1967. Organic detritus in relation to the estuarine ecosystems. In: Lauff, G.H., (Ed.). Estuaries. American Association for the Advancement of Science, Washington: 376-382.

Dastillung, M. and Albrecht, P., 1976. Molecular test for oil pollution in surface sediments. Marine Pollution Bulletin, 7: 13-15.

Dastillung, M. and Albrecht, P., 1977. Δ^2-sterenes as diagenetic intermediates in sediments. Nature, 269: 678-679.

Dastillung, M. and Corbet, B., 1978. Hydrocarbures satures et insatures des sediments. In: Combaz, A. and Pelet, R., (Eds.), Géochimie organique des sédiments marins profonds. ORGON II. Atlantique N-E Brésil. Editions du CNRS, Paris: 293-323.

Dastillung, M., Albrecht, P. and Tissier, M.J., 1977. Hydrocarbures saturés et insaturés des sédiments. In: Géochimie organique des sédiments marins profonds. Orgon I. Merde Norvégean. Editions du CNRS, Paris: 209-228.

Daumas, R.A., 1974. Influence de la temperature et du developpment planctonique sur le mecanisme d'accumulation de la matiere organique a la surface de la mer. Marine Biology, 26: 111-116.

Daumas, R.A., 1976. Variations of particulate proteins and dissolved amino acids incoastal seawater. Marine Chemistry, 4: 225-242.

Daumas, R.A. and Saliot, A., 1977. The inventory in marine organic chemistry. Marine Chemistry, 5: 417-427.

Daumas, R.A., P.L. Laborde, J.C. Marty and A. Saliot, 1976. Influence of sampling method on the chemical composition of water surface film. Limnology and Oceanography, 21: 319-326.

Davey, E.W., Morgan, M.J. and Erickson, S.J. 1973. A biological measurement of the copper complexation capacity of seawater. Limnology and Oceanography, 18: 993-997.

Davies, A.G., 1970. Iron, chelation and the growth of marine phytoplankton: I Growth kinetics and chlorophyll production in cultures of the euryhaline flagellate Dunaliella tertiolecta under iron limiting conditions. Marine Biological Association of the United Kingdom, Journal, 55: 65-86.

Davis, J.A. and Leckie, J.O., 1978. Effect of adsorbed complexing ligands on trace metal uptake by hydrous oxides. Environmental Science and Technology, 12: 1309-1315.

Davis, J.B., 1968. Paraffinic hydrocarbons in the sulfate-reducing bacterium Desulfovibrio desulfuricans. Chemical Geology, 3: 155-160.

Dawson, R. and Duursma, E.K., 1974. Distribution of radioisotopes between phytoplankton, sediment and sea water in a dialysis compartment system. Netherlands Journal of Sea Research, 8: 339-353.

Dawson, R. and Mopper, K., 1978. A note on the losses of monosaccharides, amino sugars and amino acids from extracts during concentration procedures. Analytical Biochemistry, 84: 186-190.

Dawson, R. and Mopper, K., 1978. An automatic analyzer for the specific determination of amino sugars. Analytical Biochemistry, 84: 191-195.

Dawson, R. and Gocke, R., 1978. Heterotrophic activity in comparison to the free amino acid concentrations in Baltic Seawater samples. Oceanologica Acta, 1: 45-54.

Dawson, R. and Pritchard, R.G., 1978. The determination of α-amino acids in seawater using a fluorimetric analyser. Marine Chemistry, 6: 27-40.

Debyser, Y., Pelet, R. and Dastillung, M., 1977. Géochimie organique de sédiments marins récents: Mer Noire, Baltique, Atlantique (Mauritanie). In: Campos, R. and Goni, J. Advances in Organic Geochemistry, 1975, International Congress on Geochemistry, ENADISMA: 288-320.

Degens, E.T., 1970. Molecular nature of nitrogenous compounds in seawater and recent marine sediments. In: Hood, D.W. (Ed.), Symposium on Organic Matter in Natural Waters. Institute of Marine Science, University of Alaska, Occasional Publications, 1: 77-106.

Degens, E.T., 1974. Synthesis of organic matter in the presence of silicate and lime. Chemical Geology, 13: 1-10.

Degens, E.T. 1979. Carbon in the sea. Nature, 279: 191-192.

Degens, E.T. and Matheja, J., 1967. Molecular mechanisms of interactions between oxygen co-ordinated metal polyhedra and biochemical compounds. Woods Hole Oceanographic Institute, Technical Report No. 67-57: 312.

Degens, E.T. and Mopper, K., 1975. Early diagenesis of organic matter in marine soils. Soil Science, 119: 65-72.

Degens, E.T. and Reuter, J.H., 1964. Analytical techniques in the field of organic geochemistry. In: Colombo, U. and Hobson, G.D. (Eds.), Advances in Organic Geochemistry. Pergamon Press, Oxford: 380-391.

Degens, E.T., Reuter, J.H. and Shaw, N.F., 1964. Biochemical compounds in offshore Californian sediments and seawaters. Geochimica et Cosmochimica Acta, 28: 45-46.

Degens, E.T., Behrendt, M., Gotthardt, B. and Reppman, E., 1968. Metabolic fractionation of carbon isotopes in marine plankton. Deep-Sea Research, 15: 11-20.

De Haan, H., 1972. The biological transformation of soluble humic substances in Tjeukemeer, the Netherlands: A preliminary report. In: Golterman, H.L. and Povoledo, D., Humic Substances, Their Structure and Function in the Biosphere. Pudoc, Wageningen: 63-69.

De Haan, H., 1972. Molecular-size distribution of soluble humic compounds from different natural waters. Freshwater Biology, 2: 235-241.

De Haan, H., 1974. Effect of a fulvic acid fraction on the growth of a Pseudomonas from Tjeukemeer (The Netherlands). Freshwater Biology, 4: 301-310.

De Haan, H., 1977. Effect of benzoate on microbial decomposition of fulvic acids in Tjeukemeer (the Netherlands). Limnology and Oceanography, 22: 38-44.

DeMarche, J.M., Curl. H. Jr. and Coughenower, D.D., 1973. Automated analysis for urea in seawater. Limnology and Oceanography, 18: 686-689.

Derenback, J.B. 1970. Zur Bestimmung der Ribonucleinsaure in planktischem Analysen-material. Kieler Meeresforschungen, 26: 79-84.

Derenbach, J. and Williams, P. LeB., 1974. Autotrophic and bacterial production: Fractionation of plankton populations by differential filtration of samples from the English Channel. Marine Biology, 25: 263-269.

Desai, I.D., Laub. D. and Antia, N.J., 1972. Comparative characterization of L-threonine dehydratase in seven species of unicellular marine algae. Phytochemistry, 11: 277-287.

Desai, M.V.M., Koshy, E. and Ganguly, A.K., 1969. Solubility of barium in sea water in the presence of dissolved organic matter. Current Science, 38: 107-108.

DeSouza, N.J. and Nes, W.R., 1968. Sterols: Isolation from a blue-green alga. Science, 162: 363.

Deuser, W.G., 1971. Organic carbon budget of the Black Sea. Deep-Sea Research, 18: 995-1004.

Deuser, W.G., Degens, E.T. and Harvey, G.R., 1973. Methane in Lake Kivu: New data bearing on its origin. Science, 181: 51-54.

Dharmaraj, K., Selvakumar, N., Chandromohan, D. and Natarajan, R., 1977. L-Glutaminase activity in marine sediments. Indian Journal of Marine Science, 6: 168-170.

Didyk, B.M., Simoneit, B.R.T., Brassell, S.C. and Eglinton, G., 1978. Organic geochemical indicators of paleoenvironmental conditions of sedimentation. Nature, 272: 216-222.

Dimock, R.V. and Davenport, D., 1971. Behavioral specificity and the induction of host recognition in a symbiotic polychaete. Biological Bulletin, Marine Biology Laboratory, Woods Hole, 141: 472-484.

Dinter, I., 1974. Pheromonal behaviour in the marine snail Littorina littorea Linnaeus. Veliger, 17: 37-39.

Doering, P.H., 1976. A burrowing response of Mercenaria mercenaria (Linnaeus, 1758) elicited by Asterias forbesi (Desor, 1848). Veliger, 19: 167-175.

Dong, M., Locke, D.C. and Ferrand, E., 1976. High pressure liquid chromatographic method for routine analysis of major parent polycyclic aromatic hydrocarbons in suspended particulate matter. Analytical Chemistry, 48: 368-372.

Doving, K.B., Nordeng, H. and Oakley, B., 1974. Single unit discrimination of fish odours released by char (Salmo alpinus L.) populations. Comparative Biochemistry and Physiology, 47: 1051-1063.

Dowty, B.L., Green, L.E. and Laseter, J.L., 1976. Automated gas chromatographic procedure to analyze volatile organics in water and biological fluids. Analytical Chemistry, 48: 946-949.

Doyle, P.J. and Patterson, L.G.W., 1972. Sterols of some Chesapeake Bay algae. Comparative Biochemistry and Physiology, 41B: 355-358.

Drozdova, T.V. and Gorskiy, Y.N., 1972. Conditions of preservation of chlorophyll, pheophytin and humic matter in Black Sea sediments. Geochemistry International, 9: 208-218.

Duce, R.A., 1978. Speculations on the budget of particulate and vapor phase non-methane organic carbon in the global troposphere. Pure and Applied Geophysics, 116: 244-273.

Duce, R.A. and Duursma, E.K., 1977. Inputs of organic matter to the Ocean. Marine Chemistry, 5: 319-339.

Duce, R.A., Quinn, J.G., Olney, C.E., Piotrowicz, S.R., Ray, B.J. and Wade, T.L., 1972. Enrichment of heavy metals and organic compounds in the surface microlayer of Narragansett Bay, Rhode Island. Science, 176: 161-163.

Duinker, J.C. and Kramer, C.J.M., 1977. An experimental study on the speciation of dissolved zinc, cadmium, lead and copper in river Rhine and North Sea water, by differential pulsed anodic stripping voltametry. Marine Chemistry, 5: 207-228.

Duursma, E.K., 1961. Dissolved organic carbon, nitrogen and phosphorus in the sea. Netherlands Journal of Sea Research, 1: 1-148.

Duursma, E.K., 1965. The dissolved organic constituents of seawater. In: Riley, J.P. and Skirrow, G. (Eds.), Chemical Oceanography, 1, Academic Press, London: 433-475.

Duursma, E.K., 1974. The fluorescence of dissolved organic matter in the sea, In: Jerlov, N.G. and Steeman-Nielson, E. (Eds.), Optical Aspects of Oceanography. Academic Press, New York: 237-256.

Duursma, E.K., 1963. The production of dissolved organic matter in the sea, as related to the primary gross production of organic matter. Netherlands Journal of Sea Research, 2: 85-694.

Duursma, E.K., 1970. Organic chelation of ^{60}Co and ^{65}Zn by leucine in relation to sorption by sediments. In: Hood, D.W., (Ed.), Symposium on Organic Matter in Natural Waters. Institute of Marine Science, University of Alaska, Occasional Publications, 1: 387-397.

Dyrrsen, D. and Wedborg, M., 1974. Equilibrium calculations of the speciation of elements in sea water. In: Goldberg, E.D., (Ed.), The Sea, 5. Wiley - Interscience, New York, N.Y.: 181-195.

Eadie, B.J. and Jeffrey, L.M., 1973. $\delta^{13}C$ analyses of oceanic particulate organic matter. Marine Chemistry, 1: 199-209.

Eagland, D., 1975. Nucleic acids, peptides and proteins. In: Franks, F. (Ed.), Water: A Comprehensive Treatise, 4, Plenum Press, London: 305-516.

Eckert, J.M. and Sholkovitz, E.R., 1976. The flocculation of iron, aluminum and humates from river water by electrolytes. Geochimica et Cosmochimica Acta, 40: 847-848.

Eganhouse, R.P. and Calder, J.A., 1976. The solubility of medium molecular weight aromatic hydrocarbons and the effects of hydrocarbon co-solutes and salinity. Geochimica et Cosmochimica Acta, 40: 555-561.

Eglinton, G., 1971. Laboratory simulation of organic geochemical processes. In: von Gaertner and Wehner, H. (Eds.), Advance in Organic Geochemistry, 1971, International Congress on Organic Geochemistry. Pergamon Press, Oxford: 29-48.

Eglinton, G., D.H. Hunneman and K. Douraghi-Zadeh, 1968. Gas chromatographic-mass spectrometric studies of long chain hydroxy acids II. The hydroxy acids and fatty acids of a 5000 year old lacustrine sediment. Tetrahedron, 24: 5929-5941.

Ehrhardt, M., 1969. A new method for the automatic measurement of dissolved organic carbon in sea water. Deep-Sea Research, 16: 393-397.

Ehrhardt, M., 1977. Organic substances in sea water. Marine Chemistry, 5: 307-316.

Ehrhardt, M. and Blumer, M., 1972. The source identification of marine hydrocarbons by gas chromatography. Environmental Pollution, 3: 179-194.

Eichhorn, G.L, 1975. Organic ligands in natural systems. In: Goldberg, E.D. (Ed.), The Nature of Seawater. Dahlem Konferenzen, Berlin: 245-262.

Elder, J.F. 1975. Complexation side reactions involving trace metals in natural water systems. Limnology and Oceanography, 20: 96-102.

Ensminger, A., Van Dorsselaer, A., Spycherelle, C., Albrecht, P. and Ourisson, G., 1974. Pentacylic triterpenes of the hopane type as ubiquitous geochemical markers: Origin and significance. In: Tissot, B. and Bienner, F. (Eds.), Advances in Organic Geochemistry, 1973, International Congress on Organic Geochemistry. Editions Technip, Paris: 245-260.

Eppley, R.W. and Peterson, B.J., 1979. Particulate organic matter flux and planktonic new production in the deep ocean. Nature, 282: 677-680.

Eppley, R.W., Harrison, W.G., Chisholm, S.W. and Stewart, E., 1977. Particulate organic matter in surface waters off southern California and its relationship to phytoplankton. Journal of Marine Research, 35: 671-696.

Ernst, R., Allen, H.E. and Mancy, K.H., 1975. Characterisation of trace metal species and measurement of trace metal stability constants by electrochemical techniques. Water Research, 9: 969-979.

Farrington, J.W. and Meyers, P.A., 1975. Hydrocarbons in the marine environment. In: Eglinton, G. (Ed.), Environmental Chemistry. The Chemical Society, London: 109-136.

Farrington, J.W. and Quinn, J.G., 1973. Petroleum hydrocarbons in Narragansett Bay I. Survey of hydrocarbons in sediments and clams (Mercenaria mercenaria). Estuarine and Coastal Marine Science, 1: 71-79.

Farrington, J.W. and Quinn, J.G., 1973. Biogeochemistry of fatty acids in recent sediments from Narragansett Bay, Rhode Island. Geochimica et Cosmochimica Acta, 37: 259-268.

Farrington, J.W. and Tripp, B.W., 1975. A comparison of analysis methods for hydrocarbons in surface sediments. In: Church, T.M. (Ed.), Marine Chemistry in the Coastal Environment. American Chemical Society Symposium Series, Washington, D.C.: 267-284.

Farrington, J.W. and Tripp, B.W., 1977. Hydrocarbons in western north Atlantic surface sediments. Geochimica et Cosmochimica Acta, 41: 1617-1641.

Farrington, J.W., Teal, J.M., Medeiros, G.C., Burns, K.A., Robinson, E.A. Jr., Quinn, J.G. and Wade, T.L., 1976. Intercalibration of gas chromatographic analyses for hydrocarbons in tissues and extracts of marine organisms. Analytical Chemistry, 48: 1711-1716.

Farrington, J.W., Teal, J.M., Quinn, J.G., Wade, T. and Burns, K., 1973. Intercalibration of analyses of recently biosynthesized hydrocarbons and petroleum hydrocarbons in marine lipids. Bulletin of Environment Contamination and Toxicology, 10: 129-136.

Fashing, J.L., Courant, R.A., Duce, R.A. and Piotrowicz, S.R., 1974. A new surface microlayer sampler utilising the bubble microtome. Journal de Recherches Atmosphériques, 8: 649-652.

Fattorusso, E., Magno, S., Santacroce, C., Sica, D., DiBlasio, B. and Pedone, C., 1976. Bromosphaerol, a new bromine-containing diterpenoid from the red alga Sphaerococcus coronopifolius. Gazzetta Chimica Italia, 106: 779-780.

Faust, S.D., 1975. Nonbiological degradation and transformations of organic pesticides in aqueous systems. In: Church, T.M. (Ed.), Marine Chemistry in the Coastal Environment. American Chemical Society Symposium Series, 18. American Chemical Society, Washington, D.C.: 572-595.

Faust, S.D. and Hunter, J.V., (Eds.), 1971. Organic Compounds in Aquatic Environments. Marcel Dekker, New York, N.Y.: 638.

Fenical, W., 1975. Halogenation in the Rhodophyta; a review. Journal of Phycology, 11: 245-259.

Fenical, W., Finer, J. and Clardy, J., 1976. Sphaerococcenol A; a new rearranged bromoditerpene from the red alga Sphaerococcus coronopifolius. Tetrahedron Letters, 1976: 731-734.

Fenical, W., Gilkins, K.B. and Clardy, J., 1974. X-ray determination of chondriol; a reassignment of structure. Tetrahedron Letters, 1974: 1507-1510.

Fenical, W., Howard, B.M., Gilkins, K.B. and Clardy, J., 1975. Irieol A and iriediol, dibromoditerpenes of a new skeletal class from Laurencia. Tetrahedron Letters, 1975: 69-72.

Ferguson, J.C., 1971. Uptake and release of free amino acids by starfish. Marine Biology Laboratory, Biological Bulletin, Woods Hole, 141: 122-129.

Field, J.G., 1972. Some observations on the release of dissolved organic carbon by the sea urchin, Strongylocentrotus droebachiensis. Limnology and Oceanography, 17: 772-774.

Fitzgerald, J.W., 1978. Naturally occurring organosulfur compounds in soils. In: Nriagu, J.O. (Ed.), Sulfur in the Environment, II. Wiley, New York, N.Y.: 391-444.

Fitzgerald, W.F. and Lyons, W.B., 1973. Organic mercury compounds in coastal waters. Nature, 242: 452-453.

Flaig, W., Beutelspacher, H. and Rietz, E., 1975. Chemical composition and physical properites of humic substances. In: Gieseking, J.E. (Ed.), Soil Components, I. Springer, Berlin: 1-211.

Flemer, D.A. and Biggs, R.B., 1971. Particulate carbon nitrogen relations in Northern Cheasapeake Bay. Fisheries Research Board of Canada, Journal, 28(6): 911-918.

Fogg, G.E., 1966. The extracellular products of algae. Oceanography and Marine Biology; An Annual Review, 4: 195-212.

Fogg, G.E., 1977. Excretion of organic matter by phytoplankton. Limnology and Oceanography, 22: 576-577.

Folger, D.W., 1970. Wind transport of land-derived mineral, biogenic, and industrial matter over the North Atlantic. Deep-Sea Research, 17: 337-352.

Fontaine, M., Marchelidan, J. and Momzikoff, A., 1978. Etude de la riboflavine, de ptérines et des acides aminés Ubres dessous dans l'eau de mer d'une frayere de harengr. Oceanologica Acta, 1: 415-424.

Forenza, S.L., Minale, L., Riccio, R. and Fattorusso, E., 1971. New bromopyrrole derivatives from the sponge Agelas oroides. Chemical Communications, 1971: 1129.

Foster, P. and Morris, A.W., 1971. The seasonal variation of dissolved ionic and organically associated copper in the Menai Straits. Deep-Sea Research, 18: 231-236.

Foster, P.L., 1977. Copper exclusion as a mechanism of heavy metal tolerance in a green alga. Nature, 269: 322-323.

Fournier, R.O., 1971. Studies on pigmented microorganisms from aphotic marine environments II. North Atlantic distribution. Limnology and Oceanography, 16: 952-961.

Frank, D.J., Sackett, W., Hall, R. and Fredericks, A., 1970. Methane, ethane and propane concentrations in the Gulf of Mexico; American Association of Petroleum Geologists, Bulletin, 54: 1933-1938.

Fredericks, A.D. and Sackett, W.M., 1970. Organic carbon in the Gulf of Mexico. Journal of Geophysical Research, 75: 2199-2206.

Gachter, R. and Lum-Shue-Chan, K., 1973. Complexing capacity of the nutrient medium and its relation to the inhibition of algal photosynthesis by copper. Schweizer Zeitschrift für Hydrologie, 35: 252-261.

Gagosian, R.B., 1975. Sterols in the western North Atlantic Ocean. Geochimica et Cosmoshimica Acta, 39: 1443-1454.

Gagosian, R.B., 1976. A detailed vertical profile of sterols in the Sargasso Sea. Limnology and Oceanography, 21: 702-710.

Gagosian, R.B. and Farrington, J.W., 1978. Sterenes in surface sediments from the southwest African shelf and slope. Geochimica et Cosmochimica Acta, 42: 1091-1101.

Gagosian, R.B. and Heinzer, F., 1979. Stenols and stanols in the oxic and anoxic waters of the Black Sea. Geochimica et Cosmochimica Acta, 43: 471-486.

Gagosian, R.B. and Nigrelli, G., 1979. The transport and budget of sterols in the western North Atlantic Ocean. Limnology and Oceanography, 24: 838-849.

Gagosian, R.B. and Smith, S., 1979. Steroid ketones in surface sediments from the southwest African shelf. Nature, 277: 287-289.

Gagosian, R.B. and Stuermer, D.H., 1977. The cycling of biogenic compounds and their diagenetically transformed products in seawater. Marine Chemistry, 5: 605-632.

Gagosian, R.B., Ahmed, S.I., Farrington, J.W., Lee, R.F., Mantoura, R.F.C., Nealson, K.H., Packard, T.T. and Reinhart, K.L., 1978. Future research problems in marine organic chemistry. Marine Chemistry, 6: 375-382.

Galbally, J.E., 1976. Man-made carbon tetrachloride in the atmosphere. Science, 193: 573-576.

Gamble, D.S. and Schnitzer, M., 1973. The chemistry of fluvic acid and its reactions with metal ions. In: Singer, P.C. (Ed.), Trace Metals and Metal Organic Interactions in Natural Waters. Ann Arbor Science, Ann Arbor, Michigan: 265-302.

Games, L.M. and Hayes, J.M., 1976. Isotopic and quantitative analysis of the major carbon fractions in natural water samples. Analytical Chemistry, 48: 130-135.

Gardiner, J., 1976. Complexation of trace metals by ethylenediaminetetra acetic acic (EDTA) in natural waters. Water Research, 10: 507-514.

Gardiner, J., 1974. The chemistry of cadmium in natural waters: a study of cadmium complex formation using the cadmium specific ion electrode. Water Research, 8: 23-30.

Gardiner, J. and Stiff, M.J., 1975. The determination of lead, copper and zinc in ground water, estuarine water and sewage effluent by anodic stripping voltammetry. Water Research, 9: 517-523.

Gardner, L.R., 1974. Organic versus inorganic metal complexes in sulfidic marine waters - some speculative calculations based on available stability constants. Geochimica et Cosmochimica Acta, 38: 1297-1302.

Gardner, W.S., 1978. Sensitive fluorimetric procedure to determine individual amino acids in marine waters. Marine Chemistry, 6: 15-26.

Gardner, W.S. and Lee, G.F., 1973. Gas chromatographic procedure to analyze amino acids in lake waters. Environmental Science and Technology, 7: 719-724.

Gardner, W.S. and Stephens, J.A., 1978. Stability and composition of terrestrially derived dissolved organic nitrogen in continental shelf surface waters. Marine Chemistry, 6: 335-342.

Garfield, P., Packard, T. and Codispoti, L., 1979. Particulate protein in the Peru upwelling system. Deep-Sea Research, 26: 623-639.

Garrasi, C., Degens, E.T. and Mopper, K., 1979. The free amino acid composition of seawater obtained without desalting and preconcentration. Marine Chemistry, 8: 71-85.

Garrett, W.D., 1965. Collection of slick-forming materials from the sea surface. Limnology and Oceanography, 10: 602-605.

Garrett, W.D., 1967. Damping of capillary waves at the air-sea interface by oceanic surface active material. Journal of Marine Research, 25: 279-291.

Garrett, W.D., 1967. Stabilisation of air bubbles at the air-sea interface by surface active material. Deep-Sea Research, 14: 661-672.

Garrett, W.D. and Bultman, J.D., 1963. Capillary-wave damping by insoluble organic monolayers. Journal of Colloid Interface Science, 18: 798-801.

Gaskell, S.J., Morris, R.J., Eglinton, G. and Calvert, S.E., 1975. The geochemistry of a recent marine sediment off Northwest Africa. An assessment of source of input and early diagenesis. Deep-Sea Research, 22: 777-789.

Gastaud, J.M., 1977. Biochimie des lipides du zooplancton de mers froides et tempérées. Revue Internationale d'Océanographie Médicale, 45-46: 99-123.

Gauthier, M.J., 1969. Activité antibactérienne d'une Diatomée marine: Asterionella notata (Grun.). Revue Internationale d'Océanographie Médicale, 15-16: 103-171.

Gauthier, M.J., 1969. Substances antibactériennes produites par les bactéries marines. 1re Partie: Etude systématique de L,activité antagoniste de sourches bactériennes marines vis-à-vis de germes telluriques aérobies. Revue Internationale d'Océanographie Médicale, 15-16: 41-60.

Gauthier, M.J., 1970. Substances antibactériennes produites par les bactéries marines. 2e Partie: Lipo-polysaccharides antibiotiques produits par certains germes marins appartenant aux genres Pseudomonas et Chromobacterium. Revue Internationale d'Océanographie Médicale, 27: 23-45.

Gauthier, M.J., 1972. Antagonismes et synergies dans l'antibiose chez certaines bactéries marines. Rôle de certains enzymes respiratoires dans ces phénomènes. Revue Internationale d'Océanographie Médicale, 26: 65-84.

Gauthier, M.J., Bernard, P. and Aubert, M., 1978. Modification de la fonction antibiotique de deux Diatomées marines, Astrionella japonica Cleve et Chaetoceros lauderi Ralfs par un dinoflagellé, Prorocentrum micans (Ehrenberg). Journal of Experimental Marine Biology and Ecology, 33: 37-50.

Gauthier, M.J., Breitmayer, J. Ph. and Aubert, M., 1975. Etude des facteurs responsables de dérives écologiques en milieu méditerranéen côtier. Proceedings of the 10th European Marine Biology Symposium, Ostende, 2: 271-283.

Gauthier, M.J. Bernard, P. and Aubert, M., 1978. Production d'un antibiotique lipidique photosensible par la diatomée marine Chaetoceros lauderi Ralfs. Annals Microbiology, 129B: 63-70.

Gauthier, M.J., Shewan, J.M., Gibson, D. and Lee, J.V., 1975. Taxonomic position and seasonal variations in marine neritic environment of some gram-negative bacteria. Journal of General Microbiology, 87: 211-218.

Gelpi, E., Oro, J., Schneider, H.J. and Bennett, E.O., 1968. Olefins of high molecular weight in two microscopic algae. Science, 161: 700-702.

Gelpi, E., Schneider, H., Mann, J. and Oro, J., 1970. Hydrocarbons of geochemical significance in microscopic algae. Phytochemistry, 9: 603-612.

Gershey, R.M., MacKinnon, M.D. and Williams, P.J. LeB., 1979. Comparison of three oxidation methods used for the analysis of the dissolved organic carbon in seawater. Marine Chemistry, 7: 289-306.

Ghassemi, M. and Christman, R.F., 1968. Properties of the yellow organic acids of natural Waters. Limnology and Oceanography, 13: 583-597.

Giesy, J.P. Jr. and Briese, L.A., 1977. Metals associated with organic carbon extracted from Okefenokee swamp water. Chemical Geology, 20: 109-120.

Giesy, J.P. Jr., 1976. Stimulation of growth in Scenedesmus obliquus (Chlorophyceae) by humic acids under iron limited conditions. Journal of Phycology, 13: 172-179.

Giger, W. and Schaffner, C., 1977. Aliphatic, olefinic, and aromatic hydrocarbons in recent sediments of a highly eutrophic lake. In: Campos, R. and Goni, J., (Eds.), Advances in Organic Geochemistry, 1975, International Congress on Geochemistry. Enadimsa, Madrid: 375-390.

Giger, W., 1977. Inventory of organic gases and volatiles in the marine environment. Marine Chemistry, 5: 429-442.

Gillespie, P.A. and Vaccaro, R.F., 1978. A bacterial bioassay for measuring the copper chelation capacity of sea water. Limnology and Oceanography, 23: 543-548.

Gjessing, E.T., 1965. Use of sephadex gel for estimation of molecular weight of humic substances in natural water. Nature, 208: 1091-1092.

Gjessing, E.T., 1970. Ultrafiltration of aquatic humus. Environmental Science and Technology, 4: 437-438.

Gjessing, E.T., 1971. Effect of pH on the filtration of aquatic humus using gels and membranes. Schweizer Zeitschrift für Hydrologie, 33: 592-600.

Gjessing, E.T., 1973. Gel and ultra-membrane filtration of aquatic humus: a comparison of two methods. Schweizer Zeitschrift für Hydrologie, 35: 286-294.

Goad, L.J., Rubenstein, I. and Smith, A.G., 1972. Sterols of echinoderms. Proceedings of the Royal Society, Series B, 180: 223-246.

Goldhaber, M.B. and Kaplan, I.R., 1975. Controls and consequences of sulfate reduction rates in recent marine sediments. Soil Science, 119: 42-55.

Goodrich, T.D. and Morita, R.Y., 1977. Incidence and estimation of chitinase activity associated with marine fish and other estuarine samples. Marine Biology, 41: 349-353.

Goodwin, T.W., 1970. Algal carotenoids. In: Goodwin, T.W. (Ed.), Aspects of Terpenoid Chemistry and Biochemistry. Academic Press, London: 314-356.

Gordon, D.C., Jr., 1977. Variability of particulate organic carbon and nitrogen along the Halifax - Bermuda section. Deep-Sea Research, 24: 257-270.

Gordon, D.C., Jr., 1970. Some studies on the distribution and composition of particulate organic carbon in the North Atlantic Ocean. Deep-Sea Research, 17: 233-243.

Gordon, D.C., Jr., 1971. Distribution of particulate organic carbon and nitrogen at an oceanic station in the central Pacific. Deep-Sea Research, 18: 1127-1134.

Gordon, D.C., Jr. and Sutcliffe, W.H., Jr., 1973. A new dry combustion method for the simultaneous determination of total organic carbon and nitrogen in seawater. Marine Chemistry, 1: 231-244.

Gordon, D.C., Jr., Keizer, P.D. and Dale, J., 1974. Estimates using fluorescence spectroscopy of the present state of petroleum hydrocarbon contamination in the water column of the northwest Atlantic ocean. Marine Chemistry, 2: 251-261.

Goulden, P.D. and Brooksbank, P., 1975. Automated determination of dissolved organic carbon in lake water. Analytical Chemistry, 47: 1943-1946.

Goulden, P.D., Brooksbank, P. and Day, M.B., 1973. Determination of submicrogram levels of phenol in water. Analytical Chemistry, 45: 2430-2433.

Goutx, M. and Saliot, A., 1980. Relationship between dissolved and particulate fatty acids and hydrocarbons, chlorophyll a and zooplankton biomass in Villefranche Bay, Mediterranean Sea. Marine Chemistry, 8: 299-318.

Graedel, T.E., 1979. Reduced sulfur emission from the open oceans. Geophysical Research Letters, 6: 329-331.

Grice, G.C., Harvey, G.R., Bowen, V.T. and Backus, R.H., 1972. The collection and preservation of open ocean marine organisms for pollutant analysis. Bulletin of Environmental Contamination and Toxicology, 7: 125-132.

Griffiths, A.M. and Frost, B.W., 1976. Chemical communication in the marine planktonic copepods Calanus pacificus and Pseudocalanus sp. Crustaceana, 30: 1-8.

Grill, E.V. and Richards, F.A., 1964. Nutrient regeneration from phytoplankton decomposing in seawater. Journal of Marine Research, 22: 51-69.

Grimes, D.J. and Morrison, S.M., 1975. Bacterial bioconcentration of chlorinated hydrocarbon insecticides from aqueous systems. Microbial Ecology, 2: 43-59.

Grob, K. and Grob, G., 1974. Organic substances in potable water and in its precursor. Part II: Applications in the area of Zurich. Journal of Chromatography, 90: 303-313.

Grob, K., 1973. Organic substances in potable water and its precursor. Part 1. Methods for their determination by gas-liquid chromatography. Journal of Chromatography, 84: 255-273.

Grob, K., Grob, K., Jr. and Grob, G., 1975. Organic substances in potable water and in its precursor. Part III. The closed-loop stripping procedure compared with rapid liquid extraction. Journal of Chromatography, 106: 299-315.

Gruger, E., Nelson, R. and Stansby, M.E., 1964. Fatty acid composition of oils from 21 species of marine fish, freshwater fish and shell fish. Journal of the American Oil Chemists Society, 41: 662-667.

Gutvieb, L.G., Benzhitski, A.G. and Lebedeva, M.N., 1973. Synthesis of biologically active substances of vitamin B 12 group in the bacterioneuston of the Tropical Atlantic. In: Genovese, S. (Ed.), Atti del 5e Colloquio Internazionale di Oceanographia Medica: 161-175.

Guy, R.D. and Chakrabarti, C.L., 1976. Studies of metal organic interactions in model systems pertaining to natural waters. Canadian Journal of Chemistry, 54: 2600-2611.

Haberman, J.P., 1971. Polarographic determination of traces of nitrilotriacetic acid in water samples. Analytical Chemistry, 43: 63-67.

Hair, M.E. and Bassett, C.R., 1973. Dissolved and particulate humic acids in an east coast estuary. Estuarine and Coastal Marine Science, 1: 107-111.

Hakanson, L., 1976. A bottom sediment trap for recent sedimentary deposits. Limnology and Oceanography, 21: 170-174.

Hallegraeff, C.M., 1978. Caloric content and elementary composition of seston of three Dutch freshwater lakes. Archives of Hydrobiology, 1978 (83): 80-98.

Halsall, T.G. and Hills, I.R., 1971. Isolation of heneicosa - 1, 6, 9, 12, 15, 18 - hexaene and -1, 6, 9, 12, 15 - pentaene from the alga Fucus vesiculosus. Chemical Communications, 448: 449.

Han, J. and Calvin, M., 1969. Hydrocarbon distribution of algae and bacteria and micro-biological activity in sediments. Proceedings of the National Academy of Sciences, U.S.A., 64: 436-443.

Hanck, K.W. and Dillard, J.W., 1977. Determination of the complexing capacity of natural water by Co(III) complexation. Analytical Chemistry, 49: 404-409.

Handa, N., 1966. Distribution of dissolved carbohydrate in the Indian Ocean. Journal of Oceanographic Society, Japan, 22(2): 16-22.

Handa, N., 1970. Dissolved and particulate carbohydrates. In: Hood, D.W. (Ed.), Symposium on Organic Matter in Natural Waters. Institute of Marine Scinece, University of Alaska, Occasional Publications, 1: 129-152.

Handa, N., 1977. Land sources of marine organic matter. Marine Chemistry, 5: 341-359.

Handa, N. and Tominaga, 1969. A detailed analysis of carbohydrates in marine particulate matter. Marine Biology, 2: 228-235.

Handa, N. and Yanagi, K., 1969. Studies on water-extractable carbohydrates of the particulate matter from the northwest Pacific Ocean. Marine Biology, 4: 197-207.

Hansen, H.P., 1975. Photochemical degradation of petroleum surface films on sea water. Marine Chemistry, 3: 183-195.

Hansen, H.P., 1977. Photodegradation of hydrocarbon surface films. Rapports et Proces-Verbaux des Réunions, Conseil International pour l'Exploration de la Mer, 171: 101-106.

Hanson, R.B. and Snyder, L., 1979. Enzymatic determination of glucose in marine environments: improvement and note of caution. Marine Chemistry, 7: 353-362.

Hardy, R., Mackie, P.R. and Whittle, K.J., 1977. Hydrocarbons and petroleum in the marine ecosystem - a review. Rapports et Proces-Verbaux des Réunions, Conseil International pour l'Exploration de la Mer, 171: 17-26.

Hardy, R., Mackie, P.R., Whittle, K.J., McIntyre, A.D. and Blackman, R.A.A., 1977. Occurrence of hydrocarbons in the surface film, subsurface water and sediment in the waters around the United Kingdom. Rapports et Proces-Verbaux des Réunions, Conseil International pour l'Exploration de la Mer, 171: 61-65.

Hare, P.E. and Hoering, T.C., 1972. Organic geochemical studies on a long sediment core from the Cariaco Trench. Carnegie Institution of Washington, Yearbook No. 71: 585-596.

Harrington, G.W., Beach, D.H., Dunham, J.E. and Holz, G.G., Jr., 1970. The polyunsaturated fatty acids of marine dinoflagellates. Journal of Protozoology, 17: 213-219.

Harvey, G.R., Mopper, K. and Degens, E.T., 1972. Synthesis of carbohydrates and lipids on Kaolinite. Chemical Geology, 9: 79-87.

Harvey, G.W. and Burzell, L.A., 1972. A simple microlayer method for small samples. Limnology and Oceanography, 17: 156-157.

Harvey, G.W., 1966. Microlayer collection from the sea surface: a new method and initial results. Limnology and Oceanography, 11: 608-613.

Hase, A. and Hites, R.A., 1976. On the origin of polycyclic aromatic hydrocarbons in recent sediments: biosynthesis by anaerobic bacteria. Geochimica et Cosmochimica Acta, 40: 1141-1143.

Hashimoto, Y., Konosu, S., Fusetani, N. and Nose, T., 1968. Attractants for eels in the extracts of shortnecked clam. I. Survey of constituents eliciting feeding behaviour by the omission test. Bulletin of the Japanese Society of Scientific Fisheries, 34: 78-83.

Hauser, T.R. and Pattison, J.N., 1972. Analysis of aliphatic fraction of air particulate matter. Environmental Science and Technology, 6: 549-555.

Head, P.C., 1976. Organic processes in estuaries. In: Burton, J.D. and Liss, P.S. (Ed.), Estuarine Chemistry. Academic Press, London: 53-91.

Hedges, J.I., 1977. The association of organic molecules with clay minerals in aqueous solutions. Geochimica et Cosmochimica Acta, 41: 1119-1123.

Hedges, J.I., 1978. The formation and clay mineral reactions of melanoidins. Geochimica et Cosmochimica Acta, 42: 69-76.

Hedges, J.L. and Parker, P.L., 1976. Land-derived organic matter in surface sediments from the Gulf of Mexico. Geochimica et Cosmochimica Acta 40: 1019-1029.

Heeb, M.A., 1973. Large molecules and chemical control of feeding behaviour in the starfish Asterias forbesi. Helgolanderwissenschaftliche Meeresuntersuchungen, 24: 425-435.

Heiligenberg, W., 1976. Chemical stimuli and reproduction in fish. Experientia, 32: 1091.

Hellebust, J.A., 1965. Excretion of some organic compounds by marine phytoplankton. Limnology and Oceanography, 10: 192-206.

Hellebust, J.A., 1974. Extracellular products. In: Stewart, W.D.P. (Ed.), Algal Physiology and Biochemistry. Botanical Monographs, Blackwell, Oxford, 10: 838-863.

Henrichs, S.M. and Farrington, J.W., 1979. Amino acids in intersitial waters of marine sediments. Nature, 272: 319-322.

Hicks, S.E. and Carey, R.G., 1968. Glucose determination in natural waters. Limnology and Oceanography, 13: 361-363.

Higa, T. and Scheuer, P.J. 1975. 3-chloroindole, principal odorous constituent of the hemichordate Ptychodera flava laysanica. Naturwissenschaften, 62: 395-396.

Higa, T. and Scheuer, P.J., 1975. Constituents of the marine annelid Thelepus setosus. Tetrahedron, 31: 2379-2381.

Higa, T. and Scheuer, P.J., 1977. Constituents of the hemichordate Ptychodera flava laysanica. In: Faulkner, D.J. and Fenical, W.H. (Ed.), Marine Natural Products Chemistry. Plenum Press, London: 34-43.

Hirayama, H., 1974. Fluorimetric determination of carbohydrates in seawater. Analytica Chimica Acta, 70: 141-148.

Hitchcock, D.R., 1976. Microbiological contributions to the atmospheric load of particulate sulfate. In: Nriagu, J.O. (Ed.), Environmental Biogeochemistry, Ann Arbor Science, Ann Arbor, Michigan, 1: 351-367.

Hites, R.A. and Biemann, W.G., 1972. Water pollution: organic compounds in the Charles River, Boston. Science, 178: 158-160.

Hites, R.A. and Biemann, W.G., 1975. Identification of specific organic compounds in a highly anoxic sediment by Gas Chromatographic and High Resolution Mass Spectometry. Advances in Chemistry Series, 147. American Chemical Society, Washington, D.C.: 188-201.

Hobbie, J.E., Crawford, C.C. and Webb, K.L., 1968. Amino acid flux in an estuary. Science, N.Y., 159: 1463-1464.

Hobson, L.A., 1967. The seasonal and vertical distribution of suspended particulate matter in an area of the Northeast Pacific Ocean. Limnology and Oceanography, 12: 642-649.

Hobson, L.A., 1971. Relationships between particulate organic carbon and micro-organisms in upwelling areas off southwest Africa. Investigacion pesquera, 35: 195-208.

Hobson, L.A. and Menzel, D.W., 1969. The distribution and chemical composition of organic particulate matter in the sea and sediments off the east coast of South America. Limnology and Oceanography, 14: 159-163.

Hobson, L.A., Menzel, D.W. and Barber, R.T., 1973. Primary productivity and sizes of pools or organic carbon in the mixed layer of the ocean. Marine Biology, 19: 298-306.

Hoffman, E.J. and Duce, R.A., 1974. The organic carbon content of marine aerosols collected on Bermuda. Journal of Geophysical Research, 79: 4474-4477.

Högberg, H-E., Thomson, R.H. and King, T.J., 1976. The cymopols, a group of prenylated bromochydroquinones from the green calcareous alga Cymopolia barbata. Chemical Communications, 11: 245-259.

Holm-Hansen, O. and Booth, Ch. R., 1966. The measurement of adenosine triphosphate in the ocean and its ecological significance. Limnology and Oceanography, 11: 510-519.

Holm-Hansen, O., Lorenzen, C., Holmes, R. and Strickland, J., 1965. Fluorometric determination of chlorophyll. Journal du Conseil, Conseil International pour l'Exploration de la Mer, 30: 3-15.

Holm-Hansen, O., Strickland, J.D.H. and Williams, P.M., 1966. A detailed analysis of biologically important substances in a profile off southern California. Limnology and Oceanography, 11: 548-561.

Holm-Hansen, O., Sutcliffe, W.H., Jr. and Sharp, J., 1968. Measurement of deoxyribonucleic acid in the ocean and its ecological significance. Limnology and Oceanography, 13: 507-514.

Holm-Hansen, O., Taylor, F.J.R. and Barsdate, R.J., 1970. A ciliate red tide at Barrow, Alaska. Marine Biology, 1: 37-46.

Honjo, S., 1978. Sedimentation of materials in the Sargasso Sea at a 5367 m deep station. Journal of Marine Research, 36: 469-492.

Horwath, R., 1972. Microbial co-metabolism and the degradation of organic compounds in nature. Bacteriology Review, 36: 146-155.

Hosaku, K. and Maita, Y., 1971. Gas-liquid chromatographic determination of amino acids and vertical distribution of proteinaceous substances in sea water. Journal of the Oceanographic Society of Japan, 27: 27-33.

Howe, N.R. and Sheikh, Y.M., 1975. Anthopleurine: a sea anemone alarm pheromone. Science, 189: 386-388.

Howe, N.R., 1976. Behaviour of sea anemones evoked by the alarm pheromone anthopleurine. Journal of Comparative Physiology, 107: 67-76.

Howe, N.R., 1976. Proline inhibition of a sea anemone alarm pheromone response. Journal of Experimental Biology, 65: 147-156.

Hoyt, J.W., 1970. High molecular weight algal substances in the sea. Marine Biology, 7: 93-99.

Huang, W.-Y. and Meinschein, W.G., 1978. Sterols in sediments from Baffin Bay, Texas. Geochimica et Cosmochimica Acta, 42: 1391-1396.

Hunt, D.C., Wild, P.J. and Crosby, N.T., 1977. Application of high pressure liquid chromatography to the analysis of residual levels of polycyclic aromatic hydrocarbons. Rapports et Proces-Verbaux des Réunions, Conseil International pour l'Exploration de la Mer, 171: 41-48.

Hunter, K.A. and Liss, P.S., 1977. The input of organic material to the oceans: air-sea interactions and the organic chemical composition of the sea surface. Marine Chemistry, 5: 361-379.

Huntsman, S.A., 1972. Organic excretion by Dunaliella tertiolecta. Journal of Phycology, 8: 59-63.

Huston, C.K. and P.W. Albro, 1964. Lipids of Sarcina lutea I. Fatty acid composition of the extractable lipids. Journal of Bacteriology, 88: 425-432.

Ichikawa, N., Naya, Y. and Enomoto, S., 1974. New halogenated monoterpenes from Desmia (Chondrococcus) hornemanni. Chemical Letters, 1974: 1333-1336.

Ichikawa, T. and S. Nishizawa, 1975. Particulate organic carbon and nitrogen in the eastern Pacific Ocean. Marine Biology, 29: 129-138.

Idler, D.R. and Wiseman, O., 1971. Sterols of crustacea. International Journal of Biochemistry, 2: 91-98.

Idler, D.R. and Wiseman, O., 1971. Sterols of molluscs. International Journal of Biochemistry, 2: 516-528.

Ikan, R., Baedecker, M.J. and Kaplan, I.R., 1975. Thermal alteration experiments on organic matter in recent marine sediments. II. Isoprenoids. Geochimica et Cosmochimica Acta, 39: 187-194.

Iliffe, T.M. and Calder, J.A., 1974. Dissolved hydrocarbons in the eastern Gulf of Mexico Loop Current and the Caribbean Sea. Deep-Sea Research, 21: 481-488.

Irie, T., Suzuki, M. and Masamune, T., 1965. Laurencin, a constituent from Laurencia sp., Tetrahedron Letters, 1965: 1091-1094.

Iwamura, T., Nagai, H. and Ichimura, S., 1970. Improved methods for determining contents of chlorophyll, protein, ribonucleic acid and deoxyribonucleic acid in planktonic populations. International Revue Gesamten Hydrobiologie, 55: 131-147.

Jackson, G.A. and Morgan, J.J., 1978. Trace metal - chelator interactions and phytoplankton growth in sea water media and theoretical analysis and comparison with reported observations. Limnology and Oceanography, 23: 268-282.

Jacobs, M.B. and Ewing, M., 1969. Suspended particulate matter: concentration in the major oceans. Science, 163: 380-383.

Jaenicke, L., 1977. Sex and sex-attraction in seaweed. Trends Biochem. Sci., 152-155.

Jandera, P. and Churacek, J., 1974. Ion-exchange chromatography of aldehydes, ketones, ethers, alcohols, polyols and saccharides. Journal of Chromatography, 98: 55-104.

Jannasch, H.W., 1975. Methane oxidation in Lake Kivu (Central Africa). Limnology and Oceanography, 20: 860-864.

Jarvis, N.L., 1967. Adsorption of surface active material at the air-sea interface. Limnology and Oceanography, 12: 213-221.

Jeffrey, L.M., Pasby, B.F., Stevenson, B. and Hood, D.W., 1963. Lipids of ocean water. Advances in organic geochemistry. Proceedings International Meeting, Milan.

Jeffrey, L.M., Pasby, B.F., Stevenson, B. and Hood, D.W., 1964. Lipids of ocean water. In: Colombo, U. and Hobson, G.D. (Eds.), Advances in Organic Geochemistry. Pergamon Press, Oxford: 175-197.

Jeffrey, L.M., 1966. Lipids of sea water. Journal of the American Oil Chemists Society, 43: 211-214.

Jeffrey, L.M., 1970. Lipids in marine waters. In: Hood, D.W. (Ed.), Symposium on Organic Matter in Natural Waters. Institute of Marine Science, University of Alaska, Occasional Publications, 1: 211-214.

Jewett, K.E., Brinckman, F.E. and Bellama, J.M., 1975. Chemical factors influencing metal alkylation in water. In: Church, T.M. (Ed.), Marine Chemistry in the Coastal Environment. American Chemical Society Symposium Series, 18. American Chemical Society, Washington, D.C.: 304-317.

Johns, R.B. and O.M. Onder, 1975. Biological diagenesis: dicarboxylic acids in recent sediments. Geochimica et Cosmochimica Acta, 39: 129-136.

Johnson, B.D., 1976. Non-living organic particle formation from bubble dissolution. Limnology and Oceanography, 21: 444-446.

Johnson, K.M. and Sieburth, J. McN., 1977. Dissolved carbohydrates in seawater. I.A precise spectrophotometric analysis for monosaccharides. Marine Chemistry, 5: 1-13.

Johnston, R., 1963. Sea water, the natural medium of phytoplankton. I. General features. Marine Biological Association of the United Kingdom, Journal, 43: 427-456.

Johnston, R., 1964. Sea water, the natural medium of phytoplankton. II. Trace metals and chelation, and general discussion. Marine Biological Association of the United Kingdom, Journal, 44: 87-109.

Johnson, R.W. and Calder, J.A., 1973. Early diagenesis of fatty acids and hydrocarbons in a salt marsh environment. Geochimica et Cosmochimica Acta, 37: 1943-1955.

Johnstone, A.D.F., 1980. The detection of dissolved amino-acids by the Atlantic Cod, Gadus morhua L. Journal of Fisheries Biology, 17: 219-230.

Jorgensen, B.B., 1977. The sulfur cycle of a coastal marine sediment (Limfjorden, Denmark). Limnology and Oceanography, 22: 814-832.

Jorgensen, E.G. and Steeman-Nielsen, E., 1961. Effect of filtrate from culture of unicellular algae on the growth of Staphylococcus aureus. Physiologia Plantarum, 14: 896-908.

Jorgensen, E.G., 1962. Antibiotic substances from cells and culture solutions of unicellular algae with special reference to some chlorophyll derivates. Physiologia Plantarum, 15: 530-545.

Joseffson, B., Uppstrom, L. and Ostling, G., 1972. Automatic spectrophotometric procedures for the determination of the total amount of dissolved carbohydrates in seawater. Deep-Sea Research, 19: 385-395.

Joseffson, B., 1970. Determination of soluble carbohydrates in seawater by partition chromatography after desalting by ion-exchange membrane electrodialysis. Analytica Chimica Acta, 52: 65-73.

Josefsson, B.O., Lindroth, P. and Ostling, G., 1977. An automated fluorescence method for the determination of total amino acids in natural waters. Analytica Chimica Acta, 89: 21-28.

Kahn, S.U. and Schnitzer, M., 1972. The retention of hydrophobic compounds by humic acid. Geochimica et Cosmochimica Acta, 35: 745-754.

Kalle, K., 1966. The problem of the Gelbstoff in the sea. Oceanography and Marine Biology Annual Review, 4: 91-104.

Kamata, E., 1966. Determination of aldehydes in seawater. Bulletin of the Chemical Society of Japan, 39: 1227-1229.

Kanazawa, A. and Teshima, S., 1978. The occurrence of coprostanol, an indicator of faecal pollution, in sea water and sediments. Oceanologica Acta, 1: 39-44.

Kanazawa, A. and Teshima, S., 1971. Sterols of the suspended matters in seawater. Journal of the Oceanographic Society of Japan, 27: 207-212.

Kanazawa, A., Tanaka, N., Teshima, S. and Kashiwada, K., 1971. Nutritional requirements of prawn-II. Requirement for sterols. Bulletin of the Japanese Society of Scientific Fisheries, 37: 211-215.

Kane, J.E., 1967. Organic aggregates in surface waters of the Ligurian Sea. Limnology and Oceanography, 12: 287-294.

Kanwisher, J., 1963. On the exchange of gases between the atmosphere and the sea. Deep-Sea Research, 10: 195-207.

Kaplan, I.R., Emergy, K.O. and Rittenberg, S.C., 1963. The distribution and isotopic abundance of sulfur in recent marine sediments off Southern California. Geochimica et Cosmochimica Acta, 27: 297-331.

Karl, D.M. and Holm-Hansen, O., 1978. Methodology and measurement of adenylate energy charge ratios in environmental samples. Marine Biology, 48: 185-197.

Karl, D.M., 1978. Occurrence and ecological significance of ATP in the ocean and in microbial cells. Applied Environmental Microbiology, 36: 349-355.

Karl, D.M., LaRock, P.A., Morse, J.W. and Sturges, W., 1976. Adenosine triphosphate in the North Atlantic Ocean and its relationship to the oxygen minimum. Deep-Sea Research, 23: 81-88.

Kato, Y. and Scheuer, P.J., 1974. Aplysiatoxin and dibromoaplysiatoxin, constituents of the marine mollusk Stylocheilus longicauda. Journal of the American Chemical Society, 96(7): 2245-2246.

Katona, S.K., 1973. Evidence for sex pheromones in plankton copepods. Limnology and Oceanography, 18: 574-583.

Kattner, G.G. and Brockmann, U.H., 1978. Fatty acid composition of dissolved and particulate matter in surface films. Marine Chemistry, 6: 233-241.

Kawahara, F.K., 1971. Gas chromatographic analysis of mercaptans, phenols and organic acids in surface waters with use of pentafluorobenzyl derivatives. Environmental Science and Technology, 5: 235-239.

Kazlauskas, R., Murphy, P.T., Quinn, R.J. and Wells, R.J., 1977. A new class of halogenated lactones from the red alga Delisea fimbriata. Tetrahedron Letters, 1977: 37-40.

Kazlauskas, R., Lidgard, R.O., Wells, R.J. and Vetter, W., 1977. A novel hexachlorometabolite from the sponge Dysidea herbacea. Tetrahedron Letters, 1977: 3183-3186.

Keating, K.I., 1977. Allelopathic influence on blue-green bloom sequence in an eutrophic lake. Science, 196: 885-887.

Keating, K.I., 1978. Blue-green algal inhibition of diatom growth: transition from mesotrophic to eutrophic community structure. Science, 199: 971-973.

Keizer, P.D. and Gordon, D.C. Jr., 1973. Detection of trace amounts of oil in sea water by fluorescence spectroscopy. Fisheries Research Board of Canada, Journal, 30: 1039-1046.

Keizer, P.D., Dale, J. and Gordon, D.C. Jr., 1978. Hydrocarbons in surficial sediments from the Scotian shelf. Geochimica et Cosmoshimica Acta, 42: 165-172.

Keizer, P.D., Gordon, D.C. Jr. and Dale, J., 1977. Hydrocarbons in Eastern Canadian marine waters determined by fluorescence spectroscopy and gas-liquid chromatography. Fisheries Research Board of Canada, Journal, 34: 347-353.

Kerr, R.A. and Quinn, J.G., 1975. Chemical studies on the dissolved organic matter in sea water. Isolation and fractionation. Deep-Sea Research, 22: 107-116.

Kester, D.R., Byrne, R.H. Jr. and Liang Yu-Jean, 1975. Redox reactions and solution complexes of iron in marine systems. In: Church, T.M. (Ed.), Marine Chemistry in Coastal Environment. American Chemical Society Symposium Series, 18. American Chemical Society, Washington, D.C.: 56-79.

Kester, D.R., O'Conner, T.P. and Byrne, R.H. Jr., 1975. Solution chemistry, solubility and adsorption equilibria of iron, cobalt and copper in marine systems. Thalassia Jugoslavica, 11: 121-134.

Ketseridis, G., Hahn, J., Jaenicke, R. and Junge, C., 1976. The organic constituents of atmospheric particulate matter. Atmospheric Environment, 10: 603-610.

Khailov, K.M., 1968. Dissolved organic macromolecules in sea water. Geokhimiya, 5: 595-603.

Khailov, K.M. and Ayzatullin, T.A., 1972. Kinetics of transformation of proteins and polysaccharides dissolved in seawater during interaction with detritus. Oceanology, 12: 809-816.

Khailov, K.M. and Finenko, Z.Z., 1970. Organic macromolecular compounds dissolved in sea water and their inclusion in the food chain. In: Steele, J.H. (Ed.), Marine Food Chains. Oliver and Boyd, Edinburgh: 6-18.

Khaleafa, A.F., Kharboushman, M.A.M., Metwalli, A., Moshen, A.F. and Serwi, A., 1975. Antibiotic action from extracts of some seaweeds. Botanica Marina, 18: 163-165.

Khan, S.U. and Schnitzer, M., 1972. The retention of hydrophobic organic compounds by humic acid. Geochimica et Cosmochimica Acta, 36: 745-754.

Kim, J. and Zobell, C.E., 1974. Occurrence and activity of cell-free enzymes in oceanic environments. In: Colwell, R.R. and Morita, R.Y., (Ed.), Effect of the Ocean Environment on Microbial Activities. University Park Press, Baltimore, Maryland: 368-385.

King, F.D. and Packard, T.T., 1975. The effect of hydrostatic pressure on respiratory electron transport system activity in marine zooplankton. Deep-Sea Research, 22: 99-105.

Kinney, P.J., Loder, T.C. and Groves, J., 1971. Particulate and dissolved organic matter in the Amerasian Basin of the Arctic Ocean. Limnology and Oceanography, 16: 132-137.

Kittredge, J.S., Terry, M. and Takahashi, F.T., 1971. Sex pheromone activity of the molting hormone, crustecdysone, on male crabs. Fisheries Bulletin, 69: 337-343.

Kittredge, J.S., Takahashi, F.T., Lindsey, J. and Lasker, R., 1974. Chemical signals in the sea: marine allelochemics and evolution. Fisheries Bulletin, 72: 1-11.

Kleerekoper, H. and Morgensen, J., 1963. Role of olfaction in the orientation of Petromyzon marinus. I. Response to a single amine in prey's body odor. Physiology and Zoology, 36: 347-360.

Kleerekoper, H., Gruber, D. and Mathis, J., 1975. Accuracy of localization of a chemical stimulus in flowing and stagnant water by the nurse shark, Ginglymostoma cirratum. Journal of Comparative Physiology, 98: 257-275.

Klenk, E. and D. Eberhagen, 1976. Uber die zusammensetzung des fettsaurengemisches verschiedener fischole. Zeitschrift für Physiologische Chemie, Hoppe-Seyler's, 383: 180-188.

Koons, C.B., 1970. Joides cores: organic geochemical analyses of four Gulf of Mexico and western Atlantic sediment samples. Geochimica et Cosmochimica Acta, 34: 1353-1356.

Koshy, E., Desai, M.V.M. and Ganguly, A.K., 1969. Studies on organo-metallic interactions in the marine environment: I Interaction of some metallic ions with dissolved organic substances in sea water. Current Science, 38: 555-558.

Kosuge, T., Zenda, H., Ochiae, A., Masaki, N., Noguchi, M., Kimura, S. and Narita, H., 1972. Isolation and structure determination of a new marine toxin, surugatoxin from the Japanese ivory shell, Babylonia japonica. Tetrahedron Letters, 1972: 2545-2548.

Koyama, T., 1962. Organic compounds in seawater. Journal of the Oceanographic Society of Japan, 20: 563-576.

Kramer, C.J.M., 1979. Degradation by sunlight of dissolved fluorescing substances in the upper layers of the Eastern Atlantic Ocean. Netherlands Journal of Sea Research, 13: 325-329.

Kranck, K., 1973. Flocculation of suspended sediment in the sea. Nature, 246: 348-350.

Krishnaswami, S. and Sarin, M.M., 1976. Atlantic surface particulates: composition, settling rates and dissolution in the deep sea. Earth Planetary Science Letters, 32: 430-440.

Kriss, A.E., 1973. The role of unstable organic matter of allochthonous origin in the productivity of the world ocean. Doklady Biological Sciences, 209: 142-144.

Kroes, H.W., 1972. Growth interactions between Chlamydomonas globosa and Chlorococcum: the role of extracellular products. Limnology and Oceanography, 12: 423-432.

Krom, M.D. and Sholkovitz, E.R., 1978. On the association of iron and manganese with organic matter in anoxic marine pore waters. Geochimica Cosmochimica Acta, 42: 607-611.

Kühme, W., 1963. Chemisch ausgeloste Brutpflege und Schwarmverhalten bei Hemichromis bimaculatus (Pisces). Zeitschrift Tierpsychologie, 20: 688-704.

Kunimoto, Zama, K. and Igarashi, H., 1975. Lipids of marine bacteria I. Lipid composition of marine Achromobacter species. Bulletin of the Facility of Fisheries, Hokkaido University, 25: 332-341.

Kunimoto, M., 1975. Lipids of marine bacteria. 2. Lipid composition of bacteria of marine type. Bulletin of the Facility of Fisheries, Hokkaido University, 25: 342-350.

Kunkel, R. and Manahan, S.E., 1973. Atomic absorption analysis of strong heavy metal chelating agents in water and waste water. Analytical Chemistry, 45: 1465-1468.

Kunte, H. and Slemrova, J., 1975. Gas chromatographic and mass spectrometric identification of phenolic substances from surface waters. Zeitschrift Wasser - Abwasser-Forschungen, 8: 176-182.

Kuo, P.R.K., Chian, E.S.K., DeWalle, F.B. and Kim, J.H., 1977. Gas stripping, sorption and thermal desorption procedures for preconcentrating volatile polar water-soluble organics from water samples for analysis by gas chromatography. Analytical Chemistry, 49: 1023-1029.

Kvenvolden, K.A., 1967. Normal fatty acids in sediments. Journal of the American Oil Chemists Society, 44: 628-636.

Laflamme, R.E. and Hites, R.A., 1978. The global distribution of polycyclic aromatic hydrocarbons in recent sediments. Geochimica et Cosmochimica Acta, 42: 289-303.

Lake, J.L. and Hershner, C., 1977. Petroleum sulfur-containing compounds and aromatic hydrocarbons in the marine mollusks Modiolus demissus and Crassostea virginica. In: 1977 Oil Spill Conference. American Petroleum Institute, Washington, D.C., 4284: 640.

Lal, D., 1977. The oceanic microcosm of particles. Science, 198: 997-1009.

Lamar, W.L. and Goerlitz, D.G., 1966. Organic acids in naturally colored surface waters. Geological Survey Water Supplementary Paper, 1817-A.

Lamontagne, R.A., Swinnerton, J.W., Linnenbom, V.J. and Smith, W.D., 1973. Methane concentrations in various marine environments. Journal of Geophysical Research, 78: 5317-5324.

Lamontagne, R.A., Swinnerton, J.W. and Linnenbom, V.J., 1971. Nonequilibrium of carbon monoxide and methane at the air-sea interface. Journal of Geophysical Research, 76: 5117-5121.

Landymore, A.F. and Anita, N.J., 1978. White light promoted degradation of leucopterin and related pteridites dissolved in sea water, with evidence for the involvement of complexation from major divalent cations in sea water. Marine Chemistry, 6: 309-325.

Langford, C.H., Wingham, M. and Sastri, V.S., 1973. Ligand photooxidation in copper (II) complexes of nitrilotriacetic acid - Implications for natural waters. Environmental Science and Technology, 7: 820-822.

Langford, C.H., Kay, R., Quance, G.W. and Khan, T.K., 1977. Kinetic analysis applied to iron in a natural water model containing ions, organic complexes, colloids and particles. Analytical Letters, 10: 1249-1260.

Larionov, Ju. V. and Skopintsev, B.A., 1974. Sampling of particles from natural waters for studies of organic fraction. Gidrokhimicheskie Materialy, 60: 192-194 (in Russian).

Larionov, Ju. V. and Skopintsev, B.A., 1977. Indexes of lability of organic particles. Gidrobiologicheskii Zhurnal, 13: 95-101 (in Russian).

Larsen, S.H., Reader, R.W., Kort, E.N., Tso, W.W. and Adler, J., 1974. Change in direction of flagellar rotation is the basis chemotactic response in Escherichia coli. Nature, 249: 74-77.

Larsson, K., Odham, G. and A. Sodergren, 1974. On lipid surface films on the sea. I. A simple method for sampling and studies of composition. Marine Chemistry, 2: 49-57.

Ledet, E.J. and Laseter, J.L., 1974. Alkanes at the air-sea interface from offshore Louisiana and Florida. Science, 186: 261-263.

Lee, C.L. and Bada, J.L., 1975. Amino acids in equatorial Pacific Water. Earth Planetary Science Letters, 26: 61-68.

Lee, C.L. and Bada, J.L., 1977. Dissolved amino acids in the Equatorial Pacific, the Sargasso Sea and Biscayne Bay. Limnology and Oceanography, 22: 502-510.

Lee, R.E., Jr., 1972. The size of suspended particulate matter in air. Science, 178: 567-575.

Lee, R.F. and A.R. Leoblich, 1971. III. Distribution of 21:6 hydrocarbon and its relationship to 22:6 fatty acid in algae. Phytochemistry, 10: 593-602.

Lee, R.F., J.C. Nevenzel and G.A. Paffenhofer, 1971. Importance of wax esters and other lipids in the marine food chain: Phytoplankton and copepods. Marine Biology, 9: 99-108.

Lee, R.F., Nevenzel, J.C., Paffenhofer, G.A. Benson, A.A., Patton, S. and Kavanagh, T.E., 1970. A unique hexaene hydrocarbon from a Skeletonema costatum. Biochimica Biophysica Acta, 202: 386-388.

Lehman, J.T. and Porter, J.W., 1973. Chemical activation of feeding in the Carribean reef-building coral Montastrea cavernosa. Biological Bulletin, 145: 140-149.

Lemasson, L., Cremoux, J.L. and Montel, Y., 1977. Analyse des rapports C/N/P du seston dans la partie orientale de l'Atlantique equatorial. Marine Chemistry, 5: 171-181.

Lenhoff, H.M. and Lindstedt, K.J., 1974. Chemoreception in aquatic invertebrates with special emphasis on the feeding behaviour Coelenterates. In: Grant, P.T. and Mackie, A.M. (Eds.), Chemoreception in Marine Organisms. Academic Press, London: 143-176.

Leo, R.F. and Parker, P.L., 1966. Branched-chain fatty acids in sediments Science, 152: 649-650.

Lepple, F.K. and Brine, C.J., 1976. Organic constituents in eolian dust and surface sediments from Northwest Africa. Journal of Geophysical Research, 81: 1141-1147.

Li, C.P. Prescott, B., Eddy, N., Caldes, G., Green, W.R., Martino, E.C. and Young, A.M., 1965. Antimicrobial activity of paolins from clams. Annals of the New York Academy of Science, 130: 374-382.

Liebezeit, G., Boelter, M., Brown, I.F. and Dawson R., 1980. Dissolved free amino acids and carbohydrates at pycnocline boundaries in the Sargasso Sea and related microbial activity. Oceanologica Acta, 3: 357-362.

Liem, P.Q. and Laur, M.-H., 1976. Structures, teneurs et compositions des esters sulfuriques, sulfoniques, phosphoriques des glycosyldiglycérides de trois fucacées. Biochimie, 58: 1367-1380.

Lima-Zanghi, C. 1968. Bilan des acides gras du plancton marin et pollution par le benzo 3,4 pyrène. Cahiers Océanographique, 20: 203-216.

Lindberg, S.E. and Harris, R.C., 1974. Mercury-organic matter association in estuarine sediments and interstitial water. Environmental Science and Technology, 8: 459-462.

Lindroth, P. and Mopper, K. 1979. High performance liquid chromatographic determination of subpicomole amounts of amino acids by precolumn fluorescence derivatization with o-phthaldialdehyde. Analytical Chemistry, 51: 1667-1674.

Lindstedt, K.J. 1971. Valine activation of feeding in the sea anemone Boloceroides. In: Lenhoff, H.W., Muscatine, L. and Davis, L.V. (Eds.), Experimental Coelenterate Biology. University of Hawaii Press, Honolulu, Hawaii: 92-99.

Linnenbom, V.J. and Swinnerton, J.W., 1970. Low molecular weight hydrocarbons and carbon monoxide in sea water. In: Hood, D.W. (Ed.), Symposium on Organic Matter in Natural Waters. Institute of Marine Science, University of Alaska, Occasional Publications, 1: 455-467.

Liss, P.S. 1975. Chemistry of sea surface microlayer. In: Riley, J.P. and Skirrow, G.S. (Eds.), Chemical Oceanography, 2. 2nd Edition. Academic Press, London: 193-243.

Liss, P.S. and Slater, P.G., 1974. Flux of gases across the air/sea interface. Nature, 247: 181-184.

Litchfield, C.D. and Prescott, J.M., 1970. Analysis by dansylation of amino acids dissolved in marine and freshwaters. Limnology and Oceanography, 15: 250-256.

Little, J.E., Sjogren, R.E. and Carson, G.E., 1979. Measurement of proteolysis in natural waters. Applied Environmental Microbiology, 37: 900-908.

Ljutsarev, S.V., Mirkina, S.D., Romankevich, E.A. and Smetankin, A.V., 1975. Dissolved organic carbon and phosphorous in the waters of the eastern part of the Equatorial Pacific Ocean. Transactions of the P.P. Shirshov Institute Oceanography, 102: 70-75.

Lock, M.A., Wallis, P.M. and Hynes, H.B.N., 1977. Colloidal organic carbon in running waters. Oikos, 29: 1-4.

Lockhart, H.B., Jr. and Blakeley, R.V., 1975. Aerobic photodegradation of Fe (III)-ethylenedinitrilotetraacetate. Implications for natural waters. Environmental Science and Technology, 9: 1035-1038.

Loder, T.C. and Hood, D.W., 1972. Distribution of organic carbon in a glacial estuary in Alaska. Limnology and Oceanography: 349-355.

Loeb, G.I. and Neihof, R.A., 1977. Adsorption of an organic film at the platinum-sea-water interface. Journal of Marine Research, 35: 283-291.

Loeb, G.I. and Neihof, R.A., 1975. Marine conditioning films. In: Baier, R.E. (Ed.), Applied Chemistry at Protein Interfaces. Advances in Chemistry Series, 145. American Chemical Society, Washington, D.C.: 319-335.

Lord, G. and Pocklington, R., 1981. Composition chimique de l'atmosphère en hydrocarbures terrigènes et transfert de ces composé à l'interface air-océan. Journal de Recherches Atmosphériques, 15: 53-79.

Lovelock, J.E., 1974. CS_2 and the natural sulphur cycle. Nature, 248: 625-626.

Lovelock, J.E., 1974. Atmospheric halocarbons and stratospheric ozone. Nature, 252: 292-294.

Lovelock, J.E., 1975. Natural halocarbons in the air and in the sea. Nature, 256: 193-194.

Lovelock, J.E. and Penkett, S.A., 1974. Peroxy acetyl-nitrate over the Atlantic and the smell of clean linen. Nature, 249: 434.

Lovelock, J.E., Magga, R.J. and Wade, R.J., 1973. Halogenated hydrocarbons in and over the Atlantic. Nature, 241: 194-196.

Lovelock, J.E., Maggs, R.J. and Rasmussen, R.A., 1972. Atmospheric dimethyl sulphide and the natural sulphur cycle. Nature, 237: 452-453.

Lunde, G., 1967. Activation analysis of bromine, iodine and arsenic in oils from fishes, whales, phyto- and zooplankton of marine and limnetic biotopes. Internationale Revue der Gesamten Hydrobiologie, 52(2): 265-279.

MacCarthy, P. and O'Cinneide, S., 1974. Fulvic acid II: Interaction with metal ions. Journal of Soil Science, 25: 429-437.

Macham, L.P. and Ratledge, C., 1975. A new group of water soluble iron binding compounds from mycobacteria: The exochelins. Journal of General Microbiology, 89: 379-382.

MacIntyre, F., 1974. Non-lipid related possibilities for chemical fractionation in bubble film caps. Journal de Recherches Atmosphériques, 8: 515-527.

Mackie, A.M. and Grant, P.T., 1974 Interspecific and intraspecific chemoreception by marine invertebrates In: Grant, T. and Mackie, A.M. (Eds.), Chemoreception in Marine Organisms. Academic Press, London: 105-142.

Mackie, A.M., 1973. The chemical basis of food detection in the lobster Homarus gammarus. Marine Biology, 21: 103-108.

Mackie, P.R., Whittle, K.J. and Hardy, R., 1974. Hydrocarbons in the marine environment. 1. n-alkanes in the Firth of Clyde. Estuarine and Coastal Marine Science, 2: 359-374.

MacKinnon, M.D., 1978. A dry oxidation method for the analysis of the TOC in seawater. Marine Chemistry, 7: 17-37.

Maeda, M. and Taga, N., 1973. Deoxyribonuclease activity in seawater and sediment. Marine Biology, 20: 58-63.

Malcolm, R.L., Jenne, E.A. and McKinley, P.W., 1970. Conditional stability constants of a North Carolina soil fulvic acid with Co^{2+} and Fe^{3+}. In: Hood, D.W. (Ed.), Organic Matter in Natural Waters. Symposium on Marine Science, University of Alaska, Occasional Publications, 1.

Malins, D.C. (Ed.), 1977. Effects of Petroleum on Arctic and Subarctic Marine Environments and Organisms, 2. Biological Effects. Academic Press, New York, New York: 500.

Maljkovic, D. and Branica, M., 1971. Polarography of sea water. II. Complex formation of cadmium with EDTA. Limnology and Oceanography, 16: 779-785.

Mantoura, R.F.C. and Riley, J.P., 1975. The use of gel filtration in the study of metal binding by humic acids and related compounds. Analytica Chimica Acta, 78: 193-200.

Mantoura, R.F.C. and Riley, J.P., 1975. The analytical concentration of humic substances in natural waters. Analytica Chimica Acta, 76: 97-106.

Mantoura, R.F.C., Dickson, A. and Riley, J.P., 1978. The complexation of metals with humic materials in natural waters. Estuarine and Coastal Marine Science, 6: 387-408.

Marbach, A. and Tsurnamal, M., 1973. On the biology of Berthellina citrina (Gastropoda - Opisthobranchia) and its defensive acid secretion. Marine Biology, 21: 331-339.

Marchand, M., 1974. Considerations sur les formes physico-chimiques du cobalt, manganese, zinc, chrome et fer dans une eau de mer enrichie ou non de matière organique. Rapports et Proces-Verbaux des Reunions, Conseil International pour l'Exploration de la Mer, 32: 130-142.

Mariscal, R.N., 1971. The chemical control of the feeding behaviour in some Hawaiian corals. In: Lenhoff, H.W., Muscatine, L. and Davis, L.V. (Eds.), Experimental Coelenterate Biology. University of Hawaii Press, Honolulu, Hawaii: 100-118.

Martens, C.S. and Berner, R.A., 1975. Methane production in the interstitial waters of sulfate-depleted marine sediments. Science, 185: 1167-1169.

Martin, D.F. and Martin, B.B., 1973. Implications of metal organic compounds in red tide outbreaks. In: Singer, P.C., (Ed.), Trace Metals and Metal Organic Interactions in Natural Water. Ann Arbor Science, Ann Arbor, Michigan: 339-362.

Martin, J.D. and Darias, J., 1978. Algal sesquiterpenoids. In: Scheuer, P.J., (Ed.), Marine Natural Products; Chemical and Biological Perspectives. Academic Press. London: 125-171.

Martin, T.H. and Hodgson, G.W., 1973. Geochemical origin of organic sulfur compounds: reaction of phenylalanine with elemental sulfur. Chemical Geology, 12: 189-208.

Martin, T.H. and Hodgson, G.W., 1977. Geochemical origin of organic sulfur compounds: precursor products in the reactions of phenylalanine and benzylamine with elemental sulfur. Chemical Geology, 20: 9-25.

Martinie, G.D. and Schilt, A.A., 1976. Investigation of wet oxidation efficiencies of perchloric acid mixtures for various organic substances and identities of residual matter. Analytical Chemistry, 48: 70-74.

Marty, J.C. and Saliot, A., 1974. Etude chimique comparée du film de surface et de l'eau de mer sous-jacente: Acides gras. Journal de Recherches Atmosphériques, 8: 563-570.

Marty, J.C. and Saliot, A., 1976. Hydrocarbons (normal alkanes) in the surface microlayer of sea water. Deep-Sea Research, 23: 863-873.

Marty, J.C., Saliot, A., Buat-Ménard, P., Chesselet, R. and Hunter, K.A., 1979. Relationship between the lipid compositions of marine aerosols, the sea-surface microlayer and subsurface water. Journal of Geophysical Research, 84: 5707-5716.

Marty, J.C., Saliot, A. and Tissier, M.J., 1978. Inventaire, répartition et origine des hydrocarbures aliphatiques et polyaromatiques dans l'eau de mer, la microcouche de surface et les aérosols marins en Atlantique tropical Est. Academie des Sciences, Paris. Comptes Rendus Hebdomadaires des Sceances. Sefic, D. Science Naturelles, 286: 833-836.

Matthews, W.S. and Smith, L.L., 1968. Sterol metabolism - III. Sterols of marine waters. Lipids, 3: 239-246.

Mattson, J.S., Smith, C.A. Jones, T.J. and Gerchakov, S.M., 1974. Continuous monitoring of dissolved organic matter by UV-visible photometry. Limnology and Oceanography, 19: 530-535.

Maurer, L.G. and Parker, P.L., 1972. The distribution of DOM in the near shore waters off the Texas coast. Contributions in Marine Science, University of Texas, 16: 109-124.

May, W.E., Chesler, S.N., Cram, S.P., Gump, B.H., Hertz, H.S., Enagonio, D.P. and Dyszel, S.M., 1975. Chromatographic analysis of hydrocarbons in marine sediments and sea water, Journal of Chromatographic Science, 13: 535-540.

McAuliffe, C.D., 1966. Solubility in water of paraffin, olefin, cycloolefin and aromatic hydrocarbons. Journal of Physical Chemistry, Washington, 70: 1267-1275.

McCarthy, J.J., 1970. A urease method for urea in seawater. Limnology and Oceanography, 15: 309-313.

McCarthy, J.J., 1972. The uptake of urea by natural populations of marine phytoplankton. Limnology and Oceanography, 17: 738-748.

McConnell, O.J. and Fenical, W., 1976. Halogen chemistry of the red alga Asparagopsis. Phytochemistry, 16: 367-374.

McConnell, O.J. and Fenical, W., 1977. Halogenated metabolites - including Favorsky rearrangement products - from the red seaweed Bonnemaisonia nootkana. Tetrahedron Letters, 1977: 4159-4162.

McConnell, O.J. and Fenical, W., 1977. Polyhalogenated 1-octene-3-ones, antibacterial metabolites from the red seaweed Bonnemaisonia asparagoides. Tetrahedron Letters, 1977: 1851-1854.

McConnell, O.J. and Fenical, W., 1978. Ochtodene and ochtodiol, novel polyhalogenated monoterpenes from the red alga Ochtodes secundiramea. Journal of Organic Chemistry, 43: 4382-4241.

McIntyre, A.D. and Whittle, K.J. (Eds.), 1977. Petroleum hydrocarbons in the marine environment. Rapports et Proces-Verbaux des Reunions, Conseil International pour l'Exploration de la Mer, 171: 230.

McLeese, D.W., 1973. Chemical communication among lobsters (Homarus americanus). Journal of the Fisheries Research Board of Canada, 30: 775-778.

Means, J.J., Crerar, D.A. and Amster, T.L., 1977. Application of gel filtration chromatography to evaluation of organo-metallic interactions in natural waters. Limnology and Oceanography, 22: 957-965.

Mel'nikov, I.A., 1976. Finely-dispersed fraction of suspended organic matter in eastern Pacific Ocean waters. U.S.S.R. Oceanography 15: 182-186.

Mel'nikov, I.A., 1974. Use of histochemical reagents to determine the biochemical composition of detritus. Oceanology International, 14: 922-926.

Mel'nikov, I.A., 1977. Morphological characteristics of organic detritus particles. Oceanology International, 16: 401-403.

Mel'nikov, I.A. and Pavlor, G.L., 1978. Peculiarities of organic carbon distribution in the waters and ice of the Arctic Basin. Okeanologiia, 18: 248-254.

Melchiorri-Santolini, U. and J.W. Hopton (Eds.), 1972. Detritus and its role in aquatic ecosystems. Memorie dell'Istituto Italiano di Idrobiologia Dott. Marco de Marchi. Suppl. 22: 540.

Menzel, D.W., 1970. The role of in situ decomposition of organic matter on the concentration of non-conservative properties in the sea. Deep-Sea Research, 17: 751-764.

Menzel, D.W., 1974. Primary productivity and particulate organic matter, and the sites of oxidation of organic matter. In: Golberg, E. (Ed.), The Sea, 5. Wiley-Interscience, New York: 659-678.

Menzel, D.W. and Goering, J.J., 1966. The distribution of organic detritus in the ocean. Limnology and Oceanography, 11: 333-337.

Menzel, D.W. and Ryther, J., 1968. Organic carbon and the oxygen minimum in the South Atlantic Ocean. Deep-Sea Research, 15: 327-337.

Menzel, D.W. and Vaccaro, R., 1964. The measurement of dissolved organic and particulate carbon in seawater. Limnology and Oceanography, 9: 138-142.

Meyer-Reill, L.-A., 1978. Uptake of glucose by bacteria in the sediment. Marine Biology, 44: 293-298.

Meyer-Reil, L.-A., Bolter, M., Liebezeit, G. and Schramm, W., 1979. Short-term variations in microbiological and chemical parameters. Marine Ecology Progress Series, 1: 1-6.

Meyer-Reil, L.-A., Dawson, R., Liebezeit, G. and Tiedge, H., 1978. Fluctuations and interactions of bacterial activity in sandy beach sediments and overlying waters. Marine Biology, 48: 161-171.

Meyers, P.A., 1976. Dissolved fatty acids in seawater from a fringing reef and a barrier reef at Grand Cayman. Limnology and Oceanography, 21: 315-319.

Meyers, P.A. and Quinn, J.G., 1971. Interaction between fatty acids and calcite in sea water. Limnology and Oceanography, 16: 992-997.

Meyers, P.A. and Quinn, J.G., 1971. Fatty acid-clay mineral association in artificial and natural sea water solutions. Geochimica et Cosmochimica Acta, 35: 628-632.

Meyers, P.A. and Quinn, J.G., 1973. Association of hydrocarbons and mineral particles in saline solution. Nature, 244: 23-24.

Meyers, P.A. and Quinn, J.G., 1973. Factors affecting the association of fatty acids with mineral particles in sea water. Geochimica et Cosmochimica Acta, 37: 1745-1759.

Meyers, P.A. and Quinn, J.G., 1974. Organic matter on clay minerals and marine sediments - effect on adsorption of dissolved copper, phosphate and lipids from saline solutions. Chemical Geology, 13: 63-68.

Mieure, J.P. and Dietrich, M.W., 1973. Determination of trace organics in air and water. Journal of Chromatographic Science, 11: 559-570.

Miller, R.L., 1975. Chemotaxis of spermatozoa of Ciona intestinalis. Nature, 254: 244-245.

Miller, R.L., 1972. Gel filtration of the sperm attractants of some marine Hydrozoa. Journal of Experimental Zoology, 182: 281-298.

Millward, G.E. and Burton J.D., 1975. Association of mercuric ions and humic acid in sodium chloride solution. Marine Science Communications, 1: 15-26.

Minale, L., 1976. Natural product chemistry of the marine sponges. Pure Applied Chemistry, 48: 7-23.

Minale, L., Cimino, G., DeStefano, S. and Sodano, G., 1976. Natural products from porifera. Progress in the Organic Chemistry of Natural Products, 33: 1-72.

Minale, L., 1978. Terpenoids from marine sponges. In: Scheuer, P.J., (Ed.), Marine Natural Products; Chemical and Biological Perspectives. Academic Press, London: 175-238.

Mitchell, R. and Wirsen, Z., 1968. Lysis of non-marine fungi by marine microorganisms. Journal of General Microbiology, 52: 335-351.

Mitchell, R., 1971. Role of predators in the reversal of imbalances in microbial ecosystems. Nature, 230: 257-258.

Modzeleski, J.E., Laurie, W.A. and Nagy, B., 1971. Carbohydrates from Santa Barbara basin sediments: Gas chromatographic-mass spectrometric analysis of trimethylsilyl derivatives. Geochimica et Cosmochimica Acta, 35: 825-838.

Momzikoff, A., 1973. Identification de la riboflavine et de l'isoxanthoptérine parmi les substances fluorescentes d'Ascidiella aspersa (O.F. Muller 1776). Archives de Zoologie Experimentale et Generale, 114: 603-609.

Momzikoff, A., 1973. Mise en evidence d'une excretion de pterine par une population naturelle de copepodes planktoniques marins. Cahiers de Biologie Marine, 14: 323:328.

Montgomery, J.R. and Santiago, R.J., 1978. Zinc and copper in "particulate" forms and "soluble" complexes with inorganic or organic ligands in Guanajibo River and coastal zone, Puerto Rico. Estuarine and Coastal Marine Science, 6: 111-116.

Moore, R.E., 1978. Algal nonisoprenoids. In: P.J. Scheuer (Ed.), Marine Natural Products; Chemical and Biological Perspectives. Academic Press, London: 44-121.

Moore, R.M., Burton, J.D., Williams, P.J. Le B. and Young, M.L., 1979. The behaviour of dissolved organic material, iron and manganese in estuarine mixing. Geochimica et Cosmochimica Acta, 43: 919-926.

Mopper, K., 1977. Sugars and uronic acids in sediment and water from the Black Sea and North Sea with emphasis on analytical techniques. Marine Chemistry, 5: 585-603.

Mopper, K., 1978. Improved chromatographic separations on anion-exchange resins. II. Separation of uronic acids in acetate medium and detection with a noncorrosive reagent. Analytical Biochemistry, 86: 597-601.

Mopper, K., 1978. Improved chromatographic separations on anion exchange resins. III. Sugars in borate medium. Analytical Biochemistry, 87: 162-168.

Mopper, K. and Degens, E.T., 1972. A new chromatographic sugar autoanalyzer with a sensitivity of 10^{-10} moles. Analytical Biochemistry, 45: 147-153.

Mopper, K. and Gindler, E.M., 1973. A new non-corrosive dye reagent for automatic sugar chromatography. Analyticl Biochemistry, 56: 440-442.

Mopper, K. and Larsson, K., 1978. Uronic and other organic acids in Baltic Sea and Black Sea sediments. Geochimica et Cosmochimica Acta, 42: 153-163.

Morel, F., McDuff, R.E., Morgan, J.J. and Keck, W.M., 1973. Interactions and chemostasis in aquatic systems: role of pH, pE, solubility and complexation. In: Singer, P.C. (Ed.), Trace Metals and Metal Organic Interactions. Ann Arbor Science, Ann Arbor, Michigan: 157-200.

Morelli, J., Buat-Menard, P. and Chesselet, R., 1974. Production experimentale d'aerosols a la surface de la mer. Journal de Recherches Atmosphériques, 8: 961-986.

Morris, R.J., 1974. Lipid composition of surface films and zooplankton from the eastern Mediterranean. Marine Pollution Bulletin, 5: 105-109.

Morris, R.J., 1975. The amino acid composition of a deep-water marine sediment from the upwelling region Northwest of Africa. Geochimica et Cosmochimica Acta, 39: 381-388.

Morris, R.J. and Calvert, S.E., 1975. Fatty acid uptake bv marine sediment particles. Geochimica et Cosmochimica Acta, 39: 377-381.

Morris, R.J. and F. Culkin, 1975. Environmental organic chemistry of oceans, fjords and anoxic basins. In: Eglinton, G. (Ed.), Environmental Chemistry. The Chemical Society, London: 81-108.

Morris, R.J. and Culkin, F., 1977. Marine Lipids: sterols. Oceanography and Marine Biology; An Annual Review, 15: 73-102.

Morris, R.J. and Culkin, F., 1976. Marine lipids I. Analytical techniques and fatty acid ester analyses. Oceanography and Marine Biology; An Annual Review, 14: 391-433.

Morris, R.J. and Eglinton, G., 1977. Fate and recycling of carbon compounds. Marine Chemistry, 5: 559-572.

Morris, B.F., Butler, J.N., Sleeter, T.D. and Cadwallader, J., 1977. Particulate hydrocarbon material in ocean waters. Rapports et Proces-Verbaux des Réunions, Conseil International pour l'Exploration dela Mer, 171: 107-116.

Moyers, J.L., Duce, R.A., and Hoffman, G.L., 1972. A note on the contamination of atmospheric particulate samples collected from ships. Atmospheric Environment, 6: 551-556.

Muller, P.J. and Suess, E., 1977. Interaction of organic compounds with calcium carbonate - III. Amino acid composition of sorbed layers. Geochimica et Cosmochimica Acta, 41: 941-949.

Murphy, P.T., Richards, G.N. and Senagles, E., 1968. A reversible reaction between reducing sugars and a weak-base anion exchange resin. Carbohydrate Research, 7: 460-467.

Murphy, T.P., Lean, D.R.S. and Nalewajko, C., 1976. Blue green algae: their excretion of iron selective chelators enables them to dominate other algae. Science, 192: 900-902.

Murray, A.J. and Riley, J.P., 1973. Occurrence of some chlorinated aliphatic hydrocarbons in the environment. Nature, 242: 37-38.

Murray, A.P., 1973. Protein adsorption by suspended sediments. Effects of pH, temperature and concentration. Environmental Pollution, 4: 301-312.

Murray, J., Thompson, A.B., Stagg, A., Hardy, R., Whittle, K.J. and Mackie, P.R., 1977. On the origin of hydrocarbons in marine organisms. Rapports et Proces-Verbaux des Réunions, Conseil International pour l'Exploration de la Mer, 171: 84-90.

Myklestad, S., 1974. Production of carbohydrates by marine planktonic diatoms I. Comparison of nine different species in cultures. Journal of Experimental Marine Biology and Ecology, 15: 261-274.

Mynderse, J.S. and Faulkner, D.J., 1975. Polyhalogenated monoterpenes from the red alga Plocamium cartilagineum. Tetrahedron, 31: 1963-1967.

Mynderse, J.S. and Faulkner, D.J., 1975. (1R,2S,4S,5R)-1bromo-trans-2-chlorovinyl-4,5-dichloro-1,5-dimethylcyclohexane, a new monoterpene skeletal type from the red alga Plocamium violaceum. Tetrahedron Letters, 1975: 2175-2178.

Mynderse, J.S. and Moore, R.E., 1978. Toxins from blue-green algae: structures of oscillatoxin A and three related bromine-containing toxins. Journal of Organic Chemistry, 43(11): 2301-2303.

Nalewajko, C., 1966. Photosynthesis and excretion in various planktonic algae. Limnology and Oceanography, 11: 1-10.

Nedwell, D.B. and Floodgate, G.D., 1972. Temperature-induced changes in the formation of sulphide in a marine sediment. Marine Biology, 14: 18-24.

Neff, J.M., Cox, B.A., Dixit, D. and Anderson, J.W., 1976. Accumulation and release of petroleum-derived aromatic hydrocarbons by four species of marine animals. Marine Biology, 38: 279-289.

Neihof, R.A. and Loeb, G.J., 1972. Surface charge of particulate matter in sea water. Limnology and Oceanography, 17: 7-16.

Neihof, R.A. and Loeb, G.J., 1974. Dissolved organic matter in sea water and the electric charge of immersed surfaces. Journal of Marine Research, 32: 5-12.

Nes, W.R. and McKean, M.L., 1977. Biochemistry of Steroids and Other Isoprenoids. University Park Press, Baltimore, Maryland: 690.

Newcombe, C. and Hartman, G., 1973. Some chemical signals in the spawning behaviour of rainbow trout (Salmo gairdneri). Journal of the Fisheries Research Board of Canada, 30: 995-997.

Newell, B.S., Morgan, B. and Cundy, J., 1967. The determination of urea in sea water. Journal of Marine Research, 25: 201-202.

Nguywn, B.C. Gaudry, A., Bonsang, B. and Lambert, G., 1978. Reevaluation of the role of dimethyl sulphide in the sulphur budget. Nature, 275: 637-639.

Niaussat, P., Mallet, L. and Ottenwaelder, J., 1969. Apparition de benzo-3,4-pyrène dans diverses souches de phytoplancton marin cultivées in vitro. Rôle éventuel des bactéries associées. Academie des Sciences, Paris. Compte Rendus Hebdomadaires des Sceances. Serie D. Science Naturelles, 268: 1109-1112.

Niaussat, P., Auger, C. and Mallet, L., 1970. Appearance of carcinogenic hydrocarbons in pure Bacillus badius cultures relative to the presence of certain compounds in the medium. Academie des Sciences, Paris, Compte Rendus Hebdomadaires des Sceances. Serie D. Science Naturelles, 270D: 1042-1045.

Nishizawa, S., 1969. Suspended material in the sea. II. Re-evaluation of the hypotheses. Bulletin of the Japanese Society of Plankton, 16: 1-42.

Nishizawa, S., 1971. Concentration of organic and inorganic material in the sea surface skin at the equator 155°W. Bulletin of the Japanese Society of Plankton, 18: 42-44.

Nissenbaum, A., 1974. Deuterium content of humic acids from marine and non-marine environments. Marine Chemistry, 2: 59-63.

Nishizawa, S. and Tsunogai, S., 1974. Dynamics of particulate material in the ocean. Part I. Production and decomposition of particulate organic carbon in the northern North Pacific and Bering Sea. [Abstract] In: Hood, D.W. and Kelley, E.J. (Eds.), Oceanography of the Bering Sea with emphasis on Renewable Resources: International Symposium for Bering Sea Study. Institute of Marine Science, University of Alaska, Occasional Publications, 2: 173-174.

Nissenbaum, A. and Kaplan, I.R., 1972. Chemical and isotopic evidence for the in situ origin of marine humic substances. Limnology and Oceanography, 17: 570-582.

Nissenbaum, A. and Swaine, D.J., 1976. Organic matter - metal interactions in recent sediments: the role of humic substances. Geochimica et Cosmochimica Acta, 40: 809-816.

Nissenbaum, A., Baedecker, M.J. Kaplan, I.R., 1971. Studies on dissolved organic matter from interstitial water of a reducing marine fjord. In: von Gaerbner, H.R. and Wehner, H. (Eds.), Advances in Organic Geochemistry, 1971, International Congress on Organic Geochemistry. Pergamon Press, Oxford: 427-440.

Nissenbaum, A., Baedecker, M.J. and Kaplan, I.R., 1972. Organic geochemistry of Dead Sea sediments. Geochimica et Cosmochimica Acta, 36: 709-728.

Nixon, S.W., Oviatt, C.A. and Hale, S.S., 1976. Nitrogen regeneration and the metabolism of coastal marine bottom communities. In: Anderson, J.M. and Macfadyen, A. (Eds.), The Role of Terrestrial and Aquatic Organisms in Decomposition Processes. Blackwell, Oxford: 269-283.

Nordeng, H., 1971. Is the local orientation of anadromous fishes determined by pheromones? Nature, 233: 411-413.

North, B.B. and Stephens, G., 1971. Uptake and assimilation of amino acids by Platymonas. 2. Increased uptake in nitrogen-deficient cells. Biological Bulletin, 140: 242-254.

North, B.B., 1975. Primary amines in California coastal waters: utilization by phytoplankton. Limnology and Oceanography, 20: 20-27.

Novak, J., Zluticky, J., Kubelka, V. and Mostecky, J., 1973. Analysis of organic constitutents present in drinking water. Journal of Chromatography, 76: 45-50.

Nurnberg, H.W. and Valenta, P., 1975. Polarography and voltammetry in marine chemistry. In: Goldberg, E.D. (Ed.), Dahlem Workshop on the Nature of Seawater, Berlin, 1975. Abakon Verlage Gesellschaft, Berlin: 87-136.

O'Shea, T.A. and Mancy, K.H., 1976. Characterisation of trace metal organic interactions by anodic stripping voltammetry. Analytical Chemistry, 48: 1603-1607.

Ogner, G. and Schnitzer, M., 1970. The occurrence of alkanes in fulvic acid, a soil fraction. Geochimica et Cosmochimica Acta, 34: 921-928.

Ogura, N., 1970. Dissolved organic carbon in the equatorial region of the Central Pacific. Nature, 227: 1335-1336.

Ogura, N., 1970. On the presence of 0.1-0.5 dissolved organic matter in seawater. Limnology and Oceanography, 15: 476-479.

Ogura, N., 1970. The relation between dissolved organic carbon and apparent oxygen utilization in the Western North Pacific. Deep-Sea Research, 17: 221-231.

Ogura, N., 1972. Rate and extent of decomposition of dissolved organic matter in surface water. Marine Biology, 13: 89-93.

Ogura, N., 1972. Dissolved organic matter in the sea, its production, utilization and decomposition. In: Sugawara, K. (Ed.), The Kuroshio, II. Saigon Publication Company, Tokyo: 201-205.

Ogura, N., 1974. Molecular weight fractionation of dissolved organic matter in coastal seawater by ultrafiltration. Marine Biology, 24: 305-312.

Ogura, N., 1975. Further studies on decomposition of dissolved organic matter in coastal seawater. Marine Biology, 31: 101-111.

Ogura, N., 1977. High molecular weight organic matter in seawater. Marine Chemistry, 5: 535-549.

Ohle, W., 1962. Der Stoffhaushalt der Seen als Grundlage einer allgemeine Stoffwechseldynamik der Gewasser. Kieler Meeresforschungen, 18: 107-120.

Ohta, K. and Takagi, M., 1977. Halogenated sesquiterpenes from the red alga Marginisporum aberrans. Phytochemistry, 16: 1062-1063.

Ohta, K., 1977. Antimicrobial compounds in the marine red alga Bekerella subscostatum. Agricultural and Biological Chemistry, 41: 2105-2106.

Oliver, J.D. and Colwell, R.R., 1973. Extractable lipids of Gram-negative marine bacteria: fatty acid composition. International Journal of Systematic Bacterology, 23: 442-458.

Oro, J., Tornabene, T.G., Nooner, D.W. and Gelpi, E., 1967. Aliphatic hydrocarbons and fatty acids of some marine and freshwater microorganisms. Journal of Bacteriology, 93: 1811-1818.

Orr, W.L. and Grady, J.R., 1967. Perylene in sediments off southern California. Geochimica et Cosmochimica Acta, 31: 1201-1209.

Otsuki, A. and Hanya, T., 1967. Some precursors of humic acid in recent lake sediment suggested by infrared spectra. Geochimica et Cosmochimica Acta, 31: 1503-1515.

Otsuki, A. and Hanya, T., 1972. Production of dissolved matter from dead green algae cells. I. Aerobic microbia decomposition. Limnol. Oceanogr., 17: 248-257; II. Anaerobic microbial decomposition. Limnology and Oceanography, 17: 258-264.

Overbeck, J. and Babenzien, H., 1964. Uber den Nachweis von freien Ehzymen in Gewassern. Archives of Hydrobiology, 60: 107-114.

Packard, T.T. and Dortch, Q., 1975. Particulate protein-nitrogen in North Atlantic surface waters. Marine Biology, 33: 347-354.

Packard, T.T., Healy, M.L. and Richards, F.A., 1971. Vertical distribution of the activity of the respiratory electron transport system in marine plankton. Limnology and Oceanography, 16: 60-70.

Palmork, K.H., 1963. The use of 2,4 dinitro-1-fluorobenzene in the separation and identification of amino acids from seawater. Acta Chimica Scandinavica, 17: 1456-1457.

Paoletti, C., Pushparaj, B., Florenzano, G., Capella, P. and Lercker, G., 1976. Unsaponifiable matter of green and blue-green algal lipids as a factor of biochemica differentiation of their biomasses. I. Total unsaponifiable and hydrocarbon fraction. Lipids, 11: 258-265.

Paradis, M. and Ackman, R.G., 1977. Influence of ice cover and man on the odd-chain hydrocarbons and fatty acids in the waters of Jeddore Harbour, Nova Scotia. Journal of the Fisheries Research Board of Canada, 34: 2156-2163.

Parker, P.L., 1967. Fatty acids in recent sediments. Contributions in Marine Science, 12: 135-142.

Parker, P.L. and Leo, R.F., 1965. Fatty acids in blue-green algal mat communities. Science, 148: 373-374.

Parker, P.L., Van Baalen, C. and Maurer, L., 1967. Fatty acids in eleven species of blue-green algae: geochemical significance. Science, 155: 707-708.

Parsons, T.R., 1975. Particulate organic carbon in the sea. In: Riley, J.P. and Skirrow, G. (Eds.), Chemical Oceanography, 2. 2nd Edition. Academic Press, London: 365-383.

Pasteels, J.M., 1972. Economones: messages chimiques des écosystémes. Annual Review of the Belgian Society of Zoology, 103: 103-117.

Patel, B. and Crisp, D.J., 1961. Relation between the breeding and moulting cycles in Cirripedes. Crustaceana, 2: 89-107.

Patterson, G.W., 1971. The distribution of sterols in algae. Lipids, 6: 120-127.

Peake, E., Casagrande, D.J. and Hodgson, G.W., 1974. Fatty acids, chlorins, hydrocarbons, sterols and carotenoids from a Black Sea core. In: Degen, E.T. and Ross D.A. (Eds.), The Black Sea - Geology Chemistry and Biology, American Association of Petroleum Geologists, Memoir 20. Tulsa, Oklahoma: 503-523.

Pedersen, M. and DaSilva, E.J., 1973. Simple brominated phenols in the bluegreen alga Calothrix brevissima West. Planta, 115: 83-86.

Pedersen, M., 1976. A brominating and hydroxylating peroxidase from the red alga Cystoclonium purpureum. Physiologia Plantarium, 37: 6-11.

Pedersen, M., Saenger, P. and Fries, L., 1974. Simple bromophenols in red algae. Phytochemistry, 13: 2273-2279.

Pedersen, M., 1969. The demand for iodine and bromine of three marine brown algae grown in bacteria-free cultures. Physiologia Pl., 22: 680-685.

Pelet, R., 1977. Géochimie organique des sédiments marins profonds de la mer de Norvège. Vue d'ensemble, In: Géochimie organique des sédiments marins profonds, ORGON I. Mer de Norvègean. Editions du CNRS, Paris: 281-296.

Pempkowiak, J. and Pocklington, R., 1982. Phenolic aldehydes as indicators of the origin of humic substances in marine environments. In: Christman, R.F. and Gjessing, E. (Eds.), "Aquatic and Terrestrial Humic Materials, Ann Arbor Science, Ann ARbor, Michigan: 371-386.

Percival, E., 1968. Marine algal carbohydrates. Oceanography and Marine Biology; An Annual Review, 6: 137-161.

Perdue, E.M., Beck, K.C. and Reuter, J.H., 1976. Organic complexes of iron and aluminum in natural waters. Nature, 260: 418-420.

Perry, M.J., 1972. Alkaline phosphatase activity in subtropical Central North Pacific waters using a sensivitive fluorimetric method. Marine Biology, 15: 113-119.

Pesando, D., 1971. Etude chimique et structurale d'une substance lipidique antibiotique produite par une diatomee marine: Asterionella japonica. Revue Internationale d'Océanographie Médicale, 25: 49-70.

Pesando, D., 1972. Etude chimique et structurale d'une substance lipidique antibiotique produite par une Diatomée marine, Asterionella japonica. Revue Internationale d'Océanographie Médicale, 25: 49-70.

Peterson, F., 1964. Gas-chromatogr. analysis of sugars and related hydroxy acids as acyclic oxime and ester trimethylsilyl derivatives. Carbohydrate Research, 32: 47-61.

Petterson, K. and Jansson, M., 1978. Determination of phosphatase activity in lake water - a study of methods. Verhaltnis International Verein Limnologie, 20: 1226-1230.

Pettus, J.A. Jr., Wing, R.M. and Sims, J.J., 1977. Marine natural products XII, isolation of a family of multihalogenated gamma-methylene lactones form the red seaweed Delisea fimbriata. Tetrahedron Letters, 1977: 41-44.

Pfeiffer, W. and Lemke, J., 1973. Untersuchungen zur Isolierung und Identifizierung des Schreckstoffes aus der Haut der Elritze, Phoxinus phoxinus (L.). Journal of the Comparative of Physiology, 82: 407-410.

Pfeiffer, W., 1963. Alarm substances. Experientia, 19: 113-123.

Philp, R.P. and Calvin, M., 1976. Possible origin for insoluble organic (kerogen) debris in sediments from insoluble cell-wall materials of algae and bacteria. Nature 262: 134-136.

Picard, G.L. and Felbeck, G.T. Jr., 1976. The complexation of iron by marine humic acid. Geochimica et Cosmochimica Acta, 40: 1347-1350.

Pillai, T.N.V. and Ganguly, A.K., 1970. Nucleic acids in dissolved constituents of sea water. Current Science, 30: 501-504.

Pillai, T.N.V., Desai, M.V.M., Matthew, E., Ganapathy, S. and Ganguly, A.K., 1971. Organic materials in the marine environment and the associated metallic elements. Current Science, 40: 75-81.

Pincemin, J.M., 1971. Télémédiateurs chimiques et équilibre biologique océanique. 3e Partie: Etude "in vitro" de relations entre populations phytoplanctoniques. Revue Internationale d'Océanographie Médicale, 22-23: 165-196.

Piotrowicz, S.R., Ray, B.J., Hoffman, G.L. and Duce, R.A., 1972. Trace metal enrichment in the sea surface microlayer, Journal of Geophysical Research, 77: 5243-5254.

Pocklington, R., 1971. Free amino acids dissolved in North Atlantic ocean waters. Nature, 230: 374-375.

Pocklington, R., 1972. Determination of nanomolar quantities of free amino acids dissolved in North Atlantic ocean waters. Analytical Biochemistry, 45: 403-421.

Pocklington, R., 1976. Terrigenous organic matter in surface sediments from the Gulf of St. Lawrence. Journal of the Fisheries Research Board of Canada, 33: 93-97.

Pocklington, R., 1977. Chemical processes and interactions involving marine organic matter. Marine Chemistry, 5: 479-496.

Pocklington, R., 1980. Dissolved organic matter in seawater: past experience and future prospects. In: Thompson, J.A.J. and Jamieson, W.D. (Eds.), Marine Chemistry into the Eighties. Symposium Proceedings, University of Victoria, British Columbia: 150-172.

Pocklington, R., 1981. Organic matter in upwelling off northern Peru, November 1977. Boletin Instituto del Mar del Peru-Callao, volumen Extraordinario: 7-14.

Pocklington, R., 1982. Carbon transport in major world rivers: the St. Lawrence, Canada. Mitt. Geol.-Paläont. Inst. Univ. Hamburg, SCOPE/UNEP Sonderband 52: 347-353.

Pocklington, R., 1982. La matière organique des eaux baignant le Sénégal et la Gambie. Océanographie tropicale, 17: 71-84.

Pocklington, R. and Hardstaff, W.R., 1974. A rapid semiquantitative screening procedure for lignin in marine sediments. Rapports et Proces-Verbaux des Réunions, Conseil International pour l'Exploration de la Mer, 36: 92-94.

Pocklington, R. and Leonard, J.D., 1979. Terrigenous organic matter in sediments of the St. Lawrence estuary and the Saguenay fjord. Journal of the Fisheries Research Board of Canada, 36: 1250-1255.

Pocklington, R. and MacGregor, C.D., 1973. The determination of lignin in marine sediments and particulate form in seawater. International Journal of Environmental Analytical Chemistry, 3: 81-93.

Pocklington, R. and Roy, S., 1975. Utilisation de composés organiques comme traceurs de materiel d'origine terrestre dans l'océan. Proces-Verbaux des Réunions, Conseil International pour l'Exploration de la Mer, CM1075/C:10/October 1975, Montreal, Québec, Canada.

Pocklington, R. and MacKinnon, M.D., 1982. Organic matter in upwelling off Senegal and The Gambia. Rapports et Proces-Verbaux des Réunions, Conseil International pour L'Exploration de la Mer, 180: 254-265.

Poirier, S.J. and Wood, J.H., 1978. A new approach to the measurement of organic carbon. American Lab., 10: 78-89.

Prakash, A., 1971. Terrigenous organic matter and coastal phytoplankton fertility. In: Costlow, J.D. (Ed.), Fertility of the Sea, 2. Gordon and Breach, London: 351-367.

Prakash, A. and Rashid, M.A., 1968. Influence of humic substances on the growth of marine phytoplankton: dinoflagellates (Gonyaulax). Limnology and Oceanography, 13: 598-606.

Praskash, A., Rashid, M.A., Jensen, A. and Subba Rao, D.V., 1973. Influence of humic substances on the growth of marine phytoplankton: diatoms. Limnology and Oceanography, 18: 516-524.

Prashnowsky, A., Degens, E.T., Emery, K.O. and Pimenta, J., 1961. Organic materials in recent and ancient sediments: I. Sugars in marine sediment of Santa Barbara Basin, California. Neues Jahresbuch Geologie Paläontologie, MH 8: 400-413.

Pratt, D.M., 1966. Competition between Skeletonema costatum and Olisthodiscus luteus in Narrangansett Bay and in culture. Limnology and Oceanography, 11: 447-455.

Pratt, D.M., 1976. Intraspecific signalling of hunting success or failure in Urosalpinx cinerea Say. Journal of Experimental Marine Biology and Ecology, 21: 7-9.

Pratt, R., Daniels, T.C., Eiler, J.J., Gunnison, J.B., Kumler, W.D., Oneto, J.F. and Strait, L.A., 1964. Chlorellin, an antibacterial substance from Chlorella. Science, 99: 351-352.

Prescott, C.P., Li, B., Jahnes, W.G. and Martino, E.C., 1962. Antimicrobial agents from molluscs. Transactions of the New York Academy of Science, Series II, 24: 504-509.

Provasoli, L. and Pintner, I.J., 1964. Symbiotic relationship between microorganisms and seaweeds. American Journal of Botany, 51: 681.

Provasoli, L., 1963. Organic regulation in phytoplankton fertility. In: Hill, M.N. (Ed.), The Sea, 2. Wiley-Interscience, New York, N.Y.: 165-219.

Pustel'Nikov, O.S. and Urbanovich, I.M., 1975. Distribution of carbohydrates and lipids in the particulate matter of North Atlantic Ocean. Oceanology, 14: 520-524.

Quinn, J.G. and Meyers, P.A., 1971. Retention of dissolved organic acids by various filters. Limnology and Oceanography, 16: 129-131.

Rai, H., 1973. Methods involving the determination of photosynthetic pigments using spectrophotometry. Verhandlungen - Internationale Vereinigung fuer Theoretische und Angexxandte Limnolgie, 18: 1864-1875.

Rajendran, A., 1978. Biodegradation of organic matter in seawater. Indian Journal of Marine Science, 7: 60-62.

Ramamoorthy, S. and Kushner, D.J., 1975. Heavy metal binding components of river water. Journal of the Fisheries Research Board of Canada, 32: 1755-1766.

Ramamoorthy, S. and Kushner, D.J., 1975. Heavy metal binding sites in river water. Nature, 256: 399-401.

Rashid, M.A., 1971. The role of humic acids of marine origin and their different molecular weight fractions in complexing di- and trivalent metals. Soil Science, 111: 298-306.

Rashid, M.A., 1972. Quinone content of humic compounds isolated from marine environments. Soil Science, 113:181.

Rashid, M.A., 1974. Absorption of metals on sedimentary and peat humic acids. Chemical Geology, 13: 115-123.

Rashid, M.A. and King, L.H., 1969. Molecular weight distribution measurements on humic and fulvic acids fractions from marine clay on the Scotian Shelf. Geochimica et Cosmochimica Acta, 33: 147-151.

Rashid, M.A. and King, L.H., 1971. Chemical characteristics of fractionated humic acids associated with marine sediments. Chemical Geology, 7: 37-43.

Rashid, M.A. and Leonard, J.D., 1973. Modifications in solubility and precipitation behaviour of various metals as a result of their interactions with sedimentary humic acid. Chemical Geology, 11: 89-97.

Rasmussen, R.A. and Went, F.W., 1965. Volatile organic material of plant origin in the atmosphere. Proceedings of the National Academy of Science, U.S.A., 53: 215-220.

Raspor, B., Valenta, P., Nurnberg, H.W. and Branica, M., 1977. The chelation of cadmium with NTA in sea water as a model for the typical behaviour of trace metal chelates in natural waters. Environmental Science, 9: 87-109.

Reeburgh, W.S., 1976. Methane consumption in Cariaco Trench waters and sediments. Earth and planetary Science Letters, 28: 337-344.

Reeburgh, W.S. and D.T. Heggis, 1974. Depth distributions of gases in shallow water sediments. In: Kaplan, I.R. (Ed.), Natural Gases in Marine Sediments, Plenum Press, New York: 27-46.

Reeder, S.W., Hitchon, B. and Levinson, A.A., 1972. Hydrogeochemistry of the surface waters of the Mackenzie River drainage basin, Canada - I. Factors controlling inorganic composition. Geochimica et Cosmochimica Acta, 36: 825-865.

Reichardt, W., Overbeck, J. and Steubing, L., 1967. Free dissolved enzymes in lake water. Nature, 216: 1345-1347.

Reimer, R.D. and Reimer, A.A., 1975. Chemical control of feeding in four species of tropical ophiuroids of the genus Ophioderma. Composition of Biochemistry and Physiology, 51: 915-927.

Reitz, R.C. and Hamilton, J.G., 1968. The isolation and identification of two sterols from two species of blue-green algae. Composition of Biochemistry and Physiology, 25: 401-416.

Remsen, C.C., Carpenter, E.J. and Schroeder, B.W., 1974. The role of urea in marine microbial ecology. In: Colell, R.R. and Morita, R.Y. (Eds.), Effects of the Ocean Environment on Microbial Activities. University Park Press, Baltimore, Maryland: 286-304.

Remsen, C.D., 1971. The distribution of urea in coastal and oceanic waters. Limnology and Oceanography, 16: 732-740.

Rueter, J.H. and Perdue, E.M., 1977. Importance of heavy metal-organic matter interaction in natural water. Geochimica et Cosmochimica Acta, 41: 326-334.

Rhead, M.M., Eglinton, G., Draffan, G.H. and England, P.J., 1971. Conversion of oleic acid to saturated fatty acids in Severn estuary sediments. Nature, 232: 327-330.

Richards, F.A., Cline, I.D., Broenkow, W.W. and Atkinson, L.P., 1965. Some consequences of the decomposition of organic matter of Lake Nitinat, an anoxic fjord. Limnology and Oceanography, 10 (Supp.): 185-201.

Rieper, M., 1976. Investigations on the relationships between algal blooms and bacterial populations in the Schlei Fjord (Western Baltic Sea). Helgolanderwissenschaftliche Meeresuntersuchungen, 28: 1-18.

Riley, G.A., 1970. Particulate matter in sea water. Advances in Marine Biology, 8: 1-118.

Riley, G.A., 1974. Particulate and dissolved organic carbon in the Oceans. Brookhaven Symposium in Biology, 24: 204-220.

Riley, G.A., Van Hemert, D. and Wangersky, P.J., 1965. Oceanic aggregates in surface and deep waters of the Sargasso Sea. Limnology and Oceanography, 10: 354-363.

Riley, J.P., 1971. Dissolved and particulate organic compounds in the sea. In: Riley, J.P. and Chester, R. (Eds.), Introduction to Marine Chemistry. Academic Press, New York: 182-215.

Riley, J.P. and Seagar, D.A., 1970. The seasonal variations of the free and combined dissolved amino acids in the Irish Sea. Marine Biological Association of the United Kingdom, Journal, 50: 713-720.

Rinehart, K.L. Jr., Johnson, R.D., Suida, J.F., Krejcarek, G.E., Shaw, P.D., McMillan, J.A. and Paul, I.C., 1975. Structures of halogenated and antimicrobial organic compounds from marine sources. In: Goldberg, E.D. (Ed.), Dahlem Conference on the Nature of Sea Water. Abakon Verlags Gesellschaft, Berlin: 651-666.

Rittenberg, S.C., Emery, K.O., Hulsemann, J., Degens, E.T., Fay, R.C., Reuter, J.H., Grady, J.R., Richardson, S.H. and Bray, E.E., 1963. Biogeochemistry of sediments in experiemental mohole. Journal of Sedimentary Petrology, 33, 1: 140-172.

Rogers, M.A., 1965. Carbohydrates in aquatic plants and associated sediments from two Minnesota lakes. Geochimica et Cosmochimica Acta, 29: 183-200.

Rohmer, M. and Ourisson, G., 1976. Dérivés du bactériohopane: variations structurales et répartition. Tetrahedron Letters, 40: 3637-3640.

Romankevich, Ye. A. and Baturin, G.N., 1974. The biochemical composition of the sediments on the West African Shelf. Oceanology, 14: 529-533.

Romankevich, Ye. A. and Batrakov, S.G., 1971. Diagenetic changes in the composition of free lipids in sediments of the N.W. Pacific Ocean. Geokhimiya, 11: 1353-1361.

Ronnerstrand, S., 1968. Investigations into polyphenols of the oxidase systems of some algae. Botanica Marina, 11: 107-114.

Rothe, P., 1973. Sedimentation in the deep-sea areas adjacent to the Canary and Cape Verde Islands. Marine Geology, 14: 191-206.

Rowe, G.T., Clifford, C.H. and Smith, K.L. Jr., 1977. Nutrient regeneration in sediments off Cap Blanc, Spanish Sahara. Deep-Sea Research, 24: 57-63.

Rowe, G.T., Clifford, C.H., Smith, K.L., Jr. and Hamilton, P.L., 1975. Benthic nutrient regeneration and its coupling to primary productivity in coastal waters. Nature, 255: 215-217.

Ruchti, J. and Kunkler, D., 1966. Enzymatische Bestimmung von Glucose, Fructose und Saccharose in Gewassern. Schweizerische Zeitschrift für Hydrology, 28: 62-68.

Ryabov, A.K., Nabivanets, B.I. and Litvinenko, Z.S., 1972. Determination of bichromateoxidizability of water with trapping of volatile organic compounds. Journal of Hydrobiology, 8: 97-101.

Sackett, W.M. and Brooks, J.M., 1975. Origin and distributions of low molecular weight hydrocarbons in Gulf of Mexico coastal waters. In: Church, T.M. (Ed.), Marine Chemistry in the Coastal Environment. American Cheical Society Symposium, Series, 18. American Chemical Society, Washington, D.C.: 211-230.

Sackett, W.M., 1964. The depositional history and isotopic organic carbon compositions of marine sediments. Marine Geology, 2: 173-185.

Saifullah, S.M., 1978. Inhibitory effects of copper on marine dinoflagellates. Marine Biology, 44: 299-308.

Saliot, A. and Tissier, M.J., 1977. Interface eau-sédiment: acides gras et hydrocarbures dissous et particulaires dans l'eau de mer. In: Géochimie organique des sédiments marins profonds. ORGON I. Mer de Norvégean. Editions de CNRS, Paris: 197-208.

Saliot, A. and Tissier, M.J., 1978. Inventaire et dynamique des lipides a l'interface eau de mer/sédiment. IV Hydrocarbures aliphatiques et alicycliques de l'eau de mer et de l'eau interstitielle. In: Combaz, A. and Pelet, R. (Eds.), Géochimie organique des sédiments marines profonds. ORGON II. Atlantique N-E Brésil. Editions du CNRS, Paris: 263-273.

Samuels, S., Shah, N.M. and Fogg, G.E., 1971. Libration of extracellular products of photosynthesis by tropical phytoplankton. Marine Biological Association of the United Kingdom, Journal, 51: 793-798.

Sangster, A.W., Thomas, S.E. and Tingling, N.L., 1975. Fish attractants from marine invertebrates: arcamine from Arca zebra and strombine from Strombus gigas. Tetrahedron, 31: 1135-1137.

Sargent, J.R., 1976. The structure, metabolism and function of lipids in marine organisms. In: Malins, D.C. and Sargent, J.R. (Eds.), Biochemical and biophysical perspectives in marine biology, 3. Academic Press, London: 369-432.

Sargent, J.R., Gatten, R.R. and McIntosh, R., 1977. Wax esters in the marine environment - their occurrence, formation, transformation, and ultimate fates. Marine Chemistry, 5: 573-584.

Saxby, J.D., 1972. Organic matter in Red Sea sediments. Chemical Geology, 9: 233-240.

Schell, D.M., 1974. Uptake and regeneration of free amino acids in marine waters of southeast Alaska. Limnology and Oceanography, 19: 260-270.

Scheuer, P.J., 1973. Chemistry of Marine Natural Products. Academic Press, New York, N.Y.: 201.

Schindler, J.E., Williams, D.J. and Zimmerman, A.P., 1976. Investigations of extracellular electron transport by humic acids. In: Nriagu, J.E. (Ed.), Environmental Biogeochemistry, 1. Ann Arbor Science, Ann Arbour, Michigan: 109-115.

Schnitzer, M. and Ogner, G., 1970. The occurrence of fatty acids in fulvic acid, a soil humic fraction. Israel Journal of Chemistry, 8: 505-512.

Schnitzer, M. and Hansen, E.H., 1970. Organo-metallic interactions in soils: 8. An evaluation of methods for the determination of stability constants of metal - fulvic acid complexes. Soil Science, 109: 333-340.

Schnitzer, M. and Khan, S.U., 1972. Humic Substances in the Environment. Dekker, New York, N.Y.: 327.

Schultz, D.M. and Quinn J.G., 1977. Suspended material in Narragansett Bay: fatty acid and hydrocarbon composition. Organic Geochemistry, 1: 27-36.

Schultz, D.M. and J.G. Quinn, 1972. Fatty acids in surface particulate matter from the North Atlantic. Journal of the Fisheries Research Board of Canada, 29: 1482-1486.

Schwarz, J.R., Walker, J.D. and Colwell, R.R., 1975. Deep-sea bacteria: growth and utilization of n-hexadecane at in situ temperature and pressure. Canadian Journal of Microbiology, 21: 682-687.

Scranton, M.I. and Farrington, J.W., 1977. Methane production in the waters off Walvis Bay, Journal of Geophysical Research, 82: 4947-4953.

Segal, W. and Starkey, R.L., 1969. Microbial decomposition of methionine and identity of the resulting sulfur products. Journal of Bacteriology, 98: 908-913.

Sehmel, G.A. and Sutter, S.L., 1974. Particle deposition rates on a water surface as a function of particle diameter and air velocity. Journal de Recherches Atmosphériques, 8: 911-920.

Seifert, W.K. and Teeter, R.M., 1970. Identification of polycyclic naphthenic, mono-, and diaromatic crude oil carboxylic acids. Analytical Chemistry, 42: 180-189.

Seifert, W.K. and Teeter, R.M., 1970. Identification of polycyclic aromatic and heterocyclic crude oil carboxylic acids. Analytical Chemistry, 42: 750-758.

Seifert, W.K., Teeter, R.M., Howells, W.G. and Cantow, M.J.R., 1969. Analysis of crude oil carboxylic acids, after conversion to their corresponding hydrocarbons. Analytical Chemistry, 41: 1638-1647.

Seki, H., Wada, E., Koike, J. and Hattori, A., 1974. Evidence of high organotrophic potentiality of bacteria in the deep ocean. Marine Biology, 26: 1-4.

Selvakumar, N., Chandromohan, D. and Natarajan, R., 1977. L-Asparaginase activity in marine sediments. Current Science, 46: 287-291.

Senesi, N., Griffith, S.M., Schnitzer, M. and Townsend, M.G., 1977. Binding of Fe^{3+} by humic materials. Geochimica et Cosmochimica Acta, 41: 969-976.

Sepers, A.B.J., 1977. The utilization of dissolved organic compounds in aquatic environments. Hydrobiologia, 52: 39-54.

Sever, J. and Parker, P.L., 1969. Fatty alcohols (normal and isoprenoid) in sediments. Science, 164: 1052-1054.

Sever, J.R. and Haug, P., 1971. Fatty acids and hydrocarbons in Surtsey sediment. Nature, 234: 447-450.

Shah, N.M. and Fogg, G.E., 1973. Determination of glycolic acid in seawater. Marine Biological Association of the United Kingdom, Journal, 53: 321-324.

Shapiro, J., 1964. Effect of yellow organic acids on iron and other metals in water. Journal of the American Water Works Association, 56: 1062-1082.

Sharma, G.M. and Burkholder, P.R., 1967. Studies on the antimicrobial substances of sponges II. Structure and synthesis of a bromine-containing antibacterial compound from a marine sponge. Tetrahedron Letters, 1967: 4147-4150.

Sharma, G.M. and Vig, B., 1972. Studies on the antimicrobial substances of sponges VI. Structures of two antibacterial substances isolated from the marine sponge Disidea herbacea. Tetrahedron Letters, 1972: 1715-1718.

Sharp, J.H., 1973. Total organic carbon in sea water - comparison of measurements using persulphate oxidation and high temperature combustion. Marine Chemistry, 1: 211-229.

Sharp, J.H., 1973. Size classes of organic carbon in seawater. Limnology and Oceanography, 18: 441-447.

Sharp, J.H., 1974. Improved analysis for "particulate" organic carbon and nitrogen from seawater. Limnology and Oceanography, 19: 984-989.

Sharp, J.H., 1975. Gross analyses of organic matter in seawater: why, how and from where. In: Thomas, M.C. (Ed.), Marine Chemistry in the Coastal Environment. American Chemical Society, Symposium Series, 18. American Chemical Society, Washingtron, D.C.: 682-696.

Sharp, J.H., 1977. Excretion of organic matter by marine phytoplankton: do healthy cells do it? Limnology and Oceanography, 22: 381-389.

Sheikh, Y.M. and Djerassi, C., 1975. 2,6-dibromophenol and 2,4,6-tribromophenols-antiseptic secondary metabolites of Phoronopsis viridis. Experientia, 31: 265-266.

Sheldon, R.W., 1972. Size separation of marine seston by membrane and glass-fiber filters. Limnology and Oceanography, 17: 494-498.

Sheldon, R.W. and Sutcliffe, W.H., 1969. Retention of marine particles by screens and filters. Limnology and Oceanography, 14: 441-444.

Sheldon, R.W., Evelyn, T.P.T. and Parsons, T.R., 1967. On the occurrence and formation of small particles in sea water. Limnology and Oceanography, 12: 367-375.

Shimoyama, A. and Johns, W.D., 1972. Formation of alkanes from fatty acids in the presence of $CaCO_3$. Geochimica et Cosmochimica Acta, 40: 831-845.

Sholkovitz, E.R., Boyle, E.A. and Price, N.B., 1978. The removal of dissolved humic acids and iron during estuarine mixing. Earth Planetary Science Letters, 40: 130-136.

Sieburth, J. McN., 1961. Acrylic acid, an antibiotic principle in Phaeocystis blooms in antarctic waters. Science, 132: 676-677.

Sieburth, J. McN., 1964. Antibacterial substances produced by marine algae. Developments in Industrial Microbiology, 5: 124-134.

Sieburth, J. McN., 1966. The influence of algal antibiosis on the ecology of marine microorganisms. In: M.R. Droop and E.J.F. Wood (Eds.), Advances in Microbiology of the Sea. Academic Press, New York, N.Y.: 63-94.

Sieburth, J. McN., 1967. Inhibition and agglutination of arthrobacters by pseudomonads. Journal of Bacteriology, 93: 1911-1916.

Sieburth, J. McN., 1969. Studies on algal substances in the sea. III. The production of extra-cellular organic matter by littoral marine algae. Journal of Experimental Marine Biology and Ecology, 3: 290-309.

Sieburth, J. McN. and Conover, J.T., 1965., Sargassum tannin, an antibiotic which retards fouling. Nature, 208: 52-53.

Sieburth, J. McN. and Conover, J.T., 1965. Slicks associated with the Trichodesmium blooms in the Sargasso Sea. Nature, 205: 830-831.

Sieburth, J. McN. and A. Jensen, 1968. Studies on algal substances in the sea. I. Gelbstoff (Humic material) in terrestrial and marine waters. Journal of Experimental Marine Biology and Ecology, 2: 174-189.

Sieburth, J. McN. and A. Jensen, 1969. Studies on algal substances in the sea. II. The formation of Gelbstoff (humic material) by phaeophyte exudates. Journal of Experimental Marine Biology and Ecology, 3: 275-289.

Sieburth, J. McN. and A. Jensen, 1970. Production and transformation of extracellular organic matter from littoral marine algae: a res. In: Hood, D.W. (Ed.), Symposium on Organic Matter in Natural Waters. Institute of Marine Science, University of Alaska, occasional Publications, 1: 203-224.

Sieburth, J. McN. and Pratt, D.M., 1962. Anticoliform activity of sea water associated with the termination of Skeletonema costatum blooms. Transactions of the New York Academy of Science, Series II, 24: 498-501.

Sieburth, J. McN., Willis, P., Johnson, K.M., Burney, C.M., Lavoie, D.M., Hinga, K.R., Caron, D.A., French, F.W., Johnson, P.W. and Davis, P.G., 1976. Dissolved organic matter heterotrophic microneuston in the surface microlayers of the North Atlantic. Science, 194: 1415-1418.

Siegel, A., 1971. Metal-organic interactions in the marine environment. In: Faust, S.D. and Hunter, J.V. (Eds.), Organic compounds in aquatic environments. Marcel Dekker, New York: 265-295.

Siegel, A. and Degens, E.T., 1966. Concentration of dissolved amino acids from saline waters by ligand exchange chromatography. Science, N.Y., 151: 1098-1101.

Siezen, R.J. and Mague, T.H., 1978. Amino acids in suspended particulate matter from oceanic and coastal waters of the Pacific. Marine Chemistry, 6: 215-231.

Sillen, L.G. and Martell, A.E., 1971. Stability constants metal-ion complexes. Supplement No. I. The Chemical Society, Special Publication, 25. The Chemical Society, London: 865.

Simoneit, B.R.T., 1977. The Black Sea, a sink for terrigenous lipids. Deep-Sea Research, 24: 813-830.

Simoneit, B.R.T., 1977. Organic matter in eolian dusts over the Atlantic Ocean. Marine Chemistry, 5: 443-464.

Simoneit, B.R.T., 1977. Diterpenoid compounds and other lipids in deep-sea sediments and their geochemical significance. Geochimica et Cosmochimica Acta, 41: 463-476.

Simoneit, B.R.T., 1978. The organic chemistry of marine sediments. In: Riley, J.P. and Chester, R. (Eds.), Chemical Oceanography, 7. 2nd Edition. Academic Press, London: 233-311.

Simoneit, B.R.T., 1982. Some applications of computerized GC-MS to the determination of biogenic and anthropogenic organic matter in the environment. International Journal of Environmental Analytical Chemistry, 12: 177-193.

Simoneit, B.R.T. and Burlingame, A.L., 1974. Study of organic matter in DSDP (JOIDES) cores, legs 10-15. In: Tissot, B. and Bienner, F., (Eds.), Advances in Organic Geochemistry, 1973. International Congress on Organic Geochemistry. Editions Technip. Paris: 629-648.

Simoneit, B.R.T., Scott, E.S. and Burlingame, A.L., 1973. Preliminary organic analyses of DSDP cores, Leg. 14, Atlantic ocean. In: T.H. van Andel, G.R. Heath et al., Initial Reports of the Deep Sea Drilling Project, XVI. U.S. Government Printing Office, Washington, D.C.: 575-600.

Simoneit, B.R.T., Smith, D.H., Eglinton, G. and Burlingame, A.L., 1973. Application of real-time mass spectrometric techniques to environmental organic geochemistry. II. Organic matter in San Francisco Bay area water. Archives of Environmental Contamination and Toxicology, 1: 193-208.

Sims, J.J., Lin, G.H.Y., Wing, R.M. and Fenical, W., 1973. Marine natural products. Concinndiol, a bromo-diterpene alcohol from the red alga Laurencia concinna. Journal of the Chemical Society, Chemical Communications, 1973: 470-471.

Singer, P.C., 1973. Trace Metals and Metal Organic Interactions in Natural Waters. Ann Arbor Science, Ann Arbor, Michigan: 380.

Siuda, J.F. and DeBernardis, J.F., 1973. Naturally occurring halogenated organic compounds. Lloydia, 36: 107-143.

Siuda, J.F., Van Blaricom, G.R., Shaw, P.D., Johnson, R.D., White, R.H., Hager, L.P. and Rinehart, K.L. Jr., 1975. 1-Iodo-3, 3-dibromo-2-heptanone, 1,1,3,3-tetrabromo-2-heptanone and related compounds from the red alga Bonnemaisonia hamifera. Journal of the American Chemical Society, 197: 937-938.

Siuda, J.F., 1974. Chemical defence mechanisms of marine organisms. Identification of 8-hydroxy-4-quinolone from the ink of the giant octopus, Octopus dofleini Martini. Lloydia, 37: 501-503.

Sivela, S. and Sundman, V., 1975. Demonstration of Thiobacillus-type bacteria, which utilize methyl sulfides. Archives of Microbiology, 103: 303-304.

Skjoldal, H.R. and Bamstedt, U., 1976. Studies on the deep water pelagic community of Korfjorden, Western Norway: Adenosine phosphates and nucleic acids in Meganyctiphanes norvegica (Euphasiacea) in relation to the life cycle. Sarsia, 61: 1-14.

Skjoldal, H.R. and Bamstedt, U., 1977. Ecobiochemical studies on the deep-water pelagic community of korfjorden, Western Norway. Adenine nucleotides in zooplankton. Marine Biology, 42: 197-211.

Skopintsev, B.A., 1966. Some considerations on the distribution and state of OM in ocean water. Oceanology, 6: 361-368.

Skopintsev, B.A., 1971. Recent advances in the study of organic matter in the oceans. Oceanology, 11: 775-789.

Skopintsev, B.A., 1972. A discussion of some views on the origin distribution and composition of OM in deep ocean waters. Oceanology, 12: 471-474.

Skopintsev, B.A., 1972. On the age of stable organic matter - aquatic humics in the oceanic waters. In: Dyrssen, D. and Jagner, D. (Eds.), The Changing Chemistry of the Oceans. Nobel Symposium 20. Wiley Interscience, New York: 205-207.

Skopintsev, B.A., 1976. On the determination of organic carbon in chloride rich water by the persulfate method. Oceanology, 16: 630-633.

Skopintsev, B.A. and Timofeyeva, S.N., 1962. Content of organic carbon in the waters of the Baltic and North Seas and in the subtropical and tropical regions of North Atlantic. Trends in the Marine Hydrophysic Institution, 25: 110-117.

Skopintsev, B.A., Timofeeva, S.N. and Vershinina, O.A., 1966. Organic carbon in waters of preequatorial and southern Atlantic and Mediterranean. Okeanologiya, 6: 251-260 (in Russian).

Skopintsev, B.A., Timofeyeva, S.N. and Vershinina, O.A., 1966. Organic carbon in the Near Equatorial and Southern Atlantic and in the Mediterranean. Oceanology, 6: 201-210.

Skopintsev, B.A., Romenskaya, N.N. and Sokolova, M.V., 1968. Organic carbon in the waters of the Norwegian Sea and of the Northeast Atlantic. Oceanology, 8: 178-186.

Slawson, V.S., A.W. Adamson and J.F. Mead, 1973. Autoxidation of polyunsaturated fatty esters on silica. Lipids, 8: 129-134.

Slowey, J.F., Jeffrey, L.M. and Hood, D.W., 1962. The fatty acid content of ocean water. Geochimica et Cosmochimica Acta, 26: 607-616.

Slowey, J.F., Jeffrey, L.M. and Hood, D.W., 1967. Evidence for organic complexed copper in sea water. Nature, 214: 377-378.

Smayda, T.J., 1963. Succession of phytoplankton, and the ocean as an holocoenotic environment. In: Oppenheimer, C.H. (Ed.), Symposium of Marine Microbiology. Thomas, Springfield, III: 260-274.

Smetachek, V. and Hendrikson, P., 1979. Composition of particulate organic matter in Kiel Bight in relation to phytoplankton succession. Oceanologica Acta, 2: 287-297.

Smith, R.G., Jr., 1976. Evaluation of combined applications of ultrafiltration and complexing capacity techniques to natural waters. Analytical Chemistry, 48: 74-76.

Sorokin, Y.I., 1971. On the role of bacteria in the productivity of tropical oceanic waters. Internationale Revue des Gesamten Hydrobiologie, 56: 1-48.

Sorokin, Y.I., 1972. Microbial activity as a biogeochemical factor in the ocean. In: Dyrssen, D. and Jagner, D. (Eds.), The Changing Chemistry of the Ocean. Nobel Symposium 20. Wiley Interscience, New York: 189-204.

Sorokin, Y.I., 1977. Microflora production. In: Vinogradov, M.E. (Ed.), Oceanology. Biology of the Ocean, 2. Nauka, Moscow, pp. 209-232 (in Russian).

Spencer, D.W., Brewer, P.G., Fleer, A., Honjo, S., Krishnaswami, S. and Nozaki, Y., 1978. Chemical fluxes from a sediment trap experiment in the deep Sargasso Sea. Journal of Marine Research, 36: 493-523.

Staresinic, N., Rowe, G.T., Shaughnessy, D. and Williams, A.J., III, 1978. Measurement of the vertical flux of particulate organic matter with a free-drifting sediment trap. Limnology and Oceanography, 23: 559-563.

Starikova, N.D. and Korzhikova, R.I., 1969. Amino acids in the Black Sea. Oceanology, 9: 509-518.

Starikova, N.D. and Yablokova, O.G., 1974. Organic matter in Northwestern Pacific Ocean waters (Tsugasu Strait-Wake Island section). Oceanology, 14: 833-837.

Starikova, N.D. 1970. Regularities of vertical distribution of dissolved organic carbon in marine waters and ground solutions of marine sediments. Okeanologiya, 10: 988-1000(in Russian).

Starikova, N.D., 1970. Vertical distribution patterns of dissolved organic carbon in sea water and interstitial solutions. Oceanology, 10: 796-807.

Starikova, N.D., Yablokova, O.G. and Korzhikova, L.I., 1976. Determining the molecular composition of dissolved organic matter by gel filtration. Oceanology, 16: 571-575.

Stauffer, T.B. and MacIntyre, W.G., 1970. Dissolved fatty acids in the James River Estuary, Virginia, and adjacent coastal waters. Chesapeak Science, 11, (4): 216-220.

Steelmann N.E. and Wium-Anderson, S., 1970. Copper ions as poison in the sea and in fresh water. Marine Biology, 6: 93-97.

Stegemann, J.J. and Teal, J.M., 1973. Accumulation, release and retention of petroleum hydrocarbons by the oyster Crassostrea virginica. Marine Biology, 22: 37-44.

Stenzler, D. and Atema, J., 1977. Alarm response of the marine and mud snail, Nassarius obsoletus: specificity and behavioral priorty. Journal of Chemical Ecology, 3: 159-171.

Stevenson, F.J. and Butler, J.H.A., 1969. Chemistry of humic acids and related pigments. In: Eglinton, G. and Murphy, M.T.J. (Eds.), Organic Geochemistry: Methods and Results. Springer-Verlag, New York: 534-557.

Stiff, M.J., 1971. The chemical states of copper in polluted fresh waters and a scheme of analysis to differentiate them. Water Research, 5: 585-599.

Stolzberg, R.J. and Rosin, D., 1977. Chromatographic measurement of submicromolar strong complexing capacity in phytoplankton media. Analytical Chemistry, 49: 226-230.

Streibl, M. and Herout, V., 1969. Terpenoids-especially oxygenated monosesqui-, di-, and triterpenes. In: Eglinton, G. and Murphy, M.T.J. (Eds.), Organic Geochemistry: Methods and REsults. Springer-Verlag, New York, N.Y.: 402-424.

Strickland, J.D.H., 1965. Production of organic matter in the primary stages of the marine food chain. In: Riley, J.P. and Skirrow, G. (Eds.), Chemical Oceanography, 1. Academic Press, London: 477-610.

Strobal, P. and Huljev, D., 1970. Investigation of mercury pollutant interaction with humic acid by means of radio tracers. In: Nuclear Techniques in Environmental Pollution. I.A.E.A., Vienna: 439-446.

Stuermer, D.H. and Harvey, G.R., 1974. Humic substances from sea water, Nature, 250: 480-481.

Stuermer, D.H. and Harvey, G.R., 1977. The isolation of humic substances and alcohol soluble organic matter from sea waters. Deep-Sea Research, 24: 303-309.

Stuermer, D.H. and Harvey, G.R., 1978. Structural studies on marine humus: a new reduction sequence for carbon skeleton determination. Marine Chemistry, 6: 55-70.

Stuermer, D.H. and Payne, J.R., 1976. Investigation of sea water and terrestrial humic substances with carbon 13 and proton nuclear magnetic ressonance. Geochimica et Cosmochimica Acta, 40(9): 1109-1114.

Stumm, W. and Brauner, P.A., 1975. Chemical Speciation. In: Riley, J.P. and Skirrow, G. (Eds.), Chemical Oceanography, 1. Academic Press, 2nd Ed., London: 173-239.

Sturdy, G. and Fischer, W.H., 1966. Surface tension of slick patches near kelp beds. Nature, 211: 951-952.

Suess, E., 1970. Interaction of organic compounds with calcium carbonate-I. association phenomena and geochemical implications. Geochimia et Cosmochimica Acta, 34: 157:168.

Suess, E., 1973. Interaction of organic compound with calcium carbonate II. Organo-carbonate association in recent sediments. Geochimica et Cosmochimica Acta, 37: 2435-2447.

Suess, H.E. and Goldberg, E., 1971. Comments on paper by H. Craig, Abyssal carbon and radiocarbon in the Pacific. Journal of Geophysical Research, 76: 5131-5132.

Sugai, S.F. and Healy, M.L., 1978. Voltammetric studies of the organic association of copper and lead in two Canadian inlets. Marine Chemistry, 6: 291-308.

Sugimura, Y., Suzuki, Y. and Miyake, Y., 1978. The dissolved organic iron in sea water. Deep-Sea Research, 25: 309-314.

Sugimura, Y., Suzuki, Y. and Miyake, Y., 1978. On the chemical forms of minor metallic elements in the ocean. Journal of the Oceanographic Society of Japan, 34: 93-93.

Sunda, W. and Guillard, R.R.L., 1976. The relationship between cupric ion activity and the toxicity of copper phytoplankton. Journal of Marine Research, 34: 511-529.

Sutcliffe, W.H., Baylor, E.R. and Menzel, E.W., 1963. Sea surface chemistry and Langmuir circulation. Deep-Sea Research, 10: 233-243.

Sutcliffe, W.H., Sheldon, R.W. and Prakash, A., 1970. Certain aspects of production and standing stock of particulate matter in the surface waters of the Northwest Atlantic Ocean. Journal of the Fisheries Research Board of Canada, 27 (II): 1917-1926.

Sutterlin, A.M. and Gray, R., 1973. Chemical basis for homing of Atlantic salmon (Salmo salar) to a hatchery. Journal of the Fisheries Research Board of Canada, 30: 985-989.

Sutton, C. and Calder, J.A., 1974. Solubility of higher-molecular-weight n-paraffins in distilled water and sea water. Environmental Science and Technology, 8: 654-657.

Sutton, C. and Calder, J.A., 1975. Solubility of alkylbenzenes in distilled water and sea water at 25.0°C. Journal of Chemical and Engineering Data, 20: 320-322.

Sverre, M. and Haug, A., 1972. Production of carbohydrates by the marine diatom Chaetoceros affinis var. willei (Gran) husted. Effects of the concentration of nutrients in the culture medium. Journal of Experimental Marine Biology and Ecology, 9: 125-136.

Swain, F.M. and Bratt, J.M., 1972. Comparative carbohydrate geochemistry of bay, salt marsh, and deep gulf sediments. In: von Gaertner, H.R. and Wehner, H. (Eds.), Advances in Organic Geochemistry, 1971, International Congress on Organic Geochemistry. Pergamon Press Oxford: 414-425.

Swain, F.M., 1969. Fossil carbohydrates. In: Eglinton, G. and Murphy, M.T.J. (Eds.), Organic Geochemistry: Methods and Results. Springer-Verlag, New York: 374-401.

Swartz, R.W., J.R. Schwarz and J.V. Landau, 1974. Comparative effects of pressure on protein and RNA synthesis in bacteria isolated from marine sediments. In: Colwell, R.R. and Morita, R.Y. (Eds.), Effect of the Ocean Environment on Microbial Activities. University Park Press, Baltimore, Maryland: 145-159.

Swetland, P.J. and Wehmiller, J.F., 1975. Lipid geochemistry of recent sediments from the Great marsh, Lewes, Delaware. In: Church, T.M. (Ed.), Marine Chemistry in the Coastal Environment. American Chemical Society Symposium Series, 18. Washington, D.C.: 285-303.

Swinnerton, J.W. and Lamontagne, R.A., 1974. Oceanic distribution of low-molecular weight hydrocarbons, baseline measurements. Environmental Science and Technology, 8: 657:663.

Swinnerton, J.W. and Linnenbom, V.J., 1967. Gaseous hydrocarbons in sea water: Determination. Science, 156: 1-2.

Swinnerton, J.W., Linnenbom, K.J. and Cheek, C.H., 1969. Distribution of methane and carbon monoxide between the atmosphere and natural waters. Environmental Science and Technology, 3: 836-838.

Szalay, A. and Szilagyi, M., 1967. The association of vanadium with humic acids. Geochimia et Cosmochimia Acta, 31: 1-6.

Szekielda, K.H., Kupferman, S.L., Klemas, V. and Polis, D.F., 1972. Element enrichment in organic films and foam associated with aquatic frontal systems. Journal of Geophysical Research, 77: 5278-5282.

Szekielda, K.H., 1967. Some remarks on the influence of hydrographic conditions on the concentration of particulate carbon in sea water. In: Chemical environment in the aquatic habitat. Procedings of the International Biological Program Symposium, Amsterdam and Nieuwersluis, 10-16 Oct. 1966: 314-322.

Szekielda, K.H., 1968. Vergleichende Untersuchunger uber den Gehalt an organischen Kohlenstoff in Meerwasser und den Kaliumpermanganatverbrauch. Conseil International pour l'Exploration de la Mer, 32: 17-24.

Szekielda, K.H., 1968. The transport of organic matter by the bottom water of the oceans. Sarsia, 34: 243-252.

Szilagyi, M., 1967. Sorption of molybdenum by humus preparation. Geochemistry International, 4: 1165-1167.

Szilagyi, M., 1973. The redox properties and the determination of the normal potential of the peat--water system. Soil Science, 115: 434-437.

Szilagyi, M., 1972. The geochemical role of standard potential in reactions between humic substances and metals. Geochemstry International, 9: 402-406.

Taga, N. and Matsuda, O., 1974. Bacterial populations attached to plankton and detritus in sea water. In: Colwel, R.R. and Morita, R.Y. (Eds.), Effects of the Ocean Environment on Microbial Activities. University Park Press, Baltimore, Maryland: 433-448.

Taga, N. and Kobori, H., 1978. Phosphatase activity in eutrophic Tokyo Bay Marine Biology, 49: 223-229.

Tajima, K., Daiku, K., Ezura, Y., Kimura, T. and Sakai, M., 1974. Procedure for the isolation of psychrophilic marine bacteria. In: Colwell, R.R. and Morita, R.Y. (Eds.), Effect of the Ocean Environment on Microbial Activities. University Park Press, Baltimore, Maryland: 104-111.

Takahashi, F.I. and Kittredge, J.S., 1973. Sublethal effects of the water soluble components of oil: chemical communication in the marine environment. In: Ahearn, D.G. and Meyers, S.P. (Eds.), The Microbial Degradation of Oil Pollutants. Louisiana State University, New Orleans, Lousiana: 105-125.

Tanner, R.L., Forrest, J. and Newman, L., 1978. Determination of atmospheric gaseous and particulate sulfur compounds. In: Nriagu, J.O. (Ed.), Sulfur in the Environment, 1. Wiley, New York, N.Y.: 371-452.

Tarasova, YeN., 1972. Correlation of organic carbon with different kinds of oxidizability in the open waters of Lake Baikal. Journal of Hydrobiology, 8: 53-57.

Tatsumoto, M., Williams, W.T., Prescott, J.M. and Hood, D.W., 1961. On the amino acids in samples of surface seawater. Journal of Marine Research, 19: 89-95.

Telek, G. and Marshall, N., 1974. Using a CHN analyzer to reduce carbonate interference in particulate organic carbon analyses. Marine Biology, 24: 219.

Tenney, M.W. and Stumm, W., 1965. Chemical flocculation of microorganisms in biological waste treatment. Journal Water Pollution Control Federation, 37: 1370-1388.

Terazaki, M., Marumo, R. and Fujita, Y., 1978. Pigment composition of suspended particles in the deep sea. Bulletin of the Japanese Society of Plankton, 25: 20-26.

Tesarik, K., 1972. The separation of some monosaccharides by capillary column gas chromatography. Journal of Chromatography, 65: 295-302.

Teshima, S. and Kanazawa, A., 1971. Sterol composition of marine occurring yeast. Bulletin of the Japanese Society of Scientific Fisheries, 37: 68-72.

Teshmia, A. and Kanazawa, A., 1972. Occurrence of sterols in the blue-green alga, Anabaena cylindrica. Bulletin of the Japanese Society of Scientific Fisheries, 38: 1197-1202.

Teta, M. and Lowenstein, J.M., 1963. The effect of bivalent metal ions on the hydrolysis of ADP and ATP. Biochemistry, 2: 350-357.

Theiler, R.F., Siuda, J.F. and Hager, L.P., 1978. Bromoperoxidase from the Red Alga Bonnemaisonia hamifera. In: Kaul, P.N. and Sindermann, C.J. (Eds.), Food and Drugs from the Sea. The University of Oklahoma Press, Norman, Oklahoma: 153-169.

Theis, T.L. and Singer, P.C., 1973. The stabilisation of ferrous iron by organic compounds in natural water. In: Singer, P.C. (Ed.), Trace Metals and Metal Organic Interactions in Natural Waters. Ann Arbor Science, An Arbor, Michigan: 303-320.

Thomas, J.P., 1971. Release of dissolved organic matter from natural populations of marine phytoplankton. Marine Biology, 11: 311-323.

Tissier, M.J. and Dastillung, M., 1978. Inventaire et dynamique des lipides à l'interface eau de mer/sédiment. V. Hydrocarbures polyaromatiques des sédiments, de l'eau de mer et de l'eau interstitielle. In: Combaz, A. and Pelet, R. (Eds.), Géochimie organique des sédiments marins profonds. ORGON II. Atlantique N-E, Brésil. Editions du CNRS, Paris: 275-283.

Tissier, M.J. and Oudin, J.L. 1973. Characteristics of naturally-occurring and pollutant hydrocarbons in marine sediments. Proceeding of the Conference on Prevention and Control of Oil Spills. American Petroleum Institute, Washington, D.C.: 205-214.

Todd, J.H., Atema, J. and Bardach, J.E., 1967. Chemical communication in social behaviour of a fish, the yellow bullhead (Ictalurus natalis). Science, 158: 672-673.

Todd, J.H., Atema, J. and Boylan, D.B., 1972. Chemical communication in the sea. Marine Technology of the Society of Japan, 6: 54-56.

Tokunaga, T., 1977. Formation of dimethyl sulfide in Antarctic krill, Euphausia superba. Nihon suisan gakkai shi, 43: 1209-1217.

Tornabene, T.G., Gelpi, E. and Oro, J., 1967. Identification of the fatty acids and aliphatic hydrocarbons in Sarcina lutea by gas chromatography and combined gas chromatography-mass spectrometry. Journal of Bacteriology, 94: 333-343.

Tornabene, T.G., Kates, M. and Volcani, B.E., 1974. Sterols, aliphatic hydrocarbons, and fatty acids of a nonphotosynthetic diatom, Nitzschia alba. Lipids, 9: 279-284.

Tornabene, T.G., Bennett, E.O. and Oro, J., 1967. Fatty acids and aliphatic hydrocarbon composition of Sarcina lutea grown in three different media. Journal of Bacteriology, 94: 344-348.

Torres-Pombo, J., Seoane-Camba, J. and Ribas, I., 1969. A sulfuric ester of choline in Gelidium sesquipedale. In: Margaleff, R. (Ed.), Proceedings of the Sixth International Seaweed Symposium. Subsecretaria de la marine mercante direccion general de pesca maritima, Madrid, Spain: 611-614.

Toth, D.J. and Lerman, A., 1977. Organic matter reactivity and sedimentation rates in the ocean. Amercan Journal of Science, 227: 465-485.

Treguer, P., LeCorre, P., and Courtot, P., 1972. A method for determination of the total dissolved free fatty-acid content of sea water. Marine Biological Association of the United Kngdom, Journal, 52: 1045-1055.

Trott, T., Henwood, R.W. and Langford, C.H. 1972. Sunlight photochemistry of ferric nitrilotriacetate complexes. Environmental Science and Technology, 6: 367-368.

Tschapek, M. and Wasowski, C., 1976. The surface activity of humic acid. Geochimica et Cosmochimica Acta, 40: 1343-1345.

Tsunogai, S., 1972. An estimate of the rate of decomposition of organic matter in the deep water in Pacific Ocean. In: Takenouti, A.Y. (Ed.), Biological Oceanography of the North Pacific Ocean: 517-533.

Tsyban, A.V., 1971. Marine bacterioneuston. Journal of the Oceanographic Society of Japan, 27: 56-66.

Turner, D.R. and Whitfield, M., 1979. The electrodeposition of trace metal ions from multi-ligand systems. II. Calculations of the electrochemical availability of lead at trace levels in sea water. Journal of Electroanalytical Chemistry, 102: 61-79.

Tusseau, D., Barbier, M. and Saliot, A., 1978. Inventaire et dynamique des lipides à l'interface eau de mer - sédiment III. - Stérols de l,eau de mer et de l'eau interstitielle. In: Combaz, A. and Pelet, R. (Eds.), Géochimie organique des sédiments marins profonds. ORGON II, Atlantique - N.-E. Brésil, C.N.R.S., Paris: 253-261.

Ulitzur, S. and Shilo, M., 1970. Procedure for purification and separation of Prymnesium parvum toxins. Biochimica et Biophysica Acta, 201: 350-263.

UNESCO, 1966. Determination of photosynthetic pigments in sea water. Monographs in Oceanographic Methodology, U.N., 1: 1-66.

Vaccaro, R.F., Hicks, S.E., Jannasch, H.W. and Carey, F.G., 1968. The occurrence and role of glucose in sea water. Limnology and Oceanography, 13: 356-360.

Valentincic, T., 1973. Food finding and stimuli to feeding in the sea star Marthasterias glacialis. In: Seventh European Symposium on Marine Biology, Texel, 11-16 September, 1972. Netherlands Journal of Sea Research, 7: 191-199.

Vallentyne, J.R., 1964. Biogeochemistry of organic matter II: Thermal reaction kinetics and transformation products of amino compounds. Geochimica et Cosmochimica Acta, 28: 157-188.

Vallentyne, J.R., 1966. Thermal stability of threonine in the presence of a marine polyphenolic material. Science, 151: 214-215.

Vanderborght, J.P. and Billen, G., 1975. Vertical distribution of nitrate concentration in interstitial water of marine sediments with nitrification and denitrification. Limnology and Oceanography, 20: 953-961.

Van Dorsselaer, A., Ensminger, A., Spycherelle, C., Dastillung, M., Sieskind, O., Arpino, P., Albrecht, P., Ourisson, G., Brooks, P.W., Gaskell, S.A., Kimble, B.J., Philp, R.P., Maxwell, J.R. and Eglinton, G., 1974. Degraded and extended hopane derivatives (C_{27} to C_{35}) as ubiquitous geochemical markers. Tetrahedron Letters, 14: 1349-1352.

Van Hall, C.E. Barth, D. and Stenger, V.A., 1965. Elimination of carbonates from aqueous solutions prior to organic carbon determination. Analytical Chemistry, 37 (6): 769-771.

Van Hall, C.E. and Stenger, V.A., 1967. An instrumental method for rapid determination of the carbonate and total carbon in solutions. Analytical Chemistry, 39: 503-507.

Vasilevskaya, N.A., Galyashin, B.H., Denisenko, N.M. and Makismov, O.B., 1977. Chemical study of humic acids from bottom deposits in the west regions of the Pacific Ocean. Okeanologiya, 17: 459-469 (in Russian).

Visser, S.A., 1964. Oxidation reduction potential and capillary activities of humic acids. Nature, 204: 581.

Volodin, B.B., 1975. Participation of sulfur in processes of multiplication of certain blue-green algae. Soviet Plant Physiology, 22: 255-258.

Wada, E. and Hattori, A., 1976. Natural abundance of ^{15}N in particulate organic matter in the north Pacific Ocean. Geochimica et Cosmochimica Acta, 40: 249-251.

Wade, T.L. and Quinn, J.G., 1975. Hydrocarbons in the Sargasso sea surface microlayer, Marine Pollution Bulletin, 6: 54-57.

Wagner, F.S., Jr., 1969. Composition of the dissolved organic compounds in seawater: a review. Contributions in Marine Science, 14: 115-154.

Wakeham, S.G., Farrington, J.W., Gagosian, R.B., Lee, C., DeBaar, H., Nigrelli, G.E., Tripp, B.W., Smith, S.O. and Frew, N.M., 1980. Organic matter fluxes from sediment traps in the equatorial Atlantic Ocean. Nature, 286: 798-800.

Walder, G.L., 1973. The feeding response of Pachycerianthus fimbriatus (Ceriantharia). Comparative Biochemistry and Physiology, 44: 1085-1092.

Walsh, G.E. and Douglas, J., 1966. Vertical distribution of dissolved carbohydrate in the Sargasso Sea off Bermuda. Limnology and Oceanography, 11: 406-408.

Wangersky, P.J., 1965. The organic chemistry of sea water. American Science, 53: 358-374.

Wangersky, P.J., 1972. The cycle of organic carbon in sea water. Chimia, 26: 559-564.

Wangersky, P.J., 1974. Particulate organic carbon: sampling variability. Limnology and Oceanography, 19: 980-984.

Wangersky, P.J., 1975. The measurement of organic carbon in seawater. In: Gibb, T.R.P. (Ed.), Analytical Methods in Oceanography. Advances in Chemistry Series, 147. American Chemists Society, Washington, D.C.: 148-162.

Wangersky, P.J., 1976. The surface film as a physical environment. Annual Review of Ecology and Systematics, 7: 161-176.

Wangersky, P.J., 1976. Particulate organic carbon in the Atlantic and Pacific Oceans. Deep-Sea Research, 23: 457-465.

Wangersky, P.J., 1977. The role of particulate matter in the productivity of surface waters. Helgolander Wissenschaftliche Meeresuntersuchungen, 30: 546-564.

Wangersky, P.J., 1978. Production of dissolved organic matter. In: Kinne, O. (Ed.), Marine Ecology, 4. Wiley, New York, N.Y.: 115-220.

Wangersky, P.J., 1978. The distribution of particulate organic carbon in the oceans: ecological implications. International Revue Gesampt Hydrobiologie, 63: 567-574.

Wangersky, P.J. and D.C. Gordon, 1965. Particulate carbonate, organic carbon and Mn^{++}. Limnology and Oceanography, 10: 544-550.

Wangersky, P.J. and Hincks, A.V., 1980. Shipboard intercalibration of filters used in the measurement of particulate organic carbon. In: Albaiges, J. (Ed.), Analytical Techniques in Environmental Chemistry. Pergamon Press, Oxford: 53-62.

Wangersky, P.J. and Zika, R.G., 1978. The analysis of organic compounds in Sea Water. N.R.C. of Canada, Marine Analytical Chemistry Standards Progress, Technical Report, 3. NRCC No. 16566: 177.

Warner, J.S., 1975. Determination of sulfur-containing petroleum components in marine samples. Proceedings Conference on Prevention and Control of Oil Pollution Washington, D.C.: 97-101.

Webb, K.L. and Johannes, R.E., 1967. Studies of the release of dissolved free amino acids by marine zooplankton. Limnology and Oceanography, 12: 376-382.

Weete, J.D., 1973. Sterols of the fungi. Phytochemistry, 12: 1843-1864.

Welte, D.H. and Ebhardt, G., 1968. Distribution of long chain n-paraffins and n-fatty acids in sediments from the Persian Gulf. Geochimica et Cosmochimica Acta, 32: 465-466.

Went, F.W., Slemmons, D.B. and Mozingo, H.N., 1967. The organic nature of atmospheric condensation nuclei. Proceedings of the National Academy of Science, U.S.A., 55: 69-74.

Wershaw, R.L. and Pickney, D.J., 1971. Association and dissociation of humic acid fractions as a function of pH. Geological Survey Paper of Canada, 750-D: 216-218.

West, D.L., 1964. Determination of total carbon by combustion gas-chromatography. Analytical Chemistry, 36: 2194-2195.

Wheeler, J.R., 1972. Some effects of solar levels of ultra-violet radiation on lipids in artificial sea water. Journal of Geophysical Research, 77: 5302-5306.

Wheeler, J.R., 1976. Fractionation by molecular weight of organic substances in Georgia coastal water. Limnology and Oceanography, 21: 846-852.

Wheeler, J.R., 1977. Dissolved organic carbon: spectral relationships in coastal waters. Limnology and Oceanography, 22: 573-575.

Whiteledge, T.E. and Dugdale, R.C., 1972. Creatine in seawater. Limnology and Oceanography, 17: 309-314.

Whitfield, P.H. and Lewis, R.G., 1976. Control of the biological availability of trace metals to a calanoid copepod in a coastal fjord. Estuarine and Coastal Marine Science, 4: 255-266.

Whittaker, R.H., 1970. The biochemical ecology of higher plants. In: Sondheimer, E. and Simeone, J.B. (Eds.), Chemical Ecology. Academic Press, New York, N.Y.: 43-78.

Whittle, K.J., Mackie, P.R., Hardy, R., McIntyre, A.D. and Blackman, R.A.A., 1977. The alkanes of marine organisms from the United Kingdom and surrounding waters. Rappports et Proces-Verbaux des Réunions, Conseil International pour l'Exploration de la Mer, 171: 72-78.

Whittle, K.J., 1977. Marine organisms and their contribution to organic matter in the ocean. Marine Chemistry, 5: 381-411.

Wieser, W. and Zech, M., 1976. Dehydrogenases as tools in the study of marine sediments. Marine Biology, 36: 113-122.

Williams, P.J. LeB., 1969. The wet oxidation of organic matter in seawater. Limnology and Oceanography, 14: 292-297.

Williams, P.J. LeB., 1975. Determination of Organic Components. In: Riley, J.P. and Skirrow, G. (Eds.), Chemical Oceanography, 3. Academic Press, London: 453-514.

Williams, P.J. LeB., 1970. Heterotrophic utilization of dissolved organic compounds in the sea I. Size distribution of population and relationship between respiration and incorporation of growth substates. Marine Biological Association of the United Kingdom, Journal, 50: 859-870.

Williams, P.J. LeB., 1975. Biological and chemical aspects of dissolved organic material in sea water. In: Riley, J.P. and Skirrow, G. (Eds.), Chemical Oceanography, 2. Academic Press, London, 2nd Ed.: 301-363.

Williams, P.J. LeB. and Gray, R.W., 1970. Heterotrophic utilization of dissolved organic compounds in the sea II. Observations on the responses of heterotrophic marine populations to abrupt increases in amino acid concentration. Marine Biological Association of the United Kingdom, Journal, 50: 871-881.

Williams, P.J. LeB. and Yentsch, C.S., 1976. An examination of the photosynthetic production, excretion of photosynthetic products and heterotrophic utilization of dissolved organic compounds with reference to results from a coastal subtropical sea. Marine Biology, 35: 31-40.

Williams, P.J. LeB., Berman, T. and Holm-Hansen, O., 1976. Amino acid uptake and respiration by marine heterotrophs. Marine Biology, 35: 41-47.

Williams, P.M., 1961. Organic acids in Pacific Ocean waters. Nature, 189: 219-220.

Williams, P.M., 1965. Fatty acids derived from lipids of marine origin. Journal of the Fisheries Research Board of Canada, 22: 1107-1122.

Williams, P.M., 1967. Sea surface chemistry: organic carbon, nitrogen and phosphorus in surface films and subsurface waters. Deep Sea Research, 14: 791-800.

Williams, P.M., 1968. Organic and inorganic constituents of the Amazon River. Nature, 218: 937-938.

Williams, P.M., 1968. Stable carbon isotopes in the dissolved organic matter of the sea. Nature, 219: 152-153.

Williams, P.M., 1969. The determination of dissolved organic carbon in seawater: a comparison of two methods. Limnology and Oceanography, 14: 297-298.

Williams, P.M., 1969. The association of copper with dissolved organic matter in seawater. Limnology and Oceanography, 14: 156-158.

Williams, P.M., 1971. The distribution and cycling of organic matter in the ocean. In: Faust, S.D. and Hunter, J.V. (Ed.), Organic Compounds in Aquatic Environments. Marcel Dekker, N.Y., 145: 163.

Williams, P.M. and Baldwin, R.J., 1976. Cupric ion activity in coastal sea water. Marine Science Communications, 2: 161-181.

Williams, P.M. and Carlucci, A.F., 1976. Bacterial utilization of organic matter in the deep sea. Nature, 262: 810-811.

Williams, P.M. and Craigie, J.S., 1970. Microdetermination of uronic acids and related compounds in the marine environment. In: Hood, D.W. (Ed.), Symposium on Organic Matter in Natural Waters. Institure of Marine Science, University of Alaska, Occasional Publications, 1: 509-519.

Williams, P.M. and Gordon, L.I., 1970. Carbon-13: carbon-12 ratios in dissolved and particulate organic matter in the sea. Deep Sea Research, 17: 19-27.

Williams, P.M., H. Oeschger and Kinney, P., 1969. Natural radiocarbon activity of dissolved organic carbon in the Northeast Pacific Ocean. Nature, 224: 256-258.

Williams, R.T. and Bainbridge, A.E., 1973. Dissolved CO, CH_4, and H_2 in the southern ocean. Journal of Geophysical Research, 78: 2691-2694.

Wilson, D.E. and Kinney, P., 1977. Effects of polymeric charge variations on the proton metal ion equilibria of humic materials. Limnology and Oceanography, 22: 281-289.

Wilson, D.F., Swinnerton, J.W. and Lamontagen, R.A., 1970. Production of carbon monoxide and gaseous hydrocarbons in seawater: relation to dissolved organic carbon. Science, 168: 1577-1579.

Wilson, R.D., Monaghan, P.H., Osanik, A., Prile, L.C., Rogers, M.A., 1974. Natural marine oil seepages. Science, 184: 857-865.

Wilson, R.F., 1961. Measurement of organic carbon in seawater. Limnology and Oceanography, 6: 259-261.

Wilson, W.B. and Collier, A., 1972. The production of surface active material by marine phytoplankton cultures, Journal of Marine Research, 30: 15-21.

Winters, K., Parker, P.L. and Van Baalen, C., 1969. Hydrocarbons of blue-green algae: geochemical significance. Science, 163: 467-468.

Wirsen, C.O. and Jannasch, H.W., 1975. Activity of marine psychrophilic bacteria at elevated hydrostatic pressures and low temperatures. Marine Biology, 31: 201-208.

Witzel, K.P., 1979. The ademylate energy-charge as a measure of microbial activities in acquatic ecosystems. Archives of Hydrobiology, 12: 146-165.

Wood, E.F.J., 1963. Heterotrophic microorganisms in the oceans. Oceanography and Marine Biology Annual Review, 1: 197-222.

Wratten, S.J. Fenical, W., Faulkner, D.J. and Wekell, J.C., 1977. Ptilosarcone, the toxin from the sea pen Ptilosarcus gurneyi. Tetrahedron Letters, 1977: 1559-1562.

Wratten, S.J. and Faulkner, D.J., 1977. Carbonimidic dichlorides from the marine sponge Pseudaxinyssa pitys. Journal of the American Chemical Society, 99: 7367-7368.

Wright, R.T. and Hobbie, J.E. 1966. Use of glucose and acetate by bacteria and algae in aquatic ecosystems. Ecology, 47: 447-464.

Wun, C.K., Walker, R.W. and Litsky, W., 1976. The use of XAD-2 resin for the analysis of coprostanol in water. Water Research, 10: 955-959.

Wunderlich, M., 1977. Free and dissolved cellulases in natural waters and their ecological significance. Archives of Hydrobiology, 81: 65-105.

Yamaoka, Y. and Tanimoto, T., 1976. On the distribution of dimethyl sulfide and dimethyl disulfide in sea water in Hiro Bay. Journal of the Agricultural Chemists Society of Japan, 50: 147-148.

Yano, I., Y. Furukawa and M. Kusonose, 1971. Fatty acid composition of Arthrobacter simplex grown on hydrocarbons. Occurrence of a-hydroxy-fatty acids. European Journal of Biochemistry, 23: 220-228.

Yen, T.F., 1975. Genesis and degradation of petroleum hydrocarbons in marine environments. In: Church, T.M. (Ed.), Marine Chemistry in the Coastal Environment. American Chemical Society Symposium, Series, 18. Washington, D.C.: 231-266.

Yen, T.F. (Ed.), 1977. Chemistry of Marine Sediments. Ann Arbor Science, Ann Arbor, Michigan: 265.

Yentsch, C.S. and Menzel, D.W., 1963. A method for the determination of phytoplankton carbon and phaeophytin by fluorescence. Deep Sea Research, 10: 221-231.

Youngblood, W.W. and Blumer, M., 1972. Alkanes and alkenes in marine benthic algae. Marine Biology, 21: 163-172.

Youngblood, W.W. and Blumer, M., 1975. Polycyclic aromatic hydrocarbons in the environment: Homologous series in soils and recent marine sediments. Geochimica et Cosmochimica Acta, 39: 1303-1314.

Youngblood, W.W., Blumer, M., Guillard, R.L. and Fiore, F., 1971. Saturated and unsaturated hydrocarbons in marine benthic algae. Marine Biology, 8: 190-201.

Zafiriou, O.C., 1975. Reaction of methyl halides with seawater and marine aerosols. Journal of Marine Research, 33: 75-81.

Zafiriou, O.C., 1977. Marine organic photochemistry previewed. Marine Chemistry, 5: 497-522.

Zeitzchel, B., 1970. Quantity, composition and distribution of suspended particulate matter in the Gulf of California. Marine Biology, 7: 305-318.

Zepp, R.G. and Cline, D.M., 1977. Rates of direct photolysis in aquatic environment. Environmental Science and Technology, 11: 359-366.

Zinder, S.H. and Brock, T.D., 1978. Production of methane and carbon dioxide from methane thiol and dimethyl sulfide by anaerobic lake sediments. Nature, 273: 226-228.

Zinder, S.H., Doemel, W.N. and Brock, T.D., 1977. Production of volatile sulfur compounds during the decomposition of algal mats. Applied Environmental Microbiology, 34: 859-860.

Zirino, A. and Yamamoto, S., 1972. A pH-dependent model for the chemical speciation of copper, zinc, cadmium and lead in sea water. Limnology and Oceanography, 17: 661-671.

Zitko, V., 1975. Aromatic hydrocarbons in aquatic fauna. Bulletin of Environmental Contamination Toxicology, 14: 621-631.

Zobell, C.E., 1963. Organic geochemistry of sulfur. In: Breger, I.A. (Ed.), Organic Chemistry, Pergamon Press, Oxford: 543-578.

Zsolnay, A., 1971. Diagenesis as a function of redox conditions in nature: a comparative study of certain organic and inorganic compounds in an oxic and anoxic Baltic basin. Kieler Meeresforschungen., 27: 135-156.

Zsolnay, A., 1973. The relative distribution of non-aromatic hydrocarbons in the Baltic in September 1971. Marine Chemistry, 1: 127-136.

Zsolnay, A., 1973. Distribution of labile and residual particulate carbon in the Baltic Sea. Marine Biology, 21: 13-18.

Zsolnay, A., 1975. Sorption of benzene on particulate material in sea water. In: McIntyre, A.D. and Whittle, K. (Eds.), Petroleum Hydrocarbons in the Marine Environment. Rapports et Proces-Verbaux des Réunions, Conseil International pour l'Exploration de la Mer, 171: 117-119.

Zsolnay, A., 1973. Hydrocarbon and chlorophyll: a correlation in the upwelling region off West Africa. Deep Sea Research, 20: 923-925.

Zsolnay, A., 1977. Hydrocarbon content and chlorophyll correlation in the waters between Nova Scotia and the Gulf Stream. Deep Sea Research, 24: 199-207.

Zsolnay, A., 1977. Inventory of non-volatile fatty acids and hydrocarbons in the oceans. Marine Chemistry, 5: 465-475.

Zurcher, F. and Giger. W., 1976. Fluchtige organische Spurenkompenenten in der Glatt. Vom Wasser, 47: 37-55.